ASTRONOMY AND ASTROPHYSICS

A European Journal

Annual Author and Subject Index 1985 pp. 287–400

Main Journal: Vols. 142–153 Supplement Series: 58.3 (1984)–62.3

Published by Springer International on behalf of the Board of Directors

Astronomy and Astrophysics A European Journal

Board of Directors

Chairman: G. Contopoulos (Greece)

Vice Chairman: B. Hauck (Switzerland)

H. Haupt (Austria)

A. G. Hearn (The Netherlands)

K. Hunger (Germany, Federal Republic) E. Jensen (Norway)

J. Lequeux (France)

W. Priester (Germany, Federal Republic)

A. Reiz (Denmark)

E. Schatzman (France)

G. Setti (Italy)

P. Smevers (Belgium)

L. Woltjer (ESO)

Editors-in-Chief

C. Cesarsky Observatoire de Meudon 92 195 Meudon Principal Cedex (France) Tel. (33-1) 45-07-06-30

Telex (42) 270 912 obsastr meudon

M. Grewing

Astronomy and Astrophysics **Editorial Office** Keplerstrasse 17 7400 Tübingen (Fed. Rep. of Germany) Tel. (49-7071) 294982 Telex (41) 7 262 714 ait d

Letter-Editor

S. R. Pottasch Kapteyn Astronomical Institute P.O. Box 800 9700 AV Groningen (The Netherlands) Tel. (31-50) 634093 Telex (44) 53 572 stars nl

Editing Secretaries

Miss B. Perche Mrs. M. Rougeot Ms. G. Meissner

Mrs. L. Goss

The exclusive copyright @ for all languages and countries, including the right for photomechanical and any other reproduction, also in microform, is vested in European Southern Observatory (ESO). The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and

Springer International Printed in Germany

therefore free for general use.

Printers: Brühlsche Universitätsdruckerei, Giessen

Annual Author-Title Index

Astronomy and Astrophysics, Volumes 142-153 (1985)

Supplement Series, Volumes 58.3 (1984) -62.3 (1985)

Volume and page numbers of articles published in the Supplement Series are printed in italics.

Aannestad, P.A., Emery, R.J.: [OIII] and [NIII] far-infrared line emission in dusty HII blisters 145, 347

Acker, A., Jasniewicz, G.: The central star of NGC 2346: a dephasing light curve 143, L1

Acker, A., Jasniewicz, G., Gleizes, F.: Spectroscopic variations of the central star of LoTr 5 151, L13

Acker, A., see Cowley, C.R., et al. 149, 224

Adam, G.: *UBV* photometry of quasars and quasar candidates. II **149**, 490 (61, 225)

Adam, J., Köppen, J.: Models for the planetary nebulae NGC 4361 and NGC 1535: Influence of the stellar wind on the nebular ionization 142, 461

Adam, J.-C., see Bouchet, F.R., et al. 144, 413

Adelman, C.J., Adelman, S.J., Fischel, D., Warren WH, Jr.: A finding list for the multiplet tables of NSRDS-NBS 3, Sections 1–10 147, 189 (60, 339)

Adelman, S.J.: Optical region elemental abundance analyses of B and A stars. III. The mercury-manganese stars Upsilon Herculis and 38 Draconis 142, 216 (58, 585)

Adelman, S.J., Fuhr, J.R.: Optical region elemental abundance analyses of B and A stars. IV. Re-evaluation with new critically compiled FeII oscillator strengths and improved estimates of the damping constants 152, 434

Adelman, S.J., Pyper, D.M.: Spectrophotometry of peculiar B and A stars. XVIII. The helium rich variable stars HR 1890,
 Sigma Orionis E, and HD 37776 152, 447 (62, 279)

Adelman, S.J., see Pyper, D.M. 145, 279 (59, 369)

Adelman, S.J., see Adelman, C.J., et al. 147, 189 (60, 339)

Aggarwal, K.M.: Line intensity ratios for transitions in OIII 146, 149

Alcaino, G., Liller, W.: A *UBVRI* photoelectric sequence in 47 Tuc 146, 389

Alcaino, G., Liller, W.: A *UBVRI* photoelectric sequence in the globular cluster NGC 6584 **152**, 447 (62, 317)

Aldrovandi, S.M.V., Contini, M.: Composite models for the narrow emission line region of active galactic nuclei. III. The ejected filament 149, 109

Aldrovandi, S.M.V., Gruenwald, R.B.: Electron temperatures of astrophysical plasmas from the [O III] line ratio 147, 331 Aldrovandi, S.M.V., see Gruenwald, R.B. 145, 324

Alecian, G.: Approximate formulae for radiative acceleration in stars 145, 275

Alfaro, E.J., Delgado, A.J., García-Pelayo, J.M., Garrido, R., Sáez, M.: wby and Hβ photometry of the open cluster IC 4996 145, 280 (59, 441)

Alfaro, E.J., see Delgado, A.J., et al. 142, 214 (58, 447)

Alfaro, E.J., see Delgado, A.J., et al. 148, 449 (61, 89)

Alfaro, E.J., see Cabrera-Caño, J. 150, 298

Alissandrakis, C.E., see Dialetis, D., et al. 147, 93

Allamandola, L.J., see van der Zwet, G.P., et al. 145, 262

Allamandola, L.J., see van der Zwet, G.P. 146, 76

Allamandola, L.J., see d'Hendecourt, L.B., et al. 152, 130

Allen, R.J., see Roelfsema, P.R. 146, 213

Allocchio, C., see Franco, M.L., et al. 142, 218 (58, 693)

Alphenaar, P., see van Genderen, A.M., et al. 149, 490 (61, 213)

Altenbach, H.-J., see Klebsch, W., et al. 152, L12

Altenhoff, W.J., see Reich, W., et al. 151, L10

Aly, J.J.: Quasi-static evolution of sheared force-free fields and the solar flare problem 143, 19

Andernach, H., see Giovannini, G., et al. 150, 302

Andersen, J., Giménez, A.: Absolute dimensions of eclipsing binaries. VII. V 1647 Sagittarii 145, 206

Andersen, J., Nordström, B.: Radial velocities of bright southern stars. V. 146 Population II F stars and related stars 152, 448 (62, 355)

Andersen, J., Blecha, A., Walker, M.F.: The distance modulus of the Large Magellanic Cloud: evidence from colour-magnitude diagrams of old clusters 150, L12

Andersen, J., Clausen, J.V., Helt, B.E., Jensen, K.S., Naqvi, S.I.H., Nordström, B.: Four-colour photometry of eclipsing binaries. XX. Light curves of V 760 Scorpii 149, 492 (61, 353)

Andersen, J., Clausen, J.V., Nordström, B.: Four-colour photometry of eclipsing binaries. XXIII. Light curves of GZ Canis Majoris 144, 255 (59, 349)

Andersen, J., Clausen, J.V., Nordström, B., Popper, D.M.: Absolute dimensions of eclipsing binaries. VIII. V760 Scorpii 151, 329

Andersen, J., Nordström, B., Ardeberg, A., Benz, W., Imbert, M., Lindgren, H., Martin, N., Maurice, E., Mayor, M., Prévot, L.: Radial velocities of southern stars obtained with the photoelectric scanner CORAVEL. III. 790 late-type bright stars 143, 245 (59, 15)

Andersen, J., see Nordström, B. 148, 448 (61, 53)

Andersen, J., see Imbert, M., et al. 149, 490 (61, 259)

Andersen, J., see Prévot, L., et al. 152, 442 (62, 23)

Andersen, T.B., Jensen, K.S.: Photoelectric H β photometry for A and F stars brighter than $V=14^{\rm m}$ in four areas in directions towards the South Galactic Pole 144, 256 (59, 361)

Andersson, C., see Johansson, L.E.B., et al. 145, 485 (60, 135)

Andreasen, G.K., see Yoshizawa, M., et al. 147, 227

Andrews, P.J., see Heck, A., et al. 150, 350 (61, 375)

Andrillat, Y., see Vreux, J.M., et al. 149, 337

Andrillat, Y., see Yi li, Sun., et al. 152, 447 (62, 309)

Antonello, E., Guerrero, G., Mantegazza, L., Scardia, M.: Study of the variability of the δ Scuti stars. VIII. HR 4684 and the resonance mechanism in dwarf pulsators 146, 11

Anttila, R., see Mattila, K., et al. 145, 192

Anttila, R., see Mattila, K., et al. 152, 441

Aoki, S.: Hydrodynamics of a highly flattened galaxy, based on the collisionless Boltzmann equation 148, 1

Aparicio, A., see Moles, M., et al. 152, 271 Appenzeller, I., see Leitherer, C., et al. 153, 168

148, 263

Ardeberg, A., Linde, P., Lindgren, H., Lyngå, G.: Stellar populations in a faint star field in the Large Magellanic Cloud

Ardeberg, A., see Andersen, J., et al. 143, 245 (59, 15)

Ardeberg, A., see Imbert, M., et al. 149, 490 (61, 259)

Ardeberg, A., see Prévot, L., et al. 152, 442 (62, 23)

Arlot, J.E., Rocher, P.: Visibility of the mutual phenomena of the Galilean Satellites of Jupiter in 1985 and 1986 142, 214 (58, 453)

Arnal, E.M., Goss, W.M.: Westerbork observations of 6 cm H₂CO in W 51 A 145, 369

Arnaud, M., Cassé, M.: Ionic models of cosmic ray sources 144, 64

Arnaud, M., Rothenflug, R.: An updated evaluation of recombination and ionization rates 147, 337 (60, 425)

Arnaud, M., see Rothenflug, R. 144, 431

Arnould, M., see Yokoi, K., et al. 145, 339

Arsenijević, J.: A possible eruptive event on M-supergiant μ Cephei 145, 430

Ashihara, O., see Yamamoto, T. 152, L17

Ashok, N.M., see Bhatt, H.C., et al. 142, 217 (58, 685)

Aspin, C., McLean, I.S., Coyne, G.V.: CCD observations of bipolar nebulae. III. R Mon/NGC 2261 149, 158

Aspin, C., McLean, I.S., McCaughrean, M.J.: CCD observations of bipolar nebulae. II. Lk Hα233 144, 220

Aspin, C., Schwarz, H.E., McLean, I.S.: Polarization structure and variability in the optical spectrum of VY Canis Majoris 151, 169

Aspin, C., Schwarz, H.E., McLean, I.S., Boyle, R.P.: Discovery of polarization structure in the optical spectrum of the peculiar symbiotic star R Aquarii 149, L21

Atalla, R., see Clauzet, L.B.F., et al. 149, 489 (61, 211)

Atteia, J.-L., Barat, C., Hurley, K., Niel, M., Vedrenne, G., Wenzel, W., Fenimore, E.E., Klebesadel, R., Laros, J., Cline, T., Desai, U., Kuznetsov, A., Zenchenko, V.: Archival searches for optical counterparts to gamma ray bursters 152, 174

Aubier, M.G., Genova, F.: A catalogue of the high frequency limit of the jovian decameter emission observed by Voyager 149, 492 (61, 341)

Aubier, M.G., see Genova, F. 150, 139

Audouze, J., see Delbourgo-Salvador, P., et al. 150, 53

Augarde, R., Lequeux, J.: Peculiar motions and star formation in the interacting galaxy complex Mk 171=NGC 3690+IC 694 147, 273

Aurière, M., see Cordoni, J.-P. 142, 216 (58, 559)

Auvergne, M., Baglin, A.: A dynamical instability as a driving mechanism for stellar oscillations 142, 388

Axford, W.I., see Ip, W.-H. 149, 7

Azzopardi, M., Breysacher, J.: The number of W-R stars in the Large Magellanic Cloud 149, 213

Azzopardi, M., Lequeux, J., Rebeirot, E.: Discovery of carbon stars in the galactic bulge 145, L4

Azzopardi, M., Lequeux, J., Westerlund, B.E.: New carbon stars in spheroidal galaxies. I. Sculptor, Carina, Leo I and Leo II systems 144, 388

Baade, D.: Suggested new observational criteria and a new working hypothesis for the structural modeling of Be-star envelopes 148, 59

Baan, W.A., McKee, M.R.: Beams in head-tail galaxies 143, 136

Baart, E.E., see Jonas, J.L., et al. 152, 444 (62, 105)

Baas, F., see van der Zwet, G.P., et al. 145, 262

Baas, F., see Geballe, T.R., et al. 146, L6

Bååth, L., see Marcaide, J.M., et al. 142, 71

Bachiller, R., see Cernicharo, J., et al. 149, 273

Bacon, R.: Anisotropic models of elliptical galaxies. II. The case of flattened isophotes 143, 84

Bacon, R.: Dynamics of the bulge of the lenticular galaxy NGC 7814 147, L16

Bacon, R., Monnet, G., Simien, F.: Mass-to-light ratio of elliptical galaxies 152, 315

Badiali, M., Cardini, D., Emanuele, A., Ranieri, M., Soggiu, E.: Hard X-ray imaging with a rotating wide field coded mask telescope: an inflight test 151, 259

Baessgen, M., see Hippelein, H.H., et al. 152, 213

Baglin, A., Morel, P.J., Schatzman, E.: Stellar evolution with turbulent diffusion mixing. V. Lithium abundance on the lower main sequence 149, 309

Baglin, A., see Auvergne, M. 142, 388

Baier, G., Bastian, U., Keller, E., Mundt, R., Weigelt, G.: Speckle interferometry of T Tauri stars and related objects 153, 278

Baier, G., Ladebeck, R., Weigelt, G.: Speckle interferometry of the central object in the giant Hπ region NGC 3603 151, 61

Baier, G., see Weigelt, G. 150, L18

Baize, P.: Orbital elements for fifteen visual binaries 147, 189 (60, 333)

Balasubrahmanyan, V.K., see Streitmatter, R.E., et al. 143, 249 Balbinski, E.: The character of the normal mode equations for rotating perfect fluids 149, 487

Bally, J., see Henkel, C. 150, L25

Bania, T.M., see Blitz, L., et al. 143, 267

Barat, C., see Atteia, J.-L., et al. 152, 174

Barbanis, B., see Contopoulos, G. 153, 44

Barbero, J., see Cassatella, A., et al. 144, 335

Barbieri, C., Barbon, R., de Bastiani, L., Romano, G., Pesch, P., Sanduleak, N.: Studies of faint blue objects at high galactic latitudes. IV. Faint blue objects in the field of χ UMa 148, 450 (61, 163)

Barbieri, C., Cristiani, S., Omizzolo, S., Romano, G.: The variable extragalactic object 3C446 142, 316

Barbon, R., Cappellaro, E., Ciatti, F., Turatto, M., Kowal, C.T.: A revised supernova catalogue 142, 218 (58, 735)

Barbon, R., see Barbieri, C., et al. 148, 450 (61, 163)

Barbuy, B.: Magnesium isotopes in moderately metal-poor stars 151, 189

Barbuy, B., Spite, F., Spite, M.: Analysis of three field halo stars and the chemical evolution of the Galaxy 144, 343

Barcia, A., Bujarrabal, V., Gómez-González, J., Martín-Pintado, J., Planesas, P.: First spectroscopic observations with the 14-m radio telescope at the Centro Astronomico de Yebes: SiO masers in evolved stars 142, L9

Barcia, A., Gómez-González, J., Lockman, F.J., Planesas, P.: Radio recombination lines from the galactic plane in Cygnus 147, 237

Bardin, C., see Imbert, M., et al. 149, 490 (61, 259)

Barker, P.K., see Doazan, V., et al. 152, 182

Barrera, L.H., see Vogt, N. 148, 237

Barroso J, Jr., see Jablonski, F.J. 144, 249

Bartel, N., see Marcaide, J.M., et al. 142, 71

Bartel, N., see Biermann, P., et al. 147, L27

Barthel, P.D., Miley, G.K., Schilizzi, R.T., Preuss, E.: Two-epoch observations of the core radio structure in extended quasars 151, 131

Barthel, P.D., Schilizzi, R.T., Miley, G.K., Jägers, W.J., Strom, R.G.: The large and small scale radio structure of 3C236 148, 243

Baschek, B., see Jaschek, M., et al. 152, 439

Bash, F.N., Leisawitz, D.: Anomalous motions of H_I clouds 145, 127

Basri, G., Clarke, J.T., Haisch, B.M.: An analysis of scattered light in low dispersion IUE spectra 144, 161

Bassani, L., see Spinoglio, L., et al. 153, 55

Bastian, U., Mundt, R.: FU Orionis star winds 144, 57

Bastian, U., see Baier, G., et al. 153, 278

Bastien, P., Batrla, W., Henkel, C., Pauls, T., Walmsley, C.M., Wilson, T.L.: Formaldehyde observations of OMC-1 146, 86

Basu, D.: The distribution of emission line redshift of QSOs 152, 63

Bates, B., Halliwell, D.R.: Observations of the light and colour variations of AI Velorum using an acousto-optic filter photometer 151, 403

Bates, B., McKeith, C.D., Jorden, P.R., van Breda, I.G.: High dispersion spectroscopy trials using an echelle spectrograph with CCD camera 145, 321

Batrla, W., see Bastien, P., et al. 146, 86

Batrla, W., see Hermsen, W., et al. 146, 134

Batrla, W., see Mauersberger, R., et al. 146, 168

Batrla, W., see Güsten, R., et al. 149, 195

Battaner, E., see Prieto, M., et al. 146, 297

Battistini, P., Bregoli, G., Fusi Pecci, F., Lolli, M., Epps Bingham, E.A.: The blue horizontal branch of the globular cluster M15: photographic photometry with the GALAXY machine 150, 351 (61, 487)

Baud, B., see Herman, J., et al. 143, 122

Baud, B., see Boulanger, F., et al. 144, L9

Baud, B., see Herman, J., et al. 144, 514

Baud, B., see Matthews, H.E., et al. 149, 227

Baudry, A., see Despois, D. 148, 83

Baudry, A., see Guilloteau, S., et al. 153, 179

Beaulieu, A., see Borra, E.F., et al. 149, 266

Beck, R., Klein, U., Krause, M.: M81 at high radio frequencies 152, 237

Beck, R., see Sofue, Y., et al. 144, 257

Becker, W., Steppe, H.: The application of three-colour photometry on galactic starfields with strong interstellar extinction (Aquila II) 145, 486 (60, 169)

Becker, W., see Karaali, S., et al. 145, 484 (60, 75)

Beckman, J.E., see Franco, M.L., et al. 142, 218 (58, 693)

Beckman, J.E., see Vladilo, G., et al. 144, 81

Beckman, J., see Prieto, M., et al. 146, 297

Beer, H., see Walter, G. 142, 268

Beintema, D.A., see Pottasch, S.R., et al. 143, L11

Bendinelli, O., Di Iorio, A., Parmeggiani, G., Zavatti, F.: Some clues to Hubble Space Telescope image analysis 153, 265

Benevides-Soares, P., see Rossi, S.C.F., et al. 148, 93

Benevides-Soares, P., see Clauzet, L.B.F. 148, 448 (61, 83)

Bennett, K., see Pollock, A.M.T., et al. 146, 352

Bensammar, S., Friedjung, M., Letourneur, N., Perrier, F.: Infrared multiplex diameters of the inner part of VY CMa 149, L1

Bensammar, S., Letourneur, N., Perrier, F., Friedjung, M., Viotti, R.: Multiplex imagery of the infrared core of Eta Carinae 146. L1

Bentolila, C., see Cayrel de Strobel, G., et al. 143, 248 (59, 145) Benvenuti, P., see Cassatella, A., et al. 144, 335

Benz, A.O., Zolliker, P.: Polarization of solar noise storm continuum and plasma wave density in the corona 144, 227

Benz, W., see Andersen, J., et al. 143, 245 (59, 15)

Benz, W., see Imbert, M., et al. 149, 490 (61, 259)

Benz, W., see Prévot, L., et al. 152, 442 (62, 23)

Bergeat, J., see Lunel, M., et al. 148, 447 (61, 27)

Berger, J., Fringant, A.-M.: A search for faint blue stars in high galactic latitudes. III. Twelve PSS fields at declinations -6° and -12° near the South Galactic Pole 142, 216 (58, 565)

Berger, J., Fringant, A.-M.: A search for faint blue stars in high galactic latitudes. IV. Star and quasar distribution as a function of the magnitude in the PHL and PB surveys near the South Galactic Pole 149, 489 (61, 191)

Bergeron, J., see Durret, F., et al. 143, 347

Bergeron, J., see Boissé, P. 145, 59

Bergvall, N.: Star formation and chemical abundances in the blue compact galaxy ESO 338-IG04 146, 269

Bergvall, N., Johansson, L.: The active centre of the galaxy merger ESO 148-IG02 149, 475

Berkhuijsen, E.M., see Beuermann, K., et al. 153, 17

Bernazzani, M., Buonanno, R., Corsi, C.E., Hardy, E.: Magnitudes, colors and positions for bright stars in the Large Magellanic Cloud bar 150, 351 (61, 473)

Bertaux, J.L., Lallement, R., Kurt, V.G., Mironova, E.N.: Characteristics of the Local Interstellar Hydrogen determined from PROGNOZ 5 and 6 interplanetary Lyman α line profile measurements with a hydrogen absorption cell 150, 1

Bertaux, J.L., see Lallement, R., et al. 150, 21

Bertelli, G., Bressan, A.G., Chiosi, C.: Evolution of intermediate mass stars: the role of convective overshooting and stellar wind 150, 33

Berton, R.: Basic geometrical properties of the velocity and magnetic field in sunspots 149, 291

Berton, R., Rayrole, J.: Overstable vertical velocity oscillations coupled with magnetic field torsional oscillations in active regions 152, 219

Bertout, C., Leitherer, C., Stahl, O., Wolf, B.: Early-type stars in OB associations in the infrared. II. A discussion of density and temperature distributions in stellar winds 144, 87

Bertout, C., Leitherer, C., Stahl, O., Woif, B.: Erratum: Earlytype stars in OB associations in the infrared. II. A discussion of density and temperature distributions in stellar winds 147, 186

Bester, M., see Olberg, M., et al. 142, L1

Bester, M., see Klebsch, W., et al. 152, L12

Beuermann, K., Kanbach, G., Berkhuijsen, E.M.: Radio structure of the Galaxy: thick disk and thin disk at 408 MHz 153, 17

Bézard, B., see Drossart, P., et al. 149, L10

Bhatt, H.C.: Comet-star close encounters and transient emission line activity of stars 146, 363

Bhatt, H.C., Ashok, N.M., Chandrasekhar, T., Goraya, P.S.: *JHK* photometry of Be stars 142, 217 (58, 685)

Bianchi, L., Pakull, M.: The first IUE observations of LMC X-1 (star 32) 146, 242

Bianchi, L., Grewing, M., Kappelmann, N.: Simultaneous ultraviolet and optical observations of FK Comae 149, 41

Bieging, J.H., see Weliachew, L., et al. 153, 139

Bielicz, E., Glebocki, R., Sikorski, J.: Influence of rotational broadening on the width of emission reversals of Ca II and Mg II resonant lines 153, 269

Biémont, E., Brault, J.W., Delbouille, L., Roland, G.: An investigation of iron in the infrared solar spectrum based on FTS laboratory measurements 148, 449 (61, 107)

Biémont, E., Brault, J.W., Delbouille, L., Roland, G.: Identification of chromium lines in the infrared solar spectrum based on new interferometric measurements 149, 489 (61, 185)

Biémont, E., see Hannaford, P., et al. 143, 447

Biémont, E., see Whaling, W., et al. 153, 109

Biermann, P., Eckart, A., Witzel, A.: Radio source counts below 100 μJy predicted from IRAS 60 μ counts 142, L23

Biermann, P., Strom, R., Bartel, N.: NGC 6212: an elliptical galaxy with a highly active nucleus 147, L27

Biermann, P., see Schmutzler, T. 149, 383

Biermann, P., see Strom, R.G., et al. 151, 43

Bignami, G.F., see Mereghetti, S., et al. 142, 37

Bignami, G.F., see Pollock, A.M.T., et al. 146, 352

Bijleveld, W., see van Genderen, A.M., et al. 142, 215 (58, 537)

Binette, L.: Photoionization models for Liners: gas distribution and abundances 143, 334

Blackwell, D.E., see Petford, A.D., et al. 146, 195

Blackwell, D.E., see Mountain, C.M., et al. 151, 399

Blackwell, D.E., see Petford, A.D., et al. 153, 284

Blades, J.C., see Mazeh, T., et al. 149, 83 Blair, W.P., see Strom, R.G. 149, 259

Blanchet, L., Cornille, M., Dubau, J., Faucher, P., Lion, J., Volonté, S.: Dielectronic satellite spectra of Caxx resonance lines in solar flares 152, 417

Blazit, A., see Foy, R., et al. 149, L13

Blecha, A., see Andersen, J., et al. 150, L12

Blitz, L., Bloemen, J.B.G.M., Hermsen, W., Bania, T.M.: The gamma-ray deficit toward the galactic center 143, 267

Bloemen, J.B.G.M.: The interstellar radiation field and the production of inverse-Compton gamma rays in the Galaxy 145, 391

Bloemen, J.B.G.M., see Blitz, L., et al. 143, 267

Bloemen, J.B.G.M., see Pollock, A.M.T., et al. 146, 352

Blomme, R., Hensberge, H.: The outer layers of the β Cephei stars BW Vul and σ Sco 148, 97

Blums, D.F., see Lotova, N.A., et al. 150, 266

Bockelée-Morvan, D., Crovisier, J.: Possible parents for the cometary CN radical: photochemistry and excitation conditions 151, 90

Bode, M.F., Evans, A.: A dust excess in Nova Cygni 1975? 151, 452

Bode, M.F., see Mayes, A.J., et al. 142, 48

Bodenheimer, P., see Tenorio-Tagle, G., et al. 145, 70

Bodifée, G., de Loore, C.: Oscillations in star formation and contents of a molecular cloud complex 142, 297

Bodo, G., Ferrari, A., Massaglia, S., Tsinganos, K.: Acceleration and thermal instabilities in the jets of SS 433 149, 246

Bogdan, T.J., Schlickeiser, R.: Stochastic electron acceleration in stellar coronae 143, 23

Bogey, M., Demuynck, C., Denis, M., Destombes, J.L.: Laboratory measurements of the submillimeter wave spectrum of H₃O* 148, L11

Bogey, M., Demuynck, C., Destombes, J.L.: Millimeter and submillimeter wave spectroscopy of the deuterated ethynyl radical 144, L15

Bogey, M., see Combes, F., et al. 147, L25

Boissé, P., Bergeron, J.: High redshift MgII and FeII absorption in QSO spectra from known CIV systems 145, 59

Boksenberg, A., see Jörsäter, S., et al. 142, 215 (58, 507)

Boksenberg, A., see Durret, F., et al. 143, 347

Bolton, C.T., see Doazan, V., et al. 152, 182

Bonneau, D., Carquillat, J.M., Vidal, J.L.: Observations of binary stars by speckle interferometry at the Pic du Midi T2m (Text in French) 142, 218 (58, 729)

Bonneau, D., see Foy, R., et al. 149, L13

Bonnet-Bidaud, J.M., Motch, C., Mouchet, M.: The continuum variability of the puzzling X-ray three-period cataclysmic variable 2A0526-328 (TV Col) 143, 313

Bonometto, S.A., see Valdarnini, R. 146, 235

Bonsema, P.F.J., van den Heuvel, E.P.J.: Stability of mass transfer in a neutron star plus degenerate dwarf binary 146, L3 Booth, A.J., see Petford, A.D., et al. 146, 195

Booth, A.J., see Petford, A.D., et al. 153, 284

Bord, D.J., Davidson, J.P.: IUE data analysis: radial velocities from line coincidence statistics 143, 461

Borghesi, A., Bussoletti, E., Colangeli, L.: Amorphous carbon grains: laboratory measurements in the 2000 Å – 40 μ m range 142, 225

Borghesi, A., Bussoletti, E., Colangeli, L., De Blasi, C.: Laboratory study of SiC submicron particles at IR wavelengths: a comparative analysis 153, 1

Borghi, S., Chiuderi-Drago, F.: Synchrotron model for a radio burst of HR 1099 143, 226

Börngen, F., see Karachentseva, V.E., et al. 147, 187 (60, 213) Borra, E.F., Beaulieu, A., Brousseau, D., Shelton, I.: The periods of rotation of the magnetic peculiar stars in the Scorpio-Centaurus association: no evidence of braking on the main sequence 149, 266

Boscolo, P., see Epchtein, N., et al. 149, 489 (61, 203)

Bosma, A.: Are galaxy diameters dependent on their environment? 149, 482

Bottinelli, L., Fraix-Burnet, D., Gouguenheim, L., Kazes, I., Le Squeren, A.M., Patey, I., Rickard, L.J., Turner, B.E.: Mrk 273: a new OH megamaser 151, L7

Bottinelli, L., Gouguenheim, L., Paturel, G., de Vaucouleurs, G.: H1 line studies of galaxies. IV. Distance moduli of 468 disk galaxies 143, 246 (59, 43)

Bouchet, F.R., Adam, J.-C., Pellat, R.: On the way of understanding Particle-In-Cell simulations of gravitational clustering 144, 413

Bouchet, P., Lequeux, J., Maurice, E., Prévot, L., Prévot-Burnichon, M.L.: The visible and infrared extinction law and the gas-to-dust ratio in the Small Magellanic Cloud 149, 330

Bouchet, P., see Gillet, D., et al. **148**, 155 Bouchet, P., see Gillet, D., et al. **150**, 89

Bougeret, J.L., see Lengyel-Frey, D., et al. 151, 215

Boulanger, F., Baud, B., van Albada, G.D.: Warm dust in the neutral interstellar medium 144, L9

Boulanger, F., see Puget, J.L., et al. 142, L19

Boulanger, F., see Combes, F., et al. 147, L25

Boulesteix, J., see Marcelin, M., et al. 151, 144

Bourdonneau, B., see Doazan, V., et al. 151, 144

Bourgois, G., Coles, W.A., Daigne, G., Silen, J., Turunen, T., Williams, P.J.: Measurements of the solar wind velocity with EISCAT 144, 452

Bouvier, J., see Festou, M.C., et al. 144, L5

Bowell, E., see Poutanen, M., et al. 149, 491 (61, 291)

Boydağ, S., see Fenkart, R.P., et al. 143, 246 (59, 73)

Boyle, R.P., see Aspin, C., et al. 149, L21

Bozis, G., Tsarouhas, G.: Conservative fields derived from two monoparametric families of planar orbits 145, 215

Bozis, G., see Ichtiaroglou, S. 151, 64

Brand, J., see van Genderen, A.M., et al. 152, 447 (62, 291)

Brault, J.W., see Biémont, E., et al. 148, 449 (61, 107)

Brault, J.W., see Biémont, E., et al. 149, 489 (61, 185)

Braun, R., Walterbos, R.A.M.: A solution to the short spacing problem in radio interferometry 143, 307

Braunsfurth, E., Feitzinger, J.V.: Separations of H_{II} regions in galaxies 144, 215

Braunsfurth, E., Reif, K.: Survey of the 21 cm line of neutral hydrogen in the Cas-Per region $120^{\circ} \le l \le 142^{\circ}$ and $-5^{\circ} \le b \le +5^{\circ}$ with the 100 m telescope at Effelsberg 142, 215 (58, 503)

Bray, R.J., Loughhead, R.E.: High-resolution photography of

the solar chromosphere. XX. True widths of $H\alpha$ active region loops 142, 199

Braz, M.A., see Lépine, J.R.D., et al. 149, 351

Braz, M.A., see Epchtein, N., et al. 149, 489 (61, 203)

Breger, M.: The Pleiades cluster. II. Does it contain pre-mainsequence stars? 143, 455

Bregoli, G., see Battistini, P., et al. 150, 351 (61, 487)

Bressan, A.G., see Bertelli, G., et al. 150, 33

Breysacher, J., see Azzopardi, M. 149, 213

Brillet, J., see Ungerer, V., et al. 146, 123 Brinkman, A.C., see Heise, J., et al. 148, L14

Brinks, E., see Walterbos, R.A.M., et al. 150, 351 (61, 451)

Broeils, A.H., Sancisi, R.: The "thick" radio disk of NGC 4565 153, 281

Broglia, P., Conconi, P.: BD +28°1494: a multimode delta Scuti pulsator 149, 15

Brosch, N.: The nature of Hoag's object: the perfect ringed galaxy 153, 199

Brosch, N., Greenberg, J.M., Grosbøl, P.J.: Extragalactic dust. I. NGC 7070 A 143, 399

Brosche, P., Lentes, F.T.: A global formula for star formation 153, 157

Brousseau, D., see Borra, E.F., et al. 149, 266

Brown, J.C., Loran, J.M., MacKinnon, A.L.: The shortest time scales present in solar hard X-ray bursts 147, L10

Brown, J.C., see Craig, I.J.D., et al. 149, 171

Browne, P.F.: Magnetic vortex tubes, jets and nonthermal sources 144, 298

Bruch, A., see Mazeh, T., et al. 149, 470

Bruggen, P., see Smeyers, P. 144, 516

Bruston, P., Choucq-Bruston, M.: Comparative performances of an objective grating concept in UV spectroscopic observations of solar system objects. I. Imaging capabilities 142, 59

Buccheri, R., see Pollock, A.M.T., et al. 146, 352

Budell, R., see Mazeh, T., et al. 149, 470

Buffoni, L., Carta, F., Chlistovsky, F., Manara, A., Mazzoleni, F.: Results of astrolabe observations made at Merate observatory: time and latitude, 1983 142, 214 (58, 499)

Buitrago, J., Mediavilla, E.: Dynamics of the dust material surrounding Vega 148, L8

Bujarrabal, V., see Barcia, A., et al. 142, L9

Buonanno, R., Corsi, C.E., Fusi Pecci, F.: The giant, asymptotic, and horizontal branches of globular clusters. II. Photographic photometry of the metal-poor clusters M15, M92, and NGC 5466 145, 97

Buonanno, R., Corsi, C.E., Fusi Pecci, F., Hardy, E., Zinn, R.: Color-magnitude diagrams for the clusters and the field of the Fornax dwarf spheroidal galaxy 152, 65

Buonanno, R., see Bernazzani, M., et al. 150, 351 (61, 473)

Buonaura, B., see Onnembo, A., et al. 152, 349

Burchi, R., D'Ambrosio, V., Tempesti, P., Lanciano, N.: Rotational properties of asteroids 2, 12, 80, 145, and 354 obtained by photoelectric photometry 145, 483 (60, 9)

Burchi, R., see D'Ambrosio, V., et al. 144, 427

Burger, J.H., see van Genderen, A.M., et al. 152, 447 (62, 291) Burkhart, C., see van 't Veer-Menneret, C., et al. 146, 139

Burm, H.: The scaling of the shear stress in an accretion disk 143, 389

Burnet, M., see Mégessier, C., et al. 145, 281 (59, 485)

Burshtein, M.L., see Vujnović, V. 151, 442

Burton, W.B.: Leiden-Green Bank survey of atomic hydrogen in the galactic disk. I. *l*, *v* and *b*, *v* maps 153, 285 (62, 365) Burton, W.B., te Lintel Hekkert, P.: Leiden-Green Bank survey

of atomic hydrogen in the galactic disk. II. Integrated properties in *l,b* maps 153, 285 (62, 643)

Burton, W.B., see Liszt, H.S., et al. 142, 237

Burton, W.B., see Liszt, H.S., et al. 142, 245

Buser, R., Kaeser, U.: The Basel high-latitude survey of the Galaxy. I. Star count analysis from galaxy models 145, 1

Busso, M., Gallino, R.: The production of neutron-rich isotopes during He burning in massive stars 151, 205

Busso, M., Scaltriti, F., Cellino, A.: Differential rotation and activity cycles in RS CVn binaries. II. Model results for short and intermediate period members 148, 29

Busso, M., see Cellino, A., et al. 144, 315

Busso, M., see Scaltriti, F., et al. 149, 11

Bussoletti, E., see Borghesi, A., et al. 142, 225

Bussoletti, E., see Borghesi, A., et al. 153, 1

Cabrera-Caño, J., Alfaro, E.J.: Analysis of relative proper motion: an improved method to assign membership probabilities in open clusters 150, 298

Cacciari, C.: UV fluxes of Population II stars 150, 350 (61, 407)

Cacciari, C., see Mazeh, T., et al. 149, 83

Caccin, B., Cavallini, F., Ceppatelli, G., Righini, A., Sambuco, A.M.: Terrestrial O₂ lines used as wavelength references: experimental profiles and asymmetries vs. model computations 149, 357

Caccin, B., see Onnembo, A., et al. 152, 349

Calafat, R., see Rossello, G., et al. 145, 279 (59, 399)

Caloi, V., Castellani, V., Nesci, R., Rossi, L.: Theoretical constraints on far UV radiation from old Population II stellar systems 145, 281 (59, 505)

Caloi, V., Castellani, V., Tarenghi, M.: M62: an RR Lyrae-rich, UV-bright galactic globular cluster 145, 286

Cameron, L.M.: Metallicities and distances of galactic clusters as determined from *UBV*-data. I. The effects of metallicity and reddening on the colors of main-sequence stars 146, 59

Cameron, L.M.: Metallicities and distances of galactic clusters as determined from UBV-data. II. The metallicities and distances of 38 open clusters 147, 39

Cameron, L.M.: Metallicities and distances of galactic clusters as determined from UBV-data. III. Ages and abundance gradients of open clusters 147, 47

Cameron, L.M.: Metallicities and distances of galactic clusters as determined from *UBV*-data. IV. The distance to the Hyades 152, 250

Cameron Reed, B.: Photographic UBV photometry of a field in Puppis at $(l,b) = (253^{\circ}, -7^{\circ})$ 152, 443 (62, 49)

Campbell, B., see Cayrel, R., et al. 146, 249

Capitaine, N., Williams, J.G., Seidelmann, P.K.: Clarifications concerning the definition and determination of the celestial ephemeris pole 146, 381

Caplan, J., Deharveng, L.: Absolute H α and H β photometry of LMC H π regions 152, 444 (62, 63)

Caplan, J., Perrin, J.-M., Sivan, J.-P.: Wide-field kinematic Hα observations of the Milky Way with a scanning and imaging Fabry-Perot: preliminary results 145, 221

Cappellaro, E., see Barbon, R., et al. 142, 218 (58, 735)

Caputo, F.: CO band strengths for giants in galactic globular clusters. Are they related to the second parameter problem? 147, 317

Caputo, F., Castellani, V., Quarta, M.L.: Reddening, distance modulus and age of the globular cluster NGC 6121 (M 4) from the properties of RR Lyrae variables 143, 8

Capuzzo-Dolcetta, R., Di Fazio, A., Palla, F.: A treatment of opacity suitable for media of low density and temperature.

Caraveo, P.A., see Mereghetti, S., et al. 142, 37

Caraveo, P.A., see Dolan, J.F., et al. 143, 1

Caraveo, P.A., see Pollock, A.M.T., et al. 146, 352

Cardini, D., see Badiali, M., et al. 151, 259 Carey, W.C., see Festou, M.C., et al. 152, 170

Carquillat, J.M., see Pédoussaut, A., et al. 142, 217 (58, 601) Carquillat, J.M., see Bonneau, D., et al. 142, 218 (58, 729)

Carquillat, J.M., see Ginestet, N., et al. 144, 403

Carsenty, U., Solf, J.: The kinematical structure of the HII region Sh 2-156 152, 254

Carta, F., see Buffoni, L., et al. 142, 214 (58, 499)

Carvalho, J.C.: Magneto-ionic content of compact extragalatic radio sources 150, 129

Cassatella, A., Barbero, J., Benvenuti, P.: The International Ultraviolet Explorer (IUE) point spread function at low resolution 144, 335

Cassatella, A., see Lamers, H.J.G.L.M., et al. 149, 29

Cassé, M., see Arnaud, M. 144, 64

Cassinelli, J.P., see Wolfire, M.G., et al. 142, L25

Castellani, V., see Caputo, F., et al. 143, 8

Castellani, V., see Caloi, V., et al. 145, 281 (59, 505)

Castellani, V., see Caloi, V., et al. 145, 286

Castelli, F., Cornachin, M., Hack, M., Morossi, C.: Abundance analysis from the UV spectrum of the He-w star HR 6000 143, 245 (59, 1)

Caux, E., Puget, J.L., Serra, G., Gispert, R., Ryter, C.: Farinfrared survey of the galactic disc. II. The sources 144, 37

Cavallini, F., Ceppatelli, G., Righini, A.: Asymmetry and shift of three Fer photospheric lines in solar active regions 143,

Cavallini, F., Ceppatelli, G., Righini, A.: Meridional and equatorial center-to-limb variation of the asymmetry and shift of three Fe I solar photospheric lines around 6300 Å 150, 256

Cavallini, F., see Caccin, B., et al. 149, 357 Cayrel de Strobel, G., Bentolila, C., Hauck, B., Duquennoy, A.: A catalogue of [Fe/H] determinations, 1984 edition 143, 248 (59, 145)

Cayrel de Strobel, G., see Cayrel, R., et al. 146, 249

Cayrel, R., Cayrel de Strobel, G., Campbell, B.: Steps towards the abundance scale. I. The abundance of heavy elements in the Hyades cluster 146, 249

Cellino, A., Pannunzio, R., Zappalà, V., Farinella, P., Paolicchi, P.: Do we observe light curves of binary asteroids? 144, 355

Cellino, A., Scaltriti, F., Busso, M.: The RS CVn-type binary SV Camelopardalis: evidence of dark spots from UBV observations and IR fluxes 144, 315

Cellino, A., see Busso, M., et al. 148, 29

Cellino, A., see Scaltriti, F., et al. 149, 11

Celnik, W.E.: The Rosette nebula. II. Radio continuum and recombination line observations 144, 171

Ceppatelli, G., see Cavallini, F., et al. 143, 116 Ceppatelli, G., see Caccin, B., et al. 149, 357

Ceppatelli, G., see Cavallini, F., et al. 150, 256

Cernicharo, J., Bachiller, R., Duvert, G.: The Taurus-Auriga-Perseus complex of dark clouds. I. Density structure 149, 273

Cernicharo, J., see Mebold, U., et al. 151, 427

Cesarsky, C.J., see Lagage, P.O. 147, 127

Chadwick, P.M., Dowthwaite, J.C., Harrison, A.B., Kirkman, I.W., McComb, T.J.L., Orford, K.J., Turver, K.E.: 4U 0115+ 63: an energetic gamma ray binary pulsar 151, L1

Chandra, S.: Einstein A-coefficients for pure rotational transitions in the H₂¹⁸O-molecule 143, 246 (59, 59)

Chandra, S., Kegel, W.H., Varshalovich, D.A.: Prediction of maser emission from para-H₂O at 1.635 mm and 922 µ 148,

Chandra, S., Kegel, W.H., Varshalovich, D.A.: Einstein Avalues for purely rotational transitions in the HDO-molecule 142, 217 (58, 687)

Chandrasekhar, T., see Bhatt, H.C., et al. 142, 217 (58, 685)

Chang, K.M.: The number of critical points in polytropic accretion onto black holes 142, 212

Chapellier, E.: Period changes in β CMa Stars 147, 135

Chapellier, E., Valtier, J.C., Sareyan, J.P., Le Contel, J.M., Ducatel, D., Morel, P.J.: Has a Vir ever stopped pulsating? 143, 466

Charles, P.A., see Chevalier, C., et al. 147, L3

Chavarria-K, C.: Herbig's Ae and Be star LkHa198, a flare star candidate 148, 317

Che-Bohnenstengel, A., see Schröder, K.-P. 151, L5

Chen, J.-S., see Shaver, P.A. 148, 443

Chester, T., see Habing, H.J., et al. 152, L1

Chevalier, C., Ilovaisky, S.A., Charles, P.A.: XB 1905+000: the most distant optically identified X-ray burster? 147, L3

Chevalier, C., see Motch, C., et al. 145, 201

Chincarini, G., de Souza, R.: Optical studies of galaxies in clusters. I. Observations of hydrogen deficient galaxies 153, 218 Chincarini, G., see De Souza, R.E., et al. 143, 143

Chincarini, G., see Vettolani, G., et al. 144, 506

Chini, R., Krügel, E.: Cocoon stars in M17 146, 175

Chini, R., Mezger, P.G., Kreysa, E., Gemünd, H.-P.: Erratum: One-millimeter continuum observations of IRAS and FIRSSE sources 143, 244

Chini, R., see Neckel, T., et al. 153, 253

Chiosi, C., see Bertelli, G., et al. 150, 33

Chiuderi-Drago, F., see Borghi, S. 143, 226

Chiumiento, G., Picchio, G., Sarasso, M.: Time observations with the Photoelectric Transit Instrument at the Observatory of Torino in the period 1980.3-1984.0 152, 442 (62, 1)

Chlistovsky, F., see Buffoni, L., et al. 142, 214 (58, 499) Chollet, F., Débarbat, S., Hascoët, J.-C., Lam, S.K., Texier, P., Tomas, M.: Results of observations made in Paris with the astrolabe 150, 351 (61, 443)

Choucq-Bruston, M., see Bruston, P. 142, 59

Christensen, P.R., Sommer-Larsen, J.: No evidence for M 87like ejection in F-71 150, L5

Chu, Y., see Fang, L., et al. 143, 241

Churchwell, E., see Güsten, R., et al. 142, 381

Ciatti, F., see Barbon, R., et al. 142, 218 (58, 735)

Clarià, J.J.: Membership and photometric abundances of red evolved stars in open clusters 144, 254 (59, 195)

Clark, T.A., see Marcaide, J.M., et al. 142, 71

Clarke, D., Schwarz, H.E., Stewart, B.G.: Polarization measurements of late-type stars at H β and CaIIK 145, 232

Clarke, J.T., see Basri, G., et al. 144, 161

Clausen, J.V., see Andersen, J., et al. 144, 255 (59, 349)

Clausen, J.V., see Andersen, J., et al. 149, 492 (61, 353)

Clausen, J.V., see van der Klis, M., et al. 151, 322

Clausen, J.V., see Andersen, J., et al. 151, 329

Clausen, J.V., see Giménez, A., et al. 152, 445 (62, 179)

Clauzet, L.B.F., Benevides-Soares, P.: The second astrolabe catalogue at Valinhos 148, 448 (61, 83)

Clauzet, L.B.F., Atalla, R., Débarbat, S.: Astrolabe observations of radiostars at Valinhos 149, 489 (61, 211)

Clement, R.M., see Spinoglio, L., et al. 153, 55

Cline, T., see Atteia, J.-L., et al. 152, 174

Coe, M.J., see Spinoglio, L., et al. 153, 55

Cogotti, R., Ruffini, R., Jong, S.D.: Theoretical interpretation of the nutational effects in SS 433 142, 124

Cohen, N.L., see Marcaide, J.M., et al. 142, 71

Colangeli, L., see Borghesi, A., et al. 142, 225

Colangeli, L., see Borghesi, A., et al. 153, 1

Coles, W.A., see Bourgois, G., et al. 144, 452

Collin-Souffrin, S., see Dumont, S. 144, 245

Collin-Souffrin, S., see Joly, M., et al. 152, 282

Colson, F., see Dollfus, A., et al. 151, 235

Combes, F., Gerin, M.: Spiral structure of molecular clouds in response to bar forcing: a particle simulation 150, 327

Combes, F., Boulanger, F., Encrenaz, P.J., Gerin, M., Bogey, M., Demuynck, C., Destombes, J.L.: Detection of interstellar CCD 147, L25

Combes, M., see Drossart, P., et al. 146, 181

Conconi, P., see Broglia, P. 149, 15

Contini, M., see Aldrovandi, S.M.V. 149, 109

Contopoulos, G., Barbanis, B.: Resonant systems with three degrees of freedom 153, 44

Conway, R.G., Strom, R.G.: Linear polarization at λ 49 cm of 27 double radio sources 146, 392

Conway, R.G., see Strom, R.G. 150, 352 (61, 537)

Copetti, M.V.F., Pastoriza, M.G., Dottori, H.A.: Age determination of extragalactic H_{II} regions 152, 427

Cordoni, J.-P., Aurière, M.: Magnitudes and colours for stars in the central part of the globular cluster NGC 7099 (M30) 142, 216 (58, 559)

Corey, B.E., see Marcaide, J.M., et al. 142, 71

Cornachin, M., see Castelli, F., et al. 143, 245 (59, 1)

Cornille, M., see Blanchet, L., et al. 152, 417

Cornwell, T.J., Evans, K.F.: A simple maximum entropy deconvolution algorithm 143, 77

Corsi, C.E., see Buonanno, R., et al. 145, 97

Corsi, C.E., see Bernazzani, M., et al. 150, 351 (61, 473)

Corsi, C.E., see Buonanno, R., et al. 152, 65

Cortés, P., see Sala, F., et al. 152, 448 (62, 321)

Cotton, W.D., see Marcaide, J.M., et al. 142, 71

Coupry, M.F., see van 't Veer-Menneret, C., et al. 146, 139 Couteau, P.: New double stars (19th series) discovered at Nice

147, 187 (60, 237)

Couteau, P.: Measurements of double stars at Nice with 74 and 50 cm refractors 147, 188 (60, 241)

Cowley, C.R., Jaschek, M., Acker, A.: Recent spectra of FG Sge: iron-group weakens, while rare earths strengthen 149, 224

Coyne, G.V., see Aspin, C., et al. 149, 158

Craig, I.J.D., McClements, K.G., Thompson, A.M., Brown, J.C.: The numerical inversion of synchrotron spectra and the Crab nebula as a synchrotron source 149, 171

Cramer, N., see North, P. 147, 190 (60, 353)

Crannell, C.J., see Dolan, J.F., et al. 143, 1

Crezelius, C., see Mebold, U., et al. 151, 427

Cristaldi, S.: Photoelectric measurements of BY Draconis carried out at the Catania Astrophysical Observatory from 1967 to 1970 144, 254 (59, 187)

Cristiani, S., see Barbieri, C., et al. 142, 316

Crivellari, L., see Franco, M.L., et al. 142, 218 (58, 693)

Crivellari, L., see Vladilo, G., et al. 144, 81

Crovisier, J., Dickey, J.M., Kazès, I.: Observation of neutral hydrogen 21-cm absorption toward double sources 146, 223

Crovisier, J., Dickey, J.M., Kazès, I.: 21-cm absorption observations towards a cold diffuse cloud 149, 209

Crovisier, J., see Bockelée-Morvan, D. 151, 90

Crussaire, D., see Dollfus, A., et al. 151, 235

Cugnon, P.: Some considerations on the theory of the magnetic alignment of dust grains 152, 1

Cullum, M., Deiries, S., D'Odorico, S., Reiß, R.: Spectroscopy to the atmospheric transmission limit with a coated GEC CCD 153, L1

Cuypers, H., see Thé, P.S., et al. 149, 429

Cuypers, H., see Thé, P.S., et al. 150, 345

Cuypers, J.: EW Scuti: a double-mode cepheid 145, 283

Cuypers, J., see Waelkens, C. 152, 15

da Costa, L.N., see de Carvalho, R.R., et al. 149, 449

Dachs, J., Kaiser, D.: *Erratum: UBV* photometry of the southern galactic cluster NGC 4755=x Crucis 144, 256 (59, 368)

Daigne, G., see Bourgois, G., et al. 144, 452

Dalaudier, F., see Lallement, R., et al. 150, 21

D'Ambrosio, V., Burchi, R., Di Paolantonio, A., Giuliani, C.: Laboratory photometry of asteroids and atmosphereless bodies. The S.A.M. apparatus 144, 427

D'Ambrosio, V., see Burchi, R., et al. 145, 483 (60, 9)

Damen, E., see van Genderen, A.M., et al. 153, 163

Danese, L., De Zotti, G., Franceschini, A.: A comparative study of cosmological evolution in the radio, optical and X-ray bands 143, 277

Danks, A.C., Lambert, D.L.: The chromospheric He_I D₃ line in main-sequence stars 148, 293

Danks, A.C., see Wamsteker, W., et al. 152, 446 (62, 255)

Däppen, W., Perdang, J.: Non-linear stellar oscillations. Nonradial mode interactions 151, 174

Davidson, J.P., see Bord, D.J. 143, 461

Davies, R.D., see Hummel, E., et al. 147, 189 (60, 293)

Davies, S.R., see Little, L.T., et al. 142, 378

Davoust, E., Paturel, G., Vauglin, I.: Catalogue of central velocity dispersions of galaxies 149, 491 (61, 273)

Davoust, E., see Pence, W.D. 147, 338 (60, 517)

de Bastiani, L., see Barbieri, C., et al. 148, 450 (61, 163)

De Biase, G.A., see Rossi, C., et al. 143, 13

De Blasi, C., see Borghesi, A., et al. 153, 1

de Boer, K.S.: UV-bright stars in galactic globular clusters, their far-UV spectra and their contribution to the globular cluster luminosity 142, 321

de Boer, K.S., see Kaelble, A., et al. 143, 408

de Bruyn, J.W., see van Genderen, A.M., et al. 152, 447 (62, 291)

de Carvalho, R.R., da Costa, L.N., Pellegrini, P.S.: Structure of SO galaxies in the central regions of the Fornax cluster 149, 449

de Castro, E., see Fernandez-Figueroá, M.J., et al. 145, 483 (60, 5)

de Freitas, Mourão. RR, see Debehogne, H. 143, 247 (59, 103)

de Freitas Pacheco, J.A., Faria Lopes, D., Landaberry, S.C., Selvelli, P.L.: HD 87643: a B [e] star with a cold wind 152, 101

De Grève, J.P., de Landtsheer, A.C., Packet, W.: The initial parameters of the semidetached binary TV Cas 142, 367

de Grijp, M.H.K., see Jägers, W.J. 143, 176

de Groot, M., see Stahl, O., et al. 149, 490 (61, 237)

de Haan, J.F., see Hovenier, J.W. 146, 185

de Jager, G., see Jonas, J.L., et al. 152, 444 (62, 105)

de Jong, T., Klein, U., Wielebinski, R., Wunderlich, E.: Radio continuum and far-infrared emission from spiral galaxies: a close correlation 147, L6

de Jong, T., see de Kool, M. 149, 151

de Kool, M., de Jong, T.: Civ and Siiv in the interstellar medium 149, 151

de Landtsheer, A.C., see De Grève, J.P., et al. 142, 367

de Lange, L., see van Genderen, A.M., et al. 149, 490 (61, 213)

de Lange, L., see van Genderen, A.M., et al. 152, 447 (62, 291)

de Loore, C., see Bodifée, G. 142, 297

de Loore, C., see Pylyser, E., et al. 148, 379

de Muizon, M., Rouan, D.: Galactic dust: infrared spectrum and temperature distribution of the different components 143, 160

De Sanctis, G., Ferreri, W., Zappalà, V.: Positions of selected minor planets (1981–1983) 143, 248 (59, 139)

De Sanctis, G., see Debehogne, H., et al. (1982) 143, 247 (59, 99)

De Souza, R.E., Vettolani, G., Chincarini, G.: The flattening distribution of lenticular galaxies 143, 143

de Souza, R.E., see Vettolani, G., et al. 144, 506

de Souza, R., see Chincarini, G. 153, 218

de Vaucouleurs, G., see Bottinelli, L., et al. 143, 246 (59, 43)

de Vegt, C., Prochazka, F.: Results from a pilot program for determining precise optical positions of radio sources with the 1.5 m L. Figl-telescope of the Vienna Observatory 148, 226

de Vries, C.P.: A warm dust cloud associated with α Cam 150, L15

de Vries, C.P., Le Poole, R.S.: Comparison of optical appearance and infrared emission of some high latitude extended dust clouds 145, L7

de Waard, G.J., Strom, R.G., Miley, G.K.: A search for H1 and OH absorption in high redshift quasars 145, 479

De Zotti, G., Gaskell, C.M.: Orientation effects and the reddening of the lines and continua of Seyfert galaxies 147, 1

De Zotti, G., see Danese, L., et al. 143, 277

Dean, A.J., see Spinoglio, L., et al. 153, 55

Débarbat, S., see Clauzet, L.B.F., et al. 149, 489 (61, 211)

Débarbat, S., see Chollet, F., et al. 150, 351 (61, 443)

Debehogne, H.: Positions of asteroids observed at La Silla-GPO, in September 1983. 3 discoveries 143, 247 (59, 95)

Debehogne, H.: Minor planets discoveries at the GPO, ESO-La Silla in September 1983. Dependences of stars for catalogue improvement and future perturbation studies 143, 248 (59, 117)

Debehogne, H., de Freitas, Mourão. RR: Minor planets' positions and discoveries obtained in February 1983 at the European Southern Observatory, La Silla 143, 247 (59, 103)

Debehogne, H., De Sanctis, G., Zappalà, V. (1982) 143, 247 (59, 99)

Debehogne, H., Hahn, G., Lagerkvist, C.-I.: Positions of asteroids obtained during 1982 with the GPO telescope at ESO, Chile 143, 247 (59, 87)

Deharveng, L., see Caplan, J. 152, 444 (62, 63)

Deiries, S., see Cullum, M., et al. 153, L1

Delbouille, L., see Biémont, E., et al. 148, 449 (61, 107)

Delbouille, L., see Biémont, E., et al. 149, 489 (61, 185)

Delbourgo-Salvador, P., Gry, C., Malinie, G., Audouze, J.: Effects of nuclear uncertainties and chemical evolution on the standard big bang nucleosynthesis 150, 53

Delgado, A.J., Alfaro, E.J., García-Pelayo, J.M., Garrido, R., Vidal, S.: Search for variable stars in the young open cluster NGC 6871 142, 214 (58, 447) Delgado, A.J., Alfaro, E.J., Garrido, R.: Variable stars in the young open cluster IC 4996 148, 449 (61, 89)

Delgado, A.J., see Alfaro, E.J., et al. 145, 280 (59, 441)

Delva, M.: A Lie integrator program and test for the elliptic restricted three body problem 147, 188 (60, 277)

Demuynck, C., see Bogey, M., et al. 144, L15

Demuynck, C., see Combes, F., et al. 147, L25

Demuynck, C., see Bogey, M., et al. 148, L11

Denis, M., see Bogey, M., et al. 148, L11

Dennefeld, M., see Festou, M.C., et al. 144, L5

Dennefeld, M., see Ferlet, R., et al. 152, 151

Dennis, B.R., see Dolan, J.F., et al. 143, 1

Dent, W.R.F., Little, L.T., Kaifu, N., Ohishi, M., Suzuki, S.: A plan view of the bipolar molecular outflow source G 35.2 N 146, 375

Desai, U., see Atteia, J.-L., et al. 152, 174

Deschamps, M., see Santer, R., et al. 150, 217

Despois, D., Baudry, A.: Observations of carbon monoxide toward VLA H1 absorption sources 148, 83

Destombes, J.L., see Bogey, M., et al. 144, L15

Destombes, J.L., see Combes, F., et al. 147, L25

Destombes, J.L., see Bogey, M., et al. 148, L11

Destombes, J.L., see Lellouch, E. 152, 405

Deul, E.R., see van Genderen, A.M., et al. 149, 490 (61, 213)

Deul, E.R., see van Genderen, A.M., et al. 152, 447 (62, 291)

Devienne, F.M., Teisseire, M.: Total synthesis of interstellar chemical compounds by high energy molecular beam bombardment on pure graphite 147, 54

d'Hendecourt, L.B., Allamandola, L.J., Greenberg, J.M.: Time dependent chemistry in dense molecular clouds. I. Grain surface reactions, gas/grain interactions and infrared spectroscopy 152, 130

d'Hendecourt, L., see Léger, A. 146, 81

Di Benedetto, G.P.: Long baseline Michelson stellar interferometry in the near infrared 148, 169

Di Cocco, G., see Spinoglio, L., et al. 153, 55

Di Fazio, A., see Capuzzo-Dolcetta, R., et al. 145, 290

Di Iorio, A., see Bendinelli, O., et al. 153, 265

Di Martino, M., see Zappalà, V., et al. 147, 35 Di Martino, M., see Piironen, J.O., et al. 149, 491 (61, 299)

Di Paolantonio, A., see D'Ambrosio, V., et al. 144, 427

di Serego Alighieri, S., Perryman, M.A.C., Macchetto, F.: The ESA photon counting detector: a scientific model for the Faint Object Camera 149, 179

Dialetis, D., Mein, P., Alissandrakis, C.E.: The Evershed flow as a steady-state homogeneous phenomenon 147, 93

Dialetis, D., see Kontizas, E., et al. 146, 293

Dickey, J.M., see Crovisier, J., et al. 146, 223

Dickey, J.M., see Crovisier, J., et al. 149, 209

Dickey, J.M., see Kazès, I. 152, L9

Diethelm, R.: RY Leporis: a bright, high-amplitude δ Scuti star 149, 465

Dimitrijević, M.S.: Dependence of Stark widths and shifts on the ionization potential: $np^{k-1} (n+1)s - np^k$ resonance transitions 145, 439

Disney, M.J., see Phillipps, S. 148, 234

Doazan, V., Grady, C.A., Snow, T.P., Peters, G.J., Marlborough, J.M., Barker, P.K., Bolton, C.T., Bourdonneau, B., Kuhi, L.V., Lyons, R.W., Polidan, P.S., Stalio, R., Thomas, R.N.: The development of the new Be phase of 59 Cyg in the visual and in the far UV in 1978–1983 152, 182

Dobrowolny, M., Torricelli-Ciamponi, G.: Alfvén wave dissipation in the solar wind 142, 404 Dodd, R.J., see MacGillivray, H.T. 145, 269

D'Odorico, S., Gratton, R.G., Ponz, D.: A high dispersion analysis of a giant star in 47 Tucanae 142, 232

D'Odorico, S., see Cullum, M., et al. 153, L1

Dolan, J.F., Caraveo, P.A., Crannell, C.J., Dennis, B.R., Frost, K.J., Orwig, L.E.: High energy X-ray observations of COS-B gamma-ray sources from OSO-8 143, 1

Dolez, N., see Koester, D., et al. 149, 423

Dollfus, A., Colson, F., Crussaire, D., Launay, F.: A monochromator for solar quantitative imagery: the instrument FPSS 151, 235

Dollfus, A., see Santer, R., et al. 150, 217

Donati-Falchi, A., Falciani, R., Smaldone, L.A.: Analysis of the optical spectra of solar flares. IV. The "blue" continuum of white light flares 152, 165

Doom, C.: Stellar evolution with the Roxburgh criterion for convection 142, 143

Doom, C., see Pylyser, E., et al. 148, 379

Dopita, M.A., see Wilson, I.R.G. 149, 295

Dottori, H.A., see Copetti, M.V.F., et al. 152, 427

Dourneau, G., Dulou, M.R., Le Campion, J.F.: Observations and comparison with theory of Saturn's satellites, 1981–1982 (Text in French) 142, 91

Dowthwaite, J.C., Harrison, A.B., Kirkman, I.W., Macrae, H.J., Orford, K.J., Turver, K.E., Walmsley, M.: The galactic plane: A source of 1000 GeV gamma rays 142, 55

Dowthwaite, J.C., see Chadwick, P.M., et al. 151, L1

Doyle, J.G., Mason, H.E., Vernazza, J.E.: Interpretation of EUV spectra from loop structures in an active region at the limb 150, 69

Drapatz, S., see Wilczek, R. 142, 9

Drechsel, H., see Mazeh, T., et al. 149, 83

Drechsel, H., see Haug, K. 151, 157

Drilling, J.S., Schönberner, D.: On the progenitors of white dwarfs 146, L23

Drossart, P., Encrenaz, T., Combes, M.: The ¹⁴N/¹⁵N ratio in the Jovian atmosphere 146, 181

Drossart, P., Lacy, J., Serabyn, E., Tokunaga, A., Bézard, B., Encrenaz, T.: Detection of ¹³C¹²CH₂ on Jupiter at 13 μm 149, L10

Dubau, J., see Blanchet, L., et al. 152, 417

Ducatel, D., see Chapellier, E., et al. 143, 466

Duerbeck, H.W., see Sterken, C., et al. 145, 483 (60, 1)

Dufton, P.L., see Keenan, F.P., et al. 147, 89

Dulk, G.A., Steinberg, J.L., Lecacheux, A., Hoang, S., Mac-Dowall, R.J.: The visibility of type III radio bursts originating behind the Sun 150, L28

Dulk, G.A., see Steinberg, J.L., et al. 150, 205

Dulk, G.A., see Gary, D.E., et al. 152, 42

Dulou, M.R., see Dourneau, G., et al. 142, 91

Dumont, S., Collin-Souffrin, S.: Rapid non-LTE calculations of Balmer lines and hydrogen ionization: the solar case 144, 245

Dupeyrat, G., see Marquette, J.B., et al. 147, 115

Duquennoy, A., see Cayrel de Strobel, G., et al. 143, 248 (59, 145)

Duquennoy, A., see Mégessier, C., et al. 145, 281 (59, 485)

Durouchoux, P., see Prantzos, N. 147, 335

Durret, F., Bergeron, J., Boksenberg, A.: Gas and star content and spatial distribution in the giant extragalactic H_{II} region Tol 89 143, 347

Duval, M.F., Monnet, G.: Luminosity and mass models for the barred spiral galaxies NGC 7741, NGC 3359 and NGC 7479 148, 450 (61, 141)

Duvert, G., see Cernicharo, J., et al. 149, 273

Dziembowski, W.A., Paterno, L., Ventura, R.: Excitation of solar oscillation gravity modes by magnetic torque 151, 47

Eckart, A., see Biermann, P., et al. 142, L23

Eckart, A., see Strom, R.G., et al. 151, 43

Edelman, C.: Construction of periodic orbits and problems of capture (Text in French) 145, 454

Efimov, Y.S., see Sillanpää, A., et al. 147, 67

Eichhorn, H.: The direct use of spherical coordinates in focal plane astrometry 150, 251

Ekers, R.D., see Parma, P., et al. 145, 282 (59, 511)

El Eid, M.F., see Langer, N., et al. 145, 179

El Eid, M.F., see Glatzel, W., et al. 149, 413

Elldér, J., see Weliachew, L., et al. 153, 139

Elldér, J., see Johansson, L.E.B., et al. 145, 485 (60, 135)

Ellison, B.N., see Little, L.T., et al. 142, 378 Elsmore, B., see Spinoglio, L., et al. 153, 55

Elwert, G., see Haug, E., et al. 146, 159

Elwert, G., see Haug, E., et al. 148, 115

Emanuele, A., see Badiali, M., et al. 151, 259

Emerson, D.T., see Weliachew, L., et al. 153, 139

Emery, R.J., see Aannestad, P.A. 145, 347

Encrenaz, P.J., see Combes, F., et al. 147, L25 Encrenaz, P., see Hoang-Binh, D., et al. 146, L19

Encrenaz, T., see Drossart, P., et al. 146, 181

Encrenaz, T., see Drossart, P., et al. 149, L10

Engelmann, J.J., Goret, P., Juliusson, E., Koch-Miramound, L., Lund, N., Masse, P., Rasmussen, I.L., Soutoul, A.: Source energy spectra of heavy cosmic ray nuclei as derived from the French-Danish experiment on HEAO-3 148, 12

Engels, D., Schmid-Burgk, J., Walmsley, C.M., Winnberg, A.: K3-35: planetary nebula or compact H_{II} region? 148, 344

Epchtein, N., Matsuura, O.T., Braz, M.A., Lépine, J.R.D., Picazzio, E., Marques Dos Santos, P., Boscolo, P., Le Bertre, T., Roussel, A.: Valinhos 2.2 micron survey of the southern galactic plane. Positions and infrared photometry of 338 sources 149, 489 (61, 203)

Epchtein, N., see Lépine, J.R.D., et al. 149, 351

Epps Bingham, E.A., see Battistini, P., et al. 150, 351 (61, 487)
Erdas, A., Mezzorani, G., Quarati, P., Puddu, G.: Radiative formation of positronium in a vacuum 144, 295

Eriguchi, Y., Hachisu, I.: Fission sequences of self-gravitating and rotating fluid with internal motion 142, 256

Eriguchi, Y., Hachisu, I.: Maclaurin hamburger sequence 148, 289

Eriguchi, Y., Müller, E.: A general computational method for obtaining equilibria of self-gravitating and rotating gases 146, 260

Eriguchi, Y., Müller, E.: Equilibrium models of differentially rotating polytropes and the collapse of rotating stellar cores 147, 161

Eriguchi, Y., see Hachisu, I. 143, 355

Eriguchi, Y., see Hachisu, I. 147, 13

Eriguchi, Y., see Hachisu, I. 152, 51

Eriguchi, Y., see Müller, E. 152, 325

Eryurt-Ezer, D., see Kızıloğlu, N. 146, 384

Esin-Yilmaz, F., see Fenkart, R. 152, 443 (62, 39)

Evans, A., see Mayes, A.J., et al. 142, 48

Evans, A., see Mayes, A.J., et al. 143, 327

Evans, A., see Bode, M.F. 151, 452

Evans, A., see Festou, M.C., et al. 152, 170

Evans, K.F., see Cornwell, T.J. 143, 77

Fabbri, R., see Milaneschi, E. 151, 7

Fahr, H.J., Nass, H.U., Rucinski, D.: Drag-like effects on heliospheric neutrals due to elastic collisions with solar wind ions 142, 476

Fainberg, J., Hoang, S., Manning, R.: Measurements of distributed polarized radio sources from spinning spacecraft; effect of a tilted axial antenna. ISEE-3 application and results 153, 145

Falciani, R., see Donati-Falchi, A., et al. 152, 165

Falgarone, E., Puget, J.L.: A model of clumped molecular clouds. I. Hydrostatic structure of dense cores 142, 157

Falgarone, E., see Pérault, M., et al. 152, 371

Fang, L., Chu, Y., Zhu, X.: Orientation correlation of radio double sources 143, 241

Fenti, C., Fanti, R., Parma, P., Schilizzi, R.T., van Breugel, W.J.M.: Compact steep spectrum 3CR radio sources. VLBI observations at 18 cm 143, 292

Fanti, R., see Fanti, C., et al. 143, 292

Fanti, R., see Parma, P., et al. 145, 282 (59, 511)

Faria Lopes, D., see de Freitas Pacheco, J.A., et al. 152, 101

Farinella, P., see Cellino, A., et al. 144, 355

Fasano, G.: Systematic errors in Zwicky's magnitudes 147, 188 (60, 285)

Faucher, P., see Blanchet, L., et al. 152, 417

Faundez-Abans, M., see Maciel, W.J. 149, 365

Faurobert, M., Frisch, H.: Line transfer with complete frequency redistribution in an absorbing medium. Scaling laws and approximations 149, 372

Feinstein, A., see Thé, P.S., et al. 150, 345

Feitzinger, J.V., Galinski, T.: A catalogue of dwarf galaxies south of $\delta = -17.^{\circ}5$ 150, 352 (61, 503)

Feitzinger, J.V., see Braunsfurth, E. 144, 215

Feldbrugge, P.T.M., see van Genderen, A.M., et al. 153, 163

Felenbok, P., see Thé, P.S., et al. 149, 429

Felli, M., Simon, M., Fischer, J., Hamann, F.: The circumstellar envelope of S106-IRS4 145, 305

Felli, M., Stanga, R., Oliva, E., Panagia, N.: Observational aspects of the P Cygni ionized envelope 151, 27

Felli, M., see Massi, M., et al. 152, 387

Fenimore, E.E., see Atteia, J.-L., et al. 152, 174

Fenkart, R., Esin-Yilmaz, F.: Comparison between *UBV*- and *RGU*-photometrically determined density functions for the photometric disk and halo and between the corresponding mean isodensity behaviour in the halo close to the galactic north-pole (SA 57) 152, 443 (62, 39)

Fenkart, R., Schröder, A.: UBV three-colour photometric parameters of four galactic clusters near Cassiopeia 143, 247

(59, 83)

Fenkart, R.P., Topaktas, L., Kandemir, G., Boydağ, S.: RGU three-colour photometry of a starfield in anticentre-direction (A 6) 143, 246 (59, 73)

Fenkart, R.P., see Karaali, S., et al. 145, 484 (60, 75)

Feretti, L., Giovannini, G.: The short wide angle tail radio source in NGC 4874 147, L13

Feretti, L., Giovannini, G., Gregorini, L., Padrielli, L., Roland, J., Valentijn, E.A.: The wide angle tailed radio source NGC 2329 in the cluster A 569 147, 321

Feretti, L., see Giovannini, G., et al. 150, 302

Ferlet, R., Dennefeld, M., Maurice, E.: High resolution observations of interstellar Na I absorption towards Large Magellanic Cloud stars. I. R 116, R 127 and R 128 with the ESO Coudé Echelle Spectrometer 152, 151

Ferlet, R., see Gillet, D., et al. 148, 155

Ferlet, R., see Gillet, D., et al. 150, 89

Ferluga, S., Hack, M.: High-dispersion spectroscopy of the eclipse of Epsilon Aurigae at visible and ultraviolet wavelengths 144, 395

Fernandez-Figueroá, M.J., de Castro, E., Gimenéz, A.: IUE observations of the RS CVn systems Z Her, TY Pyx and HD 155555 145, 483 (60, 5)

Ferrari, A., Masani, A.: Interstellar and intracluster tunnels: acceleration of cosmic rays above 10¹⁵ eV 152, 205

Ferrari, A., see Bodo, G., et al. 149, 246

Ferrari-Toniolo, M., see Persi, P., et al. 142, 263

Ferrari-Toniolo, M., see Persi, P., et al. 144, 275 Ferrari-Toniolo, M., see Spinoglio, L., et al. 153, 55

Ferreri, W., see De Sanctis, G., et al. 143, 248 (59, 139)

Fesen, R.A., see Heckathorn, J.N. 143, 475

Festou, M.C., Carey, W.C., Evans, A., Wallis, M.K., Keller, H.U.: IUE observations of comet P/Crommelin (1983 n) 152, 170

Festou, M.C., Dennefeld, M., Maurice, E., Bouvier, J.: Spectrophotometric observations of comet P/Crommelin (1983n) 144. L5

Festou, M.C., Morando, B., Rocher, P.: The orbit of periodic comet Crommelin between the years 1000 and 2100 142, 421
Festou, M.C., see Zucconi, J.M. 150, 180

Ficarra, A., Grueff, G., Tomassetti, G.: A new Bologna sky survey at 408 MHz 144, 255 (59, 255)

Fich, M., see Henkel, C., et al. 147, 143

Figueras, F., see Rossello, G., et al. 145, 279 (59, 399)

Finkenzeller, U.: Rotational velocities, spectral types, and forbidden lines of Herbig Ae/Be stars 151, 340

Firneis, M., Göbel, E.: Observations of right ascensions of selected FK4-stars concerning the magnitude equation 152, 444 (62, 137)

Fischel, D., see Adelman, C.J., et al. 147, 189 (60, 339)

Fischer, J., see Felli, M., et al. 145, 305

Fleischman, J.R.: Detection of a new X-ray burst source 153, 106

Floquet, M., see Gerbaldi, M., et al. 146, 341

Florentin-Nielsen, R., see Johansen, K.T., et al. 152, L21

Fomalont, E., see Roland, J., et al. 148, 323

Fontanelli, P., see Tanzella-Nitti, G. 147, 190 (60, 343)

Forkert, T., see Turlo, Z., et al. 142, 181

Forveille, T., see Weliachew, L., et al. 153, 139

Fouqué, P., Paturel, G.: Standard photometric diameters of galaxies. II. Reduction of the ESO, UGC, MCG catalogues 150, 192

Foy, R., Labeyrie, A.: Feasibility of adaptive telescope with laser probe 152, L29

Foy, R., Bonneau, D., Blazit, A.: The multiple QSO PG1115+ 08: A fifth component? 149, L13

Foy, R., see Hauck, B., et al. 149, 167

Fraix-Burnet, D., see Bottinelli, L., et al. 151, L7

Franceschini, A., see Danese, L., et al. 143, 277

Franco, M.L., Crivellari, L., Molaro, P., Vladilo, G., Ramella, M., Morossi, C., Allocchio, C., Beckman, J.E.: The spectra of late-type dwarfs and sub-dwarfs in the near ultraviolet. III. An atlas of MgII h and k profiles 142, 218 (58, 693)

Franco, M.L., Magazzù, A., Stalio, R.: Interstellar reddening law towards the nucleus of h Per 147, 191

Franco, M.L., see Vladilo, G., et al. 144, 81

Friberg, P., see Johansson, L.E.B., et al. 145, 485 (60, 135)

Fricke, K.J., see Kollatschny, W. 143, 393

Fricke, K.J., see Langer, N., et al. 145, 179

Fricke, K.J., see Kollatschny, W. 146, L11

Fricke, K.J., see Glatzel, W., et al. 149, 413

Fried, J.W., Ulrich, H.: Spectroscopy of the nuclei of the superstarburst galaxy NGC 6240 152, L14

Friedjung, M.: Accretion disks heated by luminous central stars 146, 366

Friedjung, M., see Bensammar, S., et al. 146, L1

Friedjung, M., see Bensammar, S., et al. 149, L1

Fringant, A.-M., see Berger, J. 142, 216 (58, 565)

Fringant, A.-M., see Berger, J. 149, 489 (61, 191)

Frisch, H., see Faurobert, M. 149, 372

From, A., see Lagerkvist, C.-I., et al. 143, 248 (59, 137)

Frost, K.J., see Dolan, J.F., et al. 143, 1

Fuchs, B.: Changes of entropy and entropy flux induced by spiral structure in galaxies 142, 487

Fuchs, B.: Second-order calculation of entropy changes induced by spiral density waves in galaxies 149, 321

Fuhr, J.R., see Adelman, S.J. 152, 434

Fujimoto, Y., see Kawabata, K., et al. 151, 1

Fukui, Y., see Takano, T., et al. 144, L20

Fukui, Y., see Takano, T., et al. 144, 363

Fukui, Y., see Kawabata, K., et al. 151, 1

Fürst, E., see Reich, W., et al. 151, L10

Fürstenberg, F., see Krüger, A., et al. 143, 72

Fusi Pecci, F., see Buonanno, R., et al. 145, 97

Fusi Pecci, F., see Battistini, P., et al. 150, 351 (61, 487)

Fusi Pecci, F., see Buonanno, R., et al. 152, 65

Gabriel, M., Noels, A., Scuflaire, R., Mathys, G.: The rapidly oscillating Ap stars 143, 206

Gail, H.-P., Sedlmayr, E.: Dust formation in stellar winds. II. Carbon condensation in stationary, spherically expanding winds 148, 183

Galinski, T., see Feitzinger, J.V. 150, 352 (61, 503)

Gallino, R., see Busso, M. 151, 205

Garcia-Pelayo, J.M., see Delgado, A.J., et al. 142, 214 (58, 447) Garcia-Pelayo, J.M., see Alfaro, E.J., et al. 145, 280 (59, 441)

García-Pelayo, J.M., see Moles, M., et al. 152, 271

Gardner, F.F., Höglund, B., Shukre, C., Stark, A.A., Wilson, T.L.: Observations of ortho- and para-thioformaldehyde **146**, 303

Gardner, F.F., see Martin-Pintado, J., et al. 142, 131

Gardner, F.F., see Henkel, C., et al. 143, 148

Garnier, R., see Lunel, M., et al. 148, 447 (61, 27)

Garrido, R., Gonzalez, S.F., Rolland, A., Hobart, M.A., Lopezde Coca, P., Peña, J.H.: Light variations of 28 Andromedae 144 211

Garrido, R., see Delgado, A.J., et al. 142, 214 (58, 447)

Garrido, R., see Alfaro, E.J., et al. 145, 280 (59, 441)

Garrido, R., see Delgado, A.J., et al. 148, 449 (61, 89)

Gary, D.E., Dulk, G.A., House, L.L., Illing, R., Wagner, W.J., McLean, D.J.: The Type IV burst of 1980 June 29, 0233 UT: Harmonic plasma emission? 152, 42

Gaskell, C.M., see De Zotti, G. 147, 1

Gathier, R.: VBLUW-photometry of stars in small fields around 13 planetary nebulae 147, 337 (60, 399)

Gaudenzi, S., see Rossi, C., et al. 143, 13

Geballe, T.R., Baas, F., Greenberg, J.M., Schutte, W.: New infrared absorption features due to solid phase molecules containing sulfur in W33A 146, L6

Gemünd, H.-P., see Chini, R., et al. 143, 244

Genova, F., Aubier, M.G.: Io-dependent sources of the Jovian decameter emission 150, 139

Genova, F., see Aubier, M.G. 149, 492 (61, 341)

Georgelin, Y.P., see Marcelin, M., et al. 151, 144

Gérard, E.: An estimate of the magnetic field strength in the OH coma of comet Austin (1982 VI) 146, 1

Gerbal, D., Mathez, G., Monin, J.-L., Salvador-Sole, E.: Energy content of non-isothermal X-ray plasma in clusters of galaxies 146, 119

Gerbaldi, M., Floquet, M., Hauck, B.: Frequency of Bp-Ap stars among spectroscopic binaries 146, 341

Gerhard, O.E.: Stochastic stellar orbits in perturbed integrable galaxy potentials 151, 279

Gerin, M., see Combes, F., et al. 147, L25

Gerin, M., see Combes, F. 150, 327

Geyer, E.H., Nelles, B.: Double grating prisms: A novel device for measuring absolute radial velocities with slitless field spectrographs 148, 312

Geyer, E.H., Nelles, B.: Galactic cluster star radial velocities obtained with a focal reducer field spectrograph. I. The clusters IC 1805, NGC 2287, NGC 2548, IC 4665, NGC 6633, NGC 6940 and NGC 7092 152, 447 (62, 301)

Ghisellini, G., Maraschi, L., Treves, A.: Inhomogeneous synchrotron-self-Compton models and the problem of relativistic beaming of BL Lac objects 146, 204

Ghosh, S., see Varvoglis, H. 148, 35

Giannone, G., Molteni, D.: The role of initial binaries in cluster evolution: direct *N*-body calculations 143, 321

Gieren, W.P.: Physical properties of the Cepheids RT Aurigae and SZ Tauri 148, 138

Gieseking, F.: Radial velocities and membership probabilities in the open star cluster NGC 6475 (M 7) 148, 448 (61, 75)

Gil, J.: A model of radio emission from the millisecond pulsar PSR 1937+214 143, 443

Gil, J., Rudnicki, W.: Depolarization of emission of some pulsars 147, 184

Gillespie, A.R., see Schulz, A., et al. 142, 363

Gillet, D., Ferlet, R., Maurice, E., Bouchet, P.: The shock-induced variability of the $H\alpha$ emission profile in Mira. II 150, 89

Gillet, D., Maurice, E., Bouchet, P., Ferlet, R.: The shock-induced variability of emission profiles in S Car 148, 155

Gillet, F., see Habing, H.J., et al. 152, L1

Gilmore, G., see Stobie, R.S., et al. 147, 338 (60, 495)

Gilmore, G., see Stobie, R.S., et al. 147, 338 (60, 503)

Giménez, A., Clausen, J.V., Helt, B.E., Vaz, L.P.R.: Four-colour photometry of eclipsing binaries. XXIIB. Light curves of GL Carinae 152, 445 (62, 179)

Gimenéz, A., see Fernandez-Figueroá, M.J., et al. 145, 483 (60, 5)

Giménez, A., see Andersen, J. 145, 206

Ginestet, N., Carquillat, J.M., Pédoussaut, A., Nadal, R.: Contribution to the study of F, G, K, M binaries. III. Orbital elements of the long period spectroscopic binaries HD 102928 and HD 145206 (Text in French) 144, 403

Ginestet, N., see Pédoussaut, A., et al. 142, 217 (58, 601)

Giovannelli, F., see Spinoglio, L., et al. 153, 55

Giovannini, G., Feretti, L., Andernach, H.: VLA observations of the extended source near Coma A 150, 302

Giovannini, G., see Feretti, L. 147, L13

Giovannini, G., see Feretti, L., et al. 147, 321

Giraud, E.: An apparent increase of the Hubble constant with velocities of the determining galaxies 153, 125

Gispert, R., see Caux, E., et al. 144, 37

Giuliani, C., see D'Ambrosio, V., et al. 144, 427

Giuricin, G., Mardirossian, F., Mezzetti, M.: Synchronization in early-type close binaries 143, 245 (59, 37)

Giuricin, G., Mardirossian, F., Mezzetti, M.: The H1 content of spirals in galaxy groups 146, 317

Giuricin, G., Mardirossian, F., Mezzetti, M.: A search for environmental effects on the optical properties of galaxies in groups 152, 445 (62, 157)

Giuricin, G., see Mezzetti, M., et al. 143, 188

Glatzel, W., El Eid, M.F., Fricke, K.J.: The fate of rotating pair-unstable carbon-oxygen cores 149, 413

Glebocki, R., see Bielicz, E., et al. 153, 269 Gleizes, F., see Acker, A., et al. 151, L13

Göbel, E., see Firneis, M. 152, 444 (62, 137)

Goerigk, W., see Mebold, U., et al. 151, 427 Gómez, A.E., see Grenier, S., et al. 145, 331

Gómez, A.E., see Jaschek, C. 146, 387

Gómez-González, J., see Barcia, A., et al. 142, L9

Gómez-González, J., see Barcia, A., et al. 147, 237

Gonzalez, R., see Wamsteker, W., et al. 152, 446 (62, 255)

Gonzalez, S.F., see Garrido, R., et al. 144, 211

Goossens, M., Hereygers, G.: Axisymmetric force-free stellar magnetospheres 149, 253

Goossens, M., see Poedts, S., et al. 151, 16

Gopal-Krishna, see Saripalli, L. 149, 205

Gopal-Krishna, see Spoelstra, T.A.T., et al. 152, 38

Goraya, P.S., see Bhatt, H.C., et al. 142, 217 (58, 685)

Gorenstein, M.V., see Marcaide, J.M., et al. 142, 71 Goret, P., see Engelmann, J.J., et al. 148, 12

Goss, W.M., see Kalberla, P.M.W., et al. 144, 27

Goss, W.M., see Arnal, E.M. 145, 369

Gosset, E., Hutsemékers, D., Surdej, J., Swings, J.P.: Radial velocities along the light curve of the peculiar emission-line star GG Carinae 153, 71

Gosset, E., see Vreux, J.M., et al. 149, 337

Gouguenheim, L., see Bottinelli, L., et al. 143, 246 (59, 43)

Gouguenheim, L., see Bottinelli, L., et al. 151, L7

Grady, C.A., see Doazan, V., et al. 152, 182

Gratton, R.G.: Deep photometry of globular clusters. V. Age derivations and their implications for galactic evolution 147,

Gratton, R.G.: Studies on the spectra of K-giants. III. Carbon, nitrogen, and oxygen abundances 148, 105

Gratton, R.G., see D'Odorico, S., et al. 142, 232

Gräve, R., see Walterbos, R.A.M. 150, L1

Gräve, R., see Urbanik, M., et al. 152, 291

Greenberg, J.M., see Brosch, N., et al. 143, 399

Greenberg, J.M., see van der Zwet, G.P., et al. 145, 262

Greenberg, J.M., see Geballe, T.R., et al. 146, L6

Greenberg, J.M., see d'Hendecourt, L.B., et al. 152, 130

Greenstein, J.L., see Koester, D., et al. 149, 423

Gregorini, L., see Feretti, L., et al. 147, 321

Grenier, S., Gómez, A.E., Jaschek, C., Jaschek, M., Heck, A.: Absolute-magnitude calibration of normal stars (V) 145, 331

Greve, A., van Genderen, A.M.: VBLUW photometry of the stars and nebulosity of N 70 in the LMC 148, 397

Grevesse, N., see Hannaford, P., et al. 143, 447

Grevesse, N., see Whaling, W., et al. 153, 109

Grewing, M., see Kaelble, A., et al. 143, 408

Grewing, M., see Bianchi, L., et al. 149, 41

Grewing, M., see Hippelein, H.H., et al. 152, 213

Griffin R, & R: The Be II 23130 Å region in the spectra of Vega and Sirius 149, 437

Gronenschild, E.H.B.M., see Mewe, R., et al. 152, 446 (62, 197)

Gronenschild, E., see Heise, J., et al. 148, L14

Groot, M., see van Genderen, A.M., et al. 153, 163

Grosbøl, P.J.: Morphology of spiral galaxies. I. General properties 147, 188 (60, 261)

Grosbøl, P.J., see Brosch, N., et al. 143, 399

Groth, H.G., Kudritzki, R.P., Heber, U.: Photospheric convection zones and evolution of subluminous OB-stars 152, 107

Grueff, G., see Ficarra, A., et al. 144, 255 (59, 255)

Gruenwald, R.B., Aldrovandi, S.M.V.: Photoionization models for QSO absorption-line regions 145, 324

Gruenwald, R.B., see Aldrovandi, S.M.V. 147, 331

Gry, C., see Delbourgo-Salvador, P., et al. 150, 53 Güdür, N., see Gülmen, Ö., et al. 147, 336 (60, 389)

Guerrero, G., see Antonello, E., et al. 146, 11

Guiderdoni, B., Rocca-Volmerange, B.: Evolution of spiral galaxies in the Virgo Cluster. I. Statistical analysis of H1 deficiency and colors 151, 108

Guilloteau, S., Baudry, A., Walmsley, C.M.: High resolution maps of the ${}^{2}\Pi_{1/2} J = 1/2$ OH lines in W3 (OH) 153, 179

Guilloteau, S., see Kahane, C., et al. 146, 325

Gulliver, A.F., Hube, D.P., Hill, G.: The massive double-lined binary HD 219634. I. Spectroscopic observations 151, 254

Gülmen, Ö., Sezer, C., Güdür, N.: Two-colour photometry and analysis of the eclipsing binary IM Aurigae 147, 336 (60,

Güsten, R., Ungerechts, H.: Constraints on the sites of nitrogen nucleosynthesis from 15NH3-observations 145, 241

Güsten, R., Henkel, C., Batrla, W.: [H212CO]/[H213CO] ratios from molecular clouds near the galactic center 149, 195

Güsten, R., Walmsley, C.M., Ungerechts, H., Churchwell, E.: Temperature determinations in molecular clouds of the galactic center 142, 381

Güsten, R., see Henkel, C., et al. 143, 148

Güsten, R., see Neckel, T., et al. 153, 253

Haarala, S., see Sillanpää, A., et al. 147, 67

Habing, H.J., Olnon, F.M., Chester, T., Gillet, F., Rowan-Robinson, M., Neugebauer, G.: Stars in the bulge of our galaxy detected by IRAS 152, L1

Habing, H.J., see Pottasch, S.R., et al. 143, L11

Habing, H.J., see Herman, J., et al. 143, 122 Habing, H.J., see Herman, J., et al. 144, 514

Habing, H.J., see Slootmaker, A., et al. 145, 281 (59, 465)

Habing, H.J., see Herman, J. 145, 282 (59, 523)

Habing, H.J., see Wouterloot, J.G.A. 145, 484 (60, 43)

Habing, H.J., see Wouterloot, J.G.A. 151, 297

Hachisu, I., Eriguchi, Y.: Equilibrium structures of rotating isothermal gas clouds. I 143, 355

Hachisu, I., Eriguchi, Y.: Equilibrium structures of rotating isothermal gas clouds. II. Dependence on the angular momentum distribution 147, 13

Hachisu, I., Eriguchi, Y.: Fluid satellite 152, 51

Hachisu, I., see Eriguchi, Y. 142, 256

Hachisu, I., see Eriguchi, Y. 148, 289

Hack, M., see Castelli, F., et al. 143, 245 (59, 1)

Hack, M., see Ferluga, S. 144, 395

Haefner, R., Metz, K.: The old nova V 603 Aql: An intermediate polar? 145, 311

Haefner, R., Schoembs, R.: The old nova RR Pictoris. An intermediate polar? 150, 325

Hageman, T., see Thé, P.S., et al. 151, 391

Hahn, G., see Debehogne, H., et al. 143, 247 (59, 87)

Haisch, B.M., see Basri, G., et al. 144, 161

Halliwell, D.R., see Bates, B. 151, 403

Hamann, F., see Felli, M., et al. 145, 305

Hamann, W.-R.: Computed HeII spectra for Wolf-Rayet stars 145, 443

Hamann, W.-R.: Line formation in expanding atmospheres: Accurate solution using approximate lambda operators 148, 364
 Hameury, J.M., Lasota, J.P.: Magnetohydrostatics in the polar caps of accreting magnetized white dwarfs 145, L10

Hammarbäck, G., see Lagerkvist, C.-I., et al. 143, 248 (59,

13/)

Hammarbäck, G., see Saxner, M. 151, 372

Hammer, F.: Gravitational amplification of light by a non-static and thick lens 144, 408

Hammer, F.: Gravitational amplification of light: general solution in the vacuole model 152, 262

Hanisch, R.J., Strom, R.G., Jaffe, W.J.: The nature of the diffuse radio source near Coma A 153, 9

Hanisch, R.J., see Roland, J., et al. 148, 323

Hannaford, P., Lowe, R.M., Biémont, E., Grevesse, N.: Radiative lifetimes for NbII and the problem of the solar abundance of niobium 143, 447

Hannaford, P., see Whaling, W., et al. 153, 109

Hanner, M.S., Knacke, R., Sekanina, Z., Tokunaga, A.T.: Dark grains on comet Crommelin 152, 177

Hansen, L., Nørgaard-Nielsen, H.U., Jørgensen, H.E.: Properties of the dust lane and ionized gas in M84 149, 442

Hanslmeier, A., see Zappalà, V., et al. 147, 35

Hardy, E., see Bernazzani, M., et al. 150, 351 (61, 473)

Hardy, E., see Buonanno, R., et al. 152, 65

Harpaz, A., Rosen, N.: Black holes or compact stars? 143, L5

Harrison, A.B., see Dowthwaite, J.C., et al. 142, 55

Harrison, A.B., see Chadwick, P.M., et al. 151, L1

Hart, R., see Isserstedt, J. 152, 343

Harten, R., see Phillips, J.P., et al. 145, 118

Hartl, H., Tritton, S.B.: New planetary nebulae of low surface brightness detected on UK-Schmidt plates 145, 41

Hasan, S.S.: Convective instability in a solar flux tube. II. Nonlinear calculations with horizontal radiative heat transport and finite viscosity 143, 39

Hasan, S.S., Schüssler, M.: Heating of solar magnetic elements by downflows 151, 69

Hascoët, J.-C., see Chollet, F., et al. 150, 351 (61, 443)

Hassan, M.H.A., see Wallis, M.K. 151, 435

Hauck, B., Mermilliod, M.: $wby\beta$ photoelectric photometric catalogue (magnetic tape) 145, 484 (60, 61)

Hauck, B., Foy, R., Proust, D.: Detailed analysis of the δ Del star HD 115604=20 CVn 149, 167

Hauck, B., see Cayrel de Strobel, G., et al. 143, 248 (59, 145)

Hauck, B., see Gerbaldi, M., et al. 146, 341

Hauck, B., see Meynet, G. 150, 163

Haug, E.: Electron-positron bremsstrahlung in mildly relativistic thermal plasmas 148, 386

Haug, E., Elwert, G., Rausaria, R.R.: Energy and angular distributions of energetic flare electrons and their X-radiation. I. Initially monoenergetic electrons 146, 159

Haug, E., Elwert, G., Rausaria, R.R.: Effect of electron energy and angular dispersion on hard X-ray polarization during solar flares 148, 115

Haug, K., Drechsel, H.: Spectroscopy and spectrophotometry of the nova-like system V 3885 Sagittarii 151, 157

Hazlehurst, J.: The dissipation factor in contact binaries 145, 25

Heber, U., see Hunger, K., et al. 149, L4

Heber, U., see Groth, H.G., et al. 152, 107

Heck, A., Manfroid, J.: Variations in the variability of RR Tel 142, 341

Heck, A., Houziaux, L., Manfroid, J., Jones, D.H.P., Andrews, P.J.: Photometric variations of the irregular variable V 348 Sgr 150, 350 (61, 375)

Heck, A., Manfroid, J., Mersch, G.: On period determination methods 143, 246 (59, 63)

Heck, A., see Manfroid, J., et al. 144, 251

Heck, A., see Grenier, S., et al. 145, 331

Heck, A., see Jaschek, M., et al. 152, 439

Heckathorn, J.N., Fesen, R.A.: Ultraviolet observations of the central star in the planetary nebula 136+5°1 143, 475

Heise, J., Brinkman, A.C., Gronenschild, E., Watson, M., King, A.R., Stella, L., Kieboom, K.: An X-ray study of AM Herculis. I. Discovery of a new mode of soft X-ray emission 148, L14

Helfer, H.L., see Woodward, C.E., et al. 147, 84

Helt, B.E., see Andersen, J., et al. 149, 492 (61, 353)

Helt, B.E., see Giménez, A., et al. 152, 445 (62, 179)

Henkel, C., Bally, J.: Detection of extragalactic CS 150, L25

Henkel, C., Güsten, R., Gardner, F.F.: [12C]/[13C] ratios from formaldehyde in the inner galactic disk 143, 148

Henkel, C., Matthews, H.E., Morris, M., Terebey, S., Fich, M.: Molecular lines in IRC+10°210 and CIT 6 147, 143

Henkel, C., see Martín-Pintado, J., et al. 142, 131

Henkel, C., see Bastien, P., et al. 146, 86

Henkel, C., see Mauersberger, R., et al. 146, 168

Henkel, C., see Güsten, R., et al. 149, 195

Hensberge, H., see Sterken, C., et al. 145, 483 (60, 1)

Hensberge, H., see Blomme, R. 148, 97

Hensler, G.: Eccentric disks in binary systems. I. The stability 148, 423

Herbold, G., Ulmschneider, P., Spruit, H.C., Rosner, R.: Propagation of nonlinear, radiatively damped longitudinal waves along magnetic flux tubes in the solar atmosphere 145, 157

Herbst, E.: Radiative association rate coefficients under shocked conditions in interstellar clouds. The case of CH₊³ + H₂ 153, 151

Hereygers, G., see Goossens, M. 149, 253

Herman, J., Habing, H.J.: Time variations and shell sizes of OH masers in late-type stars 145, 282 (59, 523)

Herman, J., Baud, B., Habing, H.J.: VLA 6 cm continuum observations of OH/IR stars 144, 514

Herman, J., Baud, B., Habing, H.J., Winnberg, A.: VLA line observations of OH/IR stars 143, 122

Herman, J., see Slootmaker, A., et al. 145, 281 (59, 465)

Hermans, D., see Poedts, S., et al. 151, 16

Hermsen, W., Wilson, T.L., Walmsley, C.M., Batrla, W.: ¹⁵NH₃ in Orion-KL: The hot core is not so hot **146**, 134

Hermsen, W., see Blitz, L., et al. 143, 267

Hermsen, W., see Pollock, A.M.T., et al. 146, 352

Hermsen, W., see Wilson, T.L., et al. 147, L19

Herold, H., see Ventura, J., et al. 144, 479

Herold, H., see Soffel, M., et al. 144, 485

Herold, H., see Wunner, G., et al. 149, 102
Heske, A., Wendker, H.J.: The Cygnus X region. XVI. The ionized gas behind the dark cloud between the North America and Pelican Nebulae 148, 439

Heske, A., Wendker, H.J.: The Horseshoe nebula of the northern sky. The dark clouds of IC 1396 149, 199

Heske, A., Wendker, H.J.: Further photometry and spectroscopy in the young cluster region Tr 24/Sco OB 1 151, 309 Heydari-Malayeri, M., Testor, G.: IDS and CCD study of the LMC excited blobs 144, 98

Heyvaerts, J., see Norman, C. 147, 247

Høg, E., see Yoshizawa, M., et al. 147, 227

Hibbert, A., see Keenan, F.P., et al. 147, 89

Hildebrandt, J., see Krüger, A., et al. 143, 72

Hill, G., see Gulliver, A.F., et al. 151, 254 Hill, P.W., see Walker, H.J. 149, 491 (61, 303)

Hillebrandt, W., see Oettl, R., et al. 151, 33

Hippelein, H.H., Baessgen, M., Grewing, M.: The nature of halos around planetary nebulae 152, 213

Hirth, W., Mebold, U., Müller, P.: H1-high velocity features in Draco and their X-ray counterparts 153, 249

Hjalmarson, Å., see Olberg, M. 142, L1

Hjalmarson, Å., see Rydbeck, G., et al. 144, 282

Hjalmarson, A., see Johansson, L.E.B., et al. 145, 485 (60, 135)

Hoang, S., see Dulk, G.A., et al. 150, L28

Hoang, S., see Steinberg, J.L., et al. 150, 205

Hoang, S., see Fainberg, J., et al. 153, 145

Hoang-Binh, D., Encrenaz, P., Linke, R.A.: Observations of radio recombination lines in the millimeter-wave spectrum of Orion A 146, L19

Hobart, M.A., see Garrido, R., et al. 144, 211

Höglund, B., see Johansson, L.E.B., et al. 145, 485 (60, 135)

Höglund, B., see Gardner, F.F., et al. 146, 303

Holsti, N., see Mattila, K., et al. 145, 192

Holsti, N., see Mattila, K., et al. 152, 441

Hong, S.S.: Henyey-Greenstein representation of the mean volume scattering phase function for zodiacal dust 146, 67

Hooimeyer, J.R.A., see van Genderen, A.M., et al. 152, 447 (62, 291)

Hopp, U., Materne, J.: Observations of the southern galaxy clusters STR 0625-540 and STR 0627-544 148, 359

Hopp, U., Materne, J.: The Antlia cluster of galaxies and its environment: the Hydra I-Centaurus supercluster 148, 449 (61, 93)

Horani, M., Rostas, J., Roueff, E.: A potential extraterrestrial species: the SH+ molecular ion 142, 346

Hou, Y.Q., see Xia, X.Y., et al. 152, 93

House, L.L., see Gary, D.E., et al. 152, 42

Houziaux, L., see Heck, A., et al. 150, 350 (61, 375)

Hovenier, J.W., de Haan, J.F.: Polarized light in planetary atmospheres for perpendicular directions 146, 185

Howarth, I.D., see Prinja, R.K. 149, 73

Hoyos, M., see Leblanc, Y. 143, 365

Hron, J., Maitzen, H.M., Moffat, A.F.J., Schmidt-Kaler, Th., Vogt, N.: Radial velocities for 28 southern young open clusters 147, 336 (60, 355)

Huang, J.H., Huang, K.L., Peng, Q.H.: Two types of pulsars 148, 391

Huang, J.H., see Huang, K.L., et al. 152, 89

Huang, K.L., Huang, J.H., Peng, Q.H.: |Z| distribution and age of pulsars 152, 89

Huang, K.L., see Huang, J.H., et al. 148, 391

Huang, S., Stewart, P.: Ellipticity and shell structure in galaxies 153, 189

Huang, T.-Y., see Valtonen, M.J., et al. 143, 182

Hube, D.P., see Gulliver, A.F., et al. 151, 254

Hubený, I.: A modified Rybicki method and the partial coherent scattering approximation 145, 461

Huchtmeier, W.K., Richter, O.-G.: H1-observations of isolated spiral galaxies 149, 118 Huchtmeier, W.K., Seiradakis, J.H.: H1 observations of galaxies in nearby groups 143, 216

Hummel, E., Kotanyi, C.G.: SO galaxies and the influence of the gas content on the radio continuum emission from a disk component 145, 475

Hummel, E., Pedlar, A., van der Hulst, J.M., Davies, R.D.: A radio continuum survey of Sbc spiral galaxies at 1.465 GHz 147, 189 (60, 293)

Hummel, E., see van der Hulst, J.M. 150, L7

Hummer, D.G., see Pauldrach, A., et al. 148, L1

Hunger, K., Heber, U., Koester, D.: PHL 227: the discovery of a new nova-like object 149, L4

Hunt, G.C., see Shaver, P.A., et al. 147, L23

Huovelin, J., Linnaluoto, S., Piirola, V., Tuominen, I., Virtanen, H.: Polarimetric observations of solar-type stars 152, 357

Hurley, K., see Motch, C., et al. 145, 201

Hurley, K., see Atteia, J.-L., et al. 152, 174

Husfeld, D., see Werner, K. 148, 417

Hutsemékers, D.: The ultraviolet spectrum of the Be star HD 50138 147, 336 (60, 373)

Hutsemékers, D., Surdej, J.: The structure and spectral characteristics of the low-excitation planetary nebula HD 316248 153, 245

Hutsemékers, D., see Gosset, E., et al. 153, 71

Ichtiaroglou, S., Bozis, G.: Stability of circular orbits in noncentral Newtonian fields 151, 64

Icke, V.: Distant encounters between disk galaxies and the origin of S0 spirals 144, 115

Iijima, T.: BX Mon as a long-period eclipsing binary system 153, 35

Illing, R., see Gary, D.E., et al. 152, 42

Ilovaisky, S.A., see Motch, C., et al. 145, 201

Ilovaisky, S.A., see Chevalier, C., et al. 147, L3

Imbert, M.: Determination of radii of cepheids. III. Radial velocities, spectroscopic orbit and dimension of SU Cyg (Text in French) 142, 215 (58, 529)

Imbert, M.: Photoelectric radial velocities of eclipsing binaries.
I. Orbital elements of BF Dra 144, 255 (59, 357)

Imbert, M., Andersen, J., Ardeberg, A., Bardin, C., Benz, W., Lindgren, H., Martin, N., Maurice, E., Mayor, M., Nordström, B., Prévot, L.: Radial velocities of southern stars obtained with the photoelectric scanner Coravel. IV. Radial velocity variations of six cepheids in the Large Magellanic Cloud: HV 879, HV 899, HV 909, HV 2257, HV 2338, HV 2827 149, 490 (61, 259)

Imbert, M., see Andersen, J., et al. 143, 245 (59, 15)

Imbert, M., see Prévot, L., et al. 152, 442 (62, 23)

Innanen, K.A., see Valtonen, M.J., et al. 143, 182

Ionson, J.A.: Coronal heating by resonant (A.C.) and nonresonant (D.C.) mechanisms 146, 199

Ionson, J.A., see Kuperus, M. 148, 309

Ip, W.-H., Axford, W.I.: Estimates of galactic cosmic ray spectra at low energies 149, 7

Ipatov, A.P., Taranova, O.G., Yudin, B.F.: HM Sagittae and V 1016 Cygni in 1982–83: unforeseen variations in the IR spectrum of 1016 Cyg 142, 85

Ipser, J.R., Semenzato, R.: Effects of encounters between disk stars and a Galactic-halo population of heavy objects 149, 408
 Irvine, W.M., see Johansson, L.E.B., et al. 145, 485 (60, 135)

Irwin, A.W.: Improved methods of predicting stellar atmospheres from known atmospheres in the presence of convection 146, 282

Isserstedt, J., Hart, R.: The problem of the runaway stars and the distribution function of peculiar radial velocities in the Large Magellanic Cloud (Text in German) 152, 343

Isserstedt, J., see Schindler, R. 145, 281 (59, 497)

Iye, M., Richter, O.-G.: Reddening of globular clusters in M 31 144, 471

Iyengar, K.V.K., Rengarajan, T.N., Verma, R.P.: Properties of IRAS galaxies with $B_T^0 \lesssim 14.5$ 148, 43

Jablonski, F.J., Barroso J, Jr.: The April 22 occultation of Hyd -20°51699 by Uranus and its rings 144, 249

Jaffe, W.J., see Hanisch, R.J., et al. 153, 9

Jägers, W.J., de Grijp, M.H.K.: The radio structure of 3 C 130 interpreted with a dynamical model 143, 176

Jägers, W.J., see Barthel, P.D., et al. 148, 243

Jaschek, C., Gómez, A.E.: The Malmquist correction 146.

Jaschek, C., see Grenier, S., et al. 145, 331

Jaschek, C., see Jaschek, M., et al. 152, 439

Jaschek, C., see Yi li, Sun., et al. 152, 447 (62, 309)

Jaschek, M., Baschek, B., Jaschek, C., Heck, A.: Observation of $\lambda\lambda$ 1600 and 3040 features in the spectra of field horizontal branch stars 152, 439

Jaschek, M., see Grenier, S., et al. 145, 331

Jaschek, M., see Cowley, C.R., et al. 149, 224

Jaschek, M., see Yi li, Sun., et al. 152, 447 (62, 309)

Jasniewicz, G., see Acker, A. 143, L1

Jasniewicz, G., see Acker, A., et al. 151, L13

Jeffers, S., Weller, W.G.: Spectrophotometric catalogue of southern Wolf-Rayet stars 149, 489 (61, 173)

Jensen, K.S., Jørgensen, H.E.: CCD based B and V lightcurves for the eclipsing binary NJL 5 in Omega Centauri 147, 187 (60, 229)

Jensen, K.S., see Andersen, T.B. 144, 256 (59, 361)

Jensen, K.S., see Andersen, J., et al. 149, 492 (61, 353)

Jensen, K., see van der Klis, M., et al. 151, 322

Jockers, K.: The ion tail of Comet Kohoutek 1973 XII during 17 days of solar wind gusts 153, 285 (62, 787)

Joentgen, W., see Klebsch, W., et al. 152, L12

Johansen, K.T., Florentin-Nielsen, R., Teuber, J.: Surface photometry of galaxies extended to z=0.59 152, L21

Johansson, L.E.B., Andersson, C., Elldér, J., Friberg, P., Hjalmarson, A., Höglund, B., Irvine, W.M., Olofsson, H., Rydbeck, G.: The spectra of Orion A and IRC+10216 between 72.2 and 91.1 GHz 145, 485 (60, 135)

Johansson, L.E.B., see Olberg, M. 142, L1 Johansson, L., see Bergvall, N. 149, 475

Joly, M., Collin-Souffrin, S., Masnou, J.L., Nottale, L.: Statistical study of AGN's. I. Line widths of CIV and H β versus optical luminosity 152, 282

Jonas, J.L., de Jager, G., Baart, E.E.: A 2.3 GHz radio continuum map of the southern sky 152, 444 (62, 105)

Jones, B.J.T., Wyse, R.F.G.: The ionisation of the primeval plasma at the time of recombination 149, 144

Jones, D.H.P., see Heck, A., et al. 150, 350 (61, 375)

Jong, S.D., see Cogotti, R., et al. 142, 124

Jordan, C., see Nagai, F. 146, 25

Jorden, P.R., see Bates, B., et al. 145, 321

Jordi, C., see Rossello, G., et al. 145, 279 (59, 399)

Jörsäter, S., Peterson, C.J., Lindblad, P.O., Boksenberg, A.: The velocity field of NGC 1365. I. The measurements and data reduction techniques 142, 215 (58, 507)

Jörsäter, S., see Lindblad, P.O., et al. 144, 496

Joubert, M., see Kunth, D. 142, 411

Journet, A., see Laclare, F., et al. 149, 491 (61, 267)

Jørgensen, H.E., see Jensen, K.S. 147, 187 (60, 229)

Jørgensen, H.E., see Hansen, L., et al. 149, 442

Juliusson, E., see Engelmann, J.J., et al. 148, 12

Junkes, N., see Reich, W., et al. 151, L10

Jura, M., see Léger, A., et al. 144, 147

Jurriens, T.A., see van der Hucht, K.A., et al. 145, L13

Kaelble, A., de Boer, K.S., Grewing, M.: Parametrization of the flow of halo high-velocity clouds 143, 408

Kaeser, U., see Buser, R. 145, 1

Kahane, C., Guilloteau, S., Lucas, R.: A multiline study of a typical giant molecular cloud: S 147/S 153 146, 325

Kaifu, N., see Dent, W.R.F., et al. 146, 375

Kaiser, D., see Dachs, J. 144, 256 (59, 368)

Kalberla, P.M.W., Schwarz, U.J., Goss, W.M.: High resolution mapping of galactic H_I in the direction of 3C147 144, 27

Kalkofen, W., see Wehrse, R. 147, 71

Kalkofen, W., see Schmitz, F., et al. 148, 217

Kanbach, G., see Pollock, A.M.T., et al. 146, 352

Kanbach, G., see Beuermann, K., et al. 153, 17

Kandemir, G., see Fenkart, R.P., et al. 143, 246 (59, 73)

Kappelmann, N., see Bianchi, L., et al. 149, 41

Karaali, S., Becker, W., Fenkart, R.P.: RGU-photometry of a starfield in the direction to Scutum (S1') 145, 484 (60, 75)

Karachentsev, I.D., see Karachentseva, V.E., et al. 147, 187

Karachentseva, V.E., Karachentsev, I.D., Börngen, F.: Atlas of dwarf galaxies in the region of M81 group 147, 187 (60,

Katgert, P., see Katgert-Merkelijn, J.K., et al. 150, 352 (61, 547)

Katgert-Merkelijn, J.K., Robertson, J.G., Windhorst, R.A., Katgert, P.: A Westerbork survey of Einstein X-ray Observatory deep survey areas. I. The 0.6 and 1.4 GHz catalogues, sources counts and spectral index distributions 150, 352 (61, 547)

Kawabata, K., Ogawa, H., Fukui, Y., Takano, T., Fujimoto, Y., Kawabe, R., Sugitani, K., Takaba, H.: The 4 m millimeter wave telescope at Nagoya 151, 1

Kawabe, R., see Kawabata, K., et al. 151, 1

Kazès, I., Dickey, J.M.: Detection of distant extragalactic OH in absorption 152, L9

Kazes, I., see Bottinelli, L., et al. 151, L7 Kazès, I., see Crovisier, J., et al. 146, 223

Kazès, I., see Crovisier, J., et al. 149, 209

Keenan, F.P., Hibbert, A., Dufton, P.L.: The abundance of oxygen in the interstellar medium 147, 89

Kegel, W.H.: Entropy and angular momentum transport in spiral density waves 149, 315

Kegel, W.H., see Chandra, S., et al. 142, 217 (58, 687)

Kegel, W.H., see Chandra, S., et al. 148, 145

Keller, E., see Baier, G., et al. 153, 278

Keller, H.U., see Festou, M.C., et al. 152, 170

Kieboom, K., see Heise, J., et al. 148, L14

King, A.R., see Heise, J., et al. 148, L14

Kirk, J.G.: 2-dimensional low luminosity accretion onto neutron stars 142, 430

Kirkman, I.W., see Dowthwaite, J.C., et al. 142, 55

Kirkman, I.W., see Chadwick, P.M., et al. 151, L1

Kirshner, R.P., see Uomoto, A. 149, L7

Kızıloğlu, N., Eryurt-Ezer, D.: Lithium depletion during the contraction phase of the Sun 146, 384

Klare, G., see Zickgraf, F.-J., et al. 143, 421

Klare, G., see Leitherer, C., et al. 153, 168

Klebesadel, R., see Atteia, J.-L., et al. 152, 174

Klebsch, W., Bester, M., Yamada, K.M.T., Winnewisser, G., Joentgen, W., Altenbach, H.-J., Vogel, E.: Millimeter wave spectrum of tricarbon monoxide, CCCO 152, L12

Klein, U., see Sofue, Y., et al. 144, 257

Klein, U., see de Jong, T., et al. 147, L6

Klein, U., see Beck, R., et al. 152, 237

Klein, U., see Urbanik, M., et al. 152, 291

Klemens, Y.: Solar wind momentum flux density: Pioneer 10 and Pioneer 11 observations 148, L5

Knacke, R., see Hanner, M.S., et al. 152, 177

Knapp, G.R., van Driel, W., van Woerden, H.: Distribution and motions of atomic hydrogen in lenticular galaxies. III. NGC 3998 142.1

Kneer, F., von Uexküll, M.: Oscillations of the Sun's chromosphere. II. Hα line centre and wing filtergram time sequences 144, 443

Kneer, F., see von Uexküll, M., et al. 146, 192

Knude, J.: On cloud shadows in wide beam scans of the diffuse soft X-ray sky 147, 155

Kobanov, N.I.: Narrowband spatial filtering in differential measurements of the line-of-sight velocity of the solar atmosphere 143. 99

Koch-Miramound, L., see Engelmann, J.J., et al. 148, 12

Koechlin, L., Rabbia, Y.: Stellar diameter measurements with optical interferometer at CERGA. Recent developments and results (Text in French) 153, 91

Koester, D., Reimers, D.: Spectroscopic identification of white dwarfs in galactic clusters. III. IC 2391 and NGC 2451 153, 260

Koester, D., Vauclair, G., Dolez, N., Oke, J.B., Greenstein, J.L., Weidemann, V.: Atmospheric parameters of the variable DB white dwarf GD 358 149, 423

Koester, D., Weidemann, V., Zeidler-KT, E.-M., Vauclair, G.: The explanation of the 1400 and 1600 Å features in DA white dwarfs 142, L5

Koester, D., see Hunger, K., et al. 149, L4

Kohoutek, L., Pauls, R.: Spectroscopic verification of suspected planetary nebulae. I 145, 485 (60, 87)

Kohoutek, L., see West, R.M. 145, 485 (60, 91)

Kollatschny, W., Fricke, K.J.: The NGC 4593 group of active galaxies 143, 393

Kollatschny, W., Fricke, K.J.: The fading of the Seyfert galaxy F-9 146, L11

Kontizas, E., Dialetis, D., Prokakis, T., Kontizas, M.: Ellipticities of "disk" and "halo" globular clusters in the SMC 146, 293

Kontizas, M., see Kontizas, E., et al. 146, 293

Koo, D.C., see Kron, R.G., et al. 146, 38

Koornneef, J., see Olofsson, G. 146, 337

Köppen, J., see Adam, J. 142, 461

Korevaar, P., see Lamers, H.J.G.L.M., et al. 149, 29

Korhonen, T., see Sillanpää, A., et al. 147, 67

Kotanyi, C.G., see Hummel, E. 145, 475

Koutchmy, S., Verlhac, A.: Photometric calibrations of an MCP space qualified photographic-camera 142, 355

Koutchmy, S., see Lebecq, C., et al. 152, 157

Kovacs, N.: A detailed analysis of five barium stars 150, 232 Kowal, C.T., see Barbon, R., et al. 142, 218 (58, 735)

Kozok, J.R.: Photometric observations of emission B-Stars in the southern Milky Way 150, 350 (61, 387)

Kozok, J.R.: Distances, reddenings and distribution of emission B-stars in the galactic centre region |l|≤45° 152, 442 (62, 7)

Kraakman, H., see van Genderen, A.M., et al. 152, 447 (62,

Krasinsky, G.A., Saramonova, E.Y., Sveshnikov, M.L., Sveshnikova, E.S.: Universal time, lunar tidal deceleration and relativistic effects from observations of transits, eclipses and occultations in the xVIII–XX centuries 145, 90

Krasnosel'skikh, V.V., Kruchina, E.N., Thejappa, G., Volokitin, A.S.: Fast electron generation in quasiperpendicular shocks and type II solar radiobursts 149, 323

Krause, M., see Kundt, W. 142, 150

Krause, M., see Beck, R., et al. 152, 237

Krause-Polstorff, J., Michel, F.C.: Pulsar space charging 144, 72

Kreysa, E., see Chini, R., et al. 143, 244

Kron, R.G., Koo, D.C., Windhorst, R.A.: A deep Westerbork survey of areas with multicolor Mayall 4 m plates. III. Photometry and spectroscopy of faint source identifications 146, 38

Kruchina, E.N., see Krasnosel'skikh, V.V., et al. 149, 323

Krügel, E., see Schulz, A., et al. 142, 363

Krügel, E., see Chini, R. 146, 175

Krüger, A., Hildebrandt, J., Fürstenberg, F.: A working model of the solar S-component radio emission 143, 72

Krumm, N., van Driel, W., van Woerden, H.: Distribution and motions of atomic hydrogen in lenticular galaxies. IV. A ring of H1 around NGC 4262 144, 202

Krzeminski, W., Vogt, N.: The eclipsing dwarf nova OY Carinae. III. Photometry during the superoutburst of January 1980 144, 124

Ksanfomaliti, L.V., see Santer, R., et al. 150, 217

Kudritzki, R.P., see Méndez, R.H., et al. 142, 289

Kudritzki, R.P., see Pauldrach, A., et al. 148, L1

Kudritzki, R.P., see Groth, H.G., et al. 152, 107

Kuhi, L.V., see Doazan, V., et al. 152, 182

Kühr, H., see Seiradakis, J.H., et al. 143, 478

Kuijpers, J., van der Hulst, J.M.: Interpretation of unpolarized radio emission from RS CVn stars 149, 343

Kulkarni, V.K., Mantovani, F.: Spectral index distributions and optical identifications for a sample of source selected at 408 MHz 148, 447 (61, 1)

Kulkarni, V.K., Mantovani, F.: Spectral index – flux density relation for extragalatic radio sources selected at low frequency 153, 13

Kundt, W.: SS 433 revisited 150, 276

Kundt, W., Krause, M.: The nature of the IGM 142, 150

Kunth, D., Joubert, M.: Wolf-Rayet stars in "lazy" galaxies: a statistical approach 142, 411

Kuperus, M., Ionson, J.A.: Black hole accretion disks. Electrodynamic coupling of accretion-disk coronae and the partitioning of soft and hard X-ray emission 148, 309

Kurt, V.G., see Bertaux, J.L., et al. 150, 1

Kurtz, D.W.: A search for rapid oscillations in HD 92664 142,

Kurucz, R.L., see Malagnini, M.L., et al. 152, 117

Küveler, G., Wiehr, E.: Velocity and asymmetry mapping of sunspots 142, 205

Kuznetsov, A., see Atteia, J.-L., et al. 152, 174

Kwok, S., Purton, C.R., Matthews, H.E., Spoelstra, T.A.T.: Radio synthesis observations of M2-9, the Butterfly nebula 144, 321

Kwok, S., see Volk, K. 153, 79

Labeyrie, A., see Foy, R. 152, L29

Lachièze-Rey, M., Vigroux, L., Souviron, J.: Photometry of NGC 6166 150, 62

Laclare, F., Journet, A., Leister, N.V.: Observations of the Sun at the CERGA astrolabe in 1983 149, 491 (61, 267)

Lacy, J., see Drossart, P., et al. 149, L10

Ladebeck, R., see Baier, G., et al. 151, 61

Lagage, P.O., Cesarsky, C.J.: Antiprotons from thick cosmic-ray sources 147, 127

Lagerkvist, C.-I., Olofsson, K., From, A., Hammarbäck, G., Magnusson, P., Morell, O.: Positions of asteroids obtained with the GPO telescope at ESO, Chile and with the Kvistaberg Schmidt telescope 143, 248 (59, 137)

Lagerkvist, C.-I., see Debehogne, H., et al. 143, 247 (59, 87) Lahulla, J.F.: *UBVRI* photometry of stars in several H II regions 150, 352 (61, 517)

Lakićević, I.S.: Estimated Stark widths and shifts of some singly charged ion spectral lines 151, 457

Lallement, R., Bertaux, J.L., Dalaudier, F.: Interplanetary Lyman α spectral profiles and intensities for both repulsive and attractive solar force fields: predicted absorption pattern by a hydrogen cell 150, 21

Lallement, R., see Bertaux, J.L., et al. 150, 1

Lam, S.K., see Chollet, F., et al. 150, 351 (61, 443)

Lambert, D.L., see Danks, A.C. 148, 293

Lamers, H.J.G.L.M., Korevaar, P., Cassatella, A.: The ejection of shells in the stellar wind of the hypergiant P Cygni (B1 Ia⁺) 149, 29

Lamers, H.J.G.L.M., see Leitherer, C., et al. 153, 168

Lanciano, N., see Burchi, R., et al. 145, 483 (60, 9)

Landaberry, S.C., see de Freitas Pacheco, J.A., et al. 152, 101

Landecker, T.L., see Pineault, S., et al. 151, 52

Lang, K.R., see Pallavicini, R., et al. 149, 95

Langer, N., El Eid, M.F., Fricke, K.J.: Evolution of massive stars with semiconvective diffusion 145, 179

Lanz, T.: Effective temperature of Ap stars: a comparison between several photometric estimators 144, 191

Laros, J., see Atteia, J.-L., et al. 152, 174

Larsson, S.: The 2-second optical variability in E1405-451: origin and coherency 145, L1

Laskar, J.: Accurate methods in general planetary theory 144, 133

Lasota, J.P., see Hameury, J.M. 145, L10

Lattanzio, J.C., see Monaghan, J.J. 149, 135

Launay, F., see Dollfus, A., et al. 151, 235

Lawson, K.D., Peacock, N.J.: Review of solar observations of the n=2-2 transitions in fourth period elements 142, 214 (58, 475)

Le Bertre, T., see Epchtein, N., et al. 149, 489 (61, 203)

Le Campion, J.F., see Dourneau, G., et al. 142, 91

Le Contel, J.M., see Chapellier, E., et al. 143, 466

Le Poole, R.S., see de Vries, C.P. 145, L7

Le Squeren, A.M., Sivagnanam, P.: Peculiar OH variation of R Leo 152, 85

Le Squeren, A.M., see Bottinelli, L., et al. 151, L7

Leahy, D.A.: Relativistic magnetospheres: corotating and streaming formulations for the charge filled case 149, 57

Lebecq, C., Koutchmy, S., Stellmacher, G.: The 1981 total solar eclipse corona. II. Global absolute photometric analysis 152, 157

Leblanc, Y., Hoyos, M.: Storms of U-bursts and the stability of coronal loops 143, 365

Lebrun, F., see Pollock, A.M.T., et al. 146, 352

Lecacheux, A., see Dulk, G.A., et al. 150, L28

Lee, W.B., Nelles, B., Nicklas, H.: HD 224617 – a spectroscopic binary? 149, 492 (61, 363)

Léger, A., d'Hendecourt, L.: Are polycyclic aromatic hydrocarbons the carriers of the diffuse interstellar bands in the visible? 146, 81

Léger, A., Jura, M., Omont, A.: Desorption from interstellar grains 144, 147

Léger, A., see Puget, J.L., et al. 142, L19

Leggett, S.K.: The flux distribution of Vega for 10 μm $\leq \lambda \leq$ 100 μm, and the calibration of IRAS at 12 μm and 25 μm 153, 273

Leggett, S.K., see Petford, A.D., et al. 146, 195

Leggett, S.K., see Mountain, C.M., et al. 150, 281

Leggett, S.K., see Mountain, C.M., et al. 151, 399

Leggett, S.K., see Petford, A.D., et al. 153, 284

Legrand, J.-P., Simon, P.A.: Some solar cycle phenomena related to the geomagnetic activity from 1868 to 1980. I. The shock events, or the interplanetary expansion of the toroidal field 152, 199

Leisawitz, D., see Bash, F.N. 145, 127

Leister, N.V., see Laclare, F., et al. 149, 491 (61, 267)

Leitherer, C., Appenzeller, I., Klare, G., Lamers, H.J.G.L.M., Stahl, O., Waters, L.B.F.M., Wolf, B.: The massive wind of S Dor 153, 168

Leitherer, C., see Zickgraf, F.-J., et al. 143, 421

Leitherer, C., see Bertout, C., et al. 144, 87

Leitherer, C., see Bertout, C., et al. 147, 186

Leitherer, C., see Stahl, O., et al. 149, 490 (61, 237)

Lelièvre, G., see Mauron, N., et al. 142, L13

Lelièvre, G., see Sol, H., et al. 144, 109

Lellouch, E., Destombes, J.L.: Search for minor atmospheric species in the millimeter range of Jupiter and Saturn 152, 405

Lemen, J.R., see Mewe, R., et al. 152, 229

Lemstra, G., see van Genderen, A.M., et al. 152, 447 (62, 291) Lengyel-Frey, D., Stone, R.G., Bougeret, J.L.: Fundamental and harmonic emission in interplanetary Type II radio bursts 151, 215

Lentes, F.T., see Brosche, P. 153, 157

Lépine, J.R.D., Braz, M.A., Epchtein, N.: Near infrared and radio observations of active galactic nuclei 149, 351

Lépine, J.R.D., see Epchtein, N., et al. 149, 489 (61, 203)

Lequeux, J., see Azzopardi, M., et al. 144, 388

Lequeux, J., see Azzopardi, M., et al. 145, L4

Lequeux, J., see Augarde, R. 147, 273

Lequeux, J., see Bouchet, P., et al. 149, 330

Lerche, I., Schlickeiser, R.: An explanation of the secondary-toprimary ratio in galactic cosmic radiation. No contradiction with continuous Fermi acceleration 151, 408

Lerche, I., see Schlickeiser, R. 151, 151

Letourneur, N., see Bensammar, S., et al. 146, L1

Letourneur, N., see Bensammar, S., et al. 149, L1

Levin, B.N.: Quasi-linear propagation of a spatially inhomogeneous electron stream 143, 54

Lewin, W.H.G., van Paradijs, J.: The interpretation of X-ray spectra from low-mass X-ray binaries 149, L27

Lewin, W.H.G., see van Paradijs, J. 142, 361

Liller, W., see Alcaino, G. 146, 389

Liller, W., see Alcaino, G. 152, 447 (62, 317)

Lindblad, P.O., Jörsäter, S., Sandqvist, Aa.: The nuclear radio sources in the elliptical galaxies NGC 3309 and NGC 3311 in the cluster Abell 1060 144, 496 Lindblad, P.O., see Jörsäter, S., et al. 142, 215 (58, 507)

Linde, P., see Ardeberg, A., et al. 148, 263

Lindgren, H., see Andersen, J., et al. 143, 245 (59, 15)

Lindgren, H., see Ardeberg, A., et al. 148, 263

Lindgren, H., see Imbert, M., et al. 149, 490 (61, 259)

Lindgren, H., see Prévot, L., et al. 152, 442 (62, 23)

Lindroos, K.P.: A study of visual double stars with early type primaries. IV. Astrophysical data 147, 187 (60, 183)

Linke, R.A., see Hoang-Binh, D., et al. 146, L19

Linnaluoto, S., see Huovelin, J., et al. 152, 357

Lion, J., see Blanchet, L., et al. 152, 417

Lipunov, V.M., Postnov, K.A.: The binary X-ray pulsar 1E 2259+59 - a descendant of an AM Her type system? 144, L13

Liszt, H.S., Burton, W.B., van der Hulst, J.M.: Associations between neutral and ionized gas in Sgr A 142, 237

Liszt, H.S., Burton, W.B., van der Hulst, J.M.: A high resolution H1 absorption spectrum of Sgr A 142, 245

Little, L.T., Davies, S.R., Vizard, D.R., Ellison, B.N., Riley, P.W., Matthews, N., Macdonald, G.H., Nyman, L.-A.: HCO⁺ observations of the molecular cloud HH 24-27 142, 278

Little, L.T., see Dent, W.R.F., et al. 146, 375

Livio, M., Regev, O.: X-ray burst sources: a model for chaotic behaviour 148, 133

Lloyd, C., see Smith, L.J., et al. 146, 307

Lloyd, C., see Stickland, D.J., et al. 150, L9

Locans, V., see Žugžda, Y.D., et al. 143, 201

Lockman, F.J., see Barcia, A., et al. 147, 237

Lodén, L.O.: A study of the open cluster NGC 6475 (M 7) (and two other stellar clusterings) 142, 216 (58, 595)

Loks, A., Sergysels, R.: Zero velocity hypersurfaces for the general planar four body problem 149, 462

Lolli, M., see Battistini, P., et al. 150, 351 (61, 487)

Lombardi, R., see Rossi, C., et al. 143, 13

Londrillo, P.: Turbulence and angular momentum in extragalactic radio jets. I. Linear stability analysis 145, 353

Lopez de Coca, P., see Garrido, R., et al. 144, 211

Loran, J.M., see Brown, J.C., et al. 147, L10

Loren, R.B., see Sandqvist, A., et al. 152, L25

Lotova, N.A., Blums, D.F., Vladimirskii, K.V.: Interplanetary scintillation and the structure of the solar wind transonic region 150, 266

Loughhead, R.E., see Bray, R.J. 142, 199

Louise, R., Pascoli, G.: Study of three high excitation planetary nebulae in the southern hemisphere (Text in French) 150, 285 Loulergue, M., Mason, H.E., Nussbaumer, H., Storey, P.J.: Fe

xix transitions within the n=2 complex 150, 246 Lowe, R.M., see Hannaford, P., et al. 143, 447

Lowe, R.M., see Whaling, W., et al. 153, 109

Lu, J.F.: Non-uniqueness of transonic solution for accretion onto a Schwarzschild black hole 148, 176

Lucas, R., see Kahane, C., et al. 146, 325

Lucas, R., see Morris, M., et al. 142, 107

Lund, N., see Engelmann, J.J., et al. 148, 12

Lunel, M., Bergeat, J., Garnier, R.: Infrared light curves of the contact binary 44 i Bootis and evidence for a new period change 148, 447 (61, 27)

Luwel, M., Severne, G.: Collisionless mixing in 1-dimensional gravitational systems initially in a stationary waterbag configuration 152, 305

Lyngå, G., see Ardeberg, A., et al. 148, 263

Lyons, R.W., see Doazan, V., et al. 152, 182

Macchetto, F., see di Serego Alighieri, S., et al. 149, 179

Macdonald, G.H., see Little, L.T., et al. 142, 378

Macdougall, J.R., see Spinoglio, L., et al. 153, 55

MacDowall, R.J., see Dulk, G.A., et al. 150, L28

MacGillivray, H.T., Dodd, R.J.: The anisotropy of the spatial orientations of galaxies in the Local Supercluster 145, 269

Maciel, W.J., Faúndez-Abans, M.: Galactic electron temperature gradient from planetary nebulae 149, 365

Maciel, W.J., see Rossi, S.C.F., et al. 148, 93

MacKinnon, A.L., see Brown, J.C., et al. 147, L10

Macrae, H.J., see Dowthwaite, J.C., et al. 142, 55

Maeder, A.: Vibrational instability of Wolf-Rayet stars 147, 300

Maeder, A., see Schild, H. 143, L7

Magain, P.: Spectroscopic analysis of extreme metal-poor "dwarfs". II. Improved model atmospheres and detailed abundances 146, 95

Magazzù, A., see Franco, M.L., et al. 147, 191

Magnan, C.: Redistribution functions for astrophysical problems 142, 117

Magnan, C.: Line formation in the presence of turbulence 144, 186

Magnusson, P., see Lagerkvist, C.-I., et al. 143, 248 (59, 137)

Maitzen, H.M.: Photoelectric search for CP2-stars in open clusters. VI. NGC 5460, NGC 6087 and IC 4725 152, 444 (62, 129)

Maitzen, H.M., see Hron, J., et al. 147, 336 (60, 355)

Malagnini, M.L., Morossi, C., Rossi, L., Kurucz, R.L.: Effective temperature and bolometric correction for HD 61421, HD 87901, HD 159561, and HD 216956 152, 117

Malagnini, M.L., Pasian, F., Pucillo, M., Santin, P.: FODS: a system for faint object detection and classification in astronomy 144, 49

Malagnini, M.L., see Morossi, C. 147, 336 (60, 365)

Malherbe, J.M., see Schmieder, B., et al. 142, 249

Malherbe, J.M., see Schmieder, B., et al. 153, 64

Malinie, G., see Delbourgo-Salvador, P., et al. 150, 53

Malkamäki, L., see Mattila, K., et al. 145, 192

Malkamäki, L., see Mattila, K., et al. 152, 441

Manara, A., see Buffoni, L., et al. 142, 214 (58, 499)
Manfroid, J., Mathys, G.: New period determinations for variable CP stars 145, 280 (59, 429)

Manfroid, J., Mathys, G., Heck, A.: Photometric variations of HD 25267 144, 251

Manfroid, J., see Heck, A. 142, 341

Manfroid, J., see Heck, A., et al. 143, 246 (59, 63)

Manfroid, J., see Sterken, C., et al. 145, 483 (60, 1)

Manfroid, J., see Mathys, G. 145, 483 (60, 17)

Manfroid, J., see Heck, A., et al. 150, 350 (61, 375)

Manning, R., see Fainberg, J., et al. 153, 145

Mantegazza, L.: Analysis of the light variations of the RV Tauri star V 453 Ophiuchi 151, 270

Mantegazza, L., see Antonello, E., et al. 146, 11

Mantovani, F., Reich, W., Salter, C.J., Tomasi, P.: Further observations of radio sources from the BG survey. III. CTB 80 145, 50

Mantovani, F., see Kulkarni, V.K. 148, 447 (61, 1)

Mantovani, F., see Kulkarni, V.K. 153, 13

Marage, P.: Electron capture in the presence of strong magnetic fields in astrophysical sites 151, 198

Marano, B., see Vettolani, G., et al. 144, 506

Maraschi, L., see Ghisellini, G., et al. 146, 204

Marcaide, J.M., Shapiro, I.I., Corey, B.E., Cotton, W.D., Gorenstein, M.V., Rogers, A.E.E., Romney, J.D., Schild, R., Bååth, L., Bartel, N., Cohen, N.L., Clark, T.A., Preston, R.A., Ratner, M.I., Whitney, A.R.: The quasars 1038+528 A and B 142, 71

Marcelin, M., Boulesteix, J., Georgelin, Y.P.: The velocity field of the ionized gas in NGC 300 151, 144

Mardirossian, F., see Mezzetti, M., et al. 143, 188

Mardirossian, F., see Giuricin, G., et al. 143, 245 (59, 37)

Mardinossian, F., see Giuricin, G., et al. 146, 317

Mardirossian, F., see Giuricin, G., et al. 152, 445 (62, 157) Marlborough, J.M., see Doazan, V., et al. 152, 182

Marques Dos Santos, P., see Epchtein, N., et al. 149, 489 (61, 203)

Marquette, J.B., Rowe, B.R., Dupeyrat, G., Roueff, E.: CRESU study of the reaction N⁺ + H₂→NH⁺ + H between 8 and 70 K and interstellar chemistry implications 147, 115

Martin, L.J., see Poutanen, M., et al. 149, 491 (61, 291)

Martin, N., see Andersen, J., et al. 143, 245 (59, 15)

Martin, N., see Imbert, M., et al. 149, 490 (61, 259)

Martin, N., see Prévot, L., et al. 152, 442 (62, 23)

Martín-Pintado, J., Wilson, T.L., Gardner, F.F., Henkel, C.: Observations of selected sources in the 2 cm line of H₂CO 142, 131

Martín-Pintado, J., see Barcia, A., et al. 142, L9

Martres, M.-J., see Soru-Escaut, I., et al. 145, 19

Masani, A., see Ferrari, A. 152, 205

Masegosa, A., see Moles, M., et al. 152, 271

Masnou, J.L., see Joly, M., et al. 152, 282

Mason, H.E., see Doyle, J.G., et al. 150, 69

Mason, H.E., see Loulergue, M., et al. 150, 246

Massaglia, S., see Bodo, G., et al. 149, 246

Massaro, E., see Piro, L., et al. 147, 22

Masse, P., see Engelmann, J.J., et al. 148, 12

Massi, M., Felli, M., Simon, M.: Radio continuum observations of the blister type HII region in Mon R 2 152, 387

Massone, G.: Micrometric observations of visual double stars 147, 338 (60, 485)

Materne, J., see Hopp, U. 148, 359

Materne, J., see Hopp, U. 148, 449 (61, 93)

Mathez, G., see Gerbal, D., et al. 146, 119

Mathys, G.: Hydrogen lines Stark broadening tables in the presence of a magnetic field 144, 255 (59, 229)

Mathys, G.: The influence of surface inhomogeneities on the rapid light variations of Ap stars 151, 315

Mathys, G., Manfroid, J.: On the shape of the *wby* lightcurves of CP stars 145, 483 (60, 17)

Mathys, G., see Gabriel, M., et al. 143, 206

Mathys, G., see Manfroid, J., et al. 144, 251

Mathys, G., see Manfroid, J. 145, 280 (59, 429)

Matsuura, O.T., see Epchtein, N., et al. 149, 489 (61, 203)

Matteucci, F., Tornambé, A.: Carbon deflagrating supernovae and the chemical history of the solar neighbourhood 142, 13 Matteucci, F., see Tornambé, A. 151, 447

Matthews, H.E., Olnon, F.M., Winnberg, A., Baud, B.: H₂O sources near the galactic plane: a pilot systematic survey 149, 227

Matthews, H.E., see Kwok, S., et al. 144, 321

Matthews, H.E., see Henkel, C., et al. 147, 143

Matthews, N., see Little, L.T., et al. 142, 378

Mattig, W., see von Uexküll, M., et al. 146, 192

Mattila, K., Holsti, N., Toriseva, M., Anttila, R., Malkamäki, L.: Rapid outbursts in the water maser Cepheus A 145, 192

Mattila, K., Holsti, N., Toriseva, M., Anttila, R., Malkamäki, L.: Erratum: Rapid outbursts in the water maser Cepheus A 152, 441

Mattila, K., see Toriseva, M. 153, 207

Mauersberger, R., Wilson, T.L., Batrla, W., Walmsley, C.M., Henkel, C.: Newly discovered sources of non-metastable ammonia 146, 168

Maurice, E., see Andersen, J., et al. 143, 245 (59, 15)

Maurice, E., see Festou, M.C., et al. 144, L5

Maurice, E., see Gillet, D., et al. 148, 155

Maurice, E., see Bouchet, P., et al. 149, 330 Maurice, E., see Imbert, M., et al. 149, 490 (61, 259)

Maurice, E., see Gillet, D., et al. 150, 89

Maurice, E., see Ferlet, R., et al. 152, 151

Maurice, E., see Prévot, L., et al. 152, 442 (62, 23)

Mauron, N., Nieto, J.-L., Picat, J.P., Lelièvre, G., Sol, H.: The optical morphology of the R Aqr jet 142, L13

Mauron, N., see Ungerer, V., et al. 146, 123

Maxson, C.W., see Schrijver, C.J., et al. 149, 123

Mayer-Hasselwander, H.A., see Pollock, A.M.T., et al. 146, 352Mayes, A.J., Evans, A., Bode, M.F.: Infrared variability of the reflection nebulosity around RS Puppis 142, 48

Mayes, A.J., Pearce, G., Evans, A.: Infrared emission from dust in the Seyfert galaxy NGC 4151 143, 327

Mayor, M., see Andersen, J., et al. 143, 245 (59, 15)

Mayor, M., see Imbert, M., et al. 149, 490 (61, 259)

Mayor, M., see Prévot, L., et al. 152, 442 (62, 23)

Mazeh, T., Netzer, H., Shaviv, G., Drechsel, H., Rahe, J., Wargau, W., Blades, J.C., Cacciari, C., Wamsteker, W.: UV and optical observations of Nova Sagittarii 1982 149, 83

Mazeh, T., Tal, Y., Shaviv, G., Bruch, A., Budell, R.: High speed photometry of GK Persei during the 1983 outburst 149, 470

Mazzoleni, F., see Buffoni, L., et al. 142, 214 (58, 499)

McCarroll, R., see Opradolce, L., et al. 148, 229

McCaughrean, M.J., see Aspin, C., et al. 144, 220

McClements, K.G., see Craig, I.J.D., et al. 149, 171

McComb, T.J.L., see Chadwick, P.M., et al. 151, L1

McKee, M.R., see Baan, W.A. 143, 136

McKeith, C.D., see Bates, B., et al. 145, 321

McLean, D.J., see Gary, D.E., et al. 152, 42

McLean, I.S., see Aspin, C., et al. 144, 220

McLean, I.S., see Aspin, C., et al. 149, L21

McLean, I.S., see Aspin, C., et al. 149, 158

McLean, I.S., see Aspin, C., et al. 151, 169

Meaburn, J., see Younis, S., et al. 147, 178

Mebold, U., Cernicharo, J., Velden, L., Reif, K., Crezelius, C., Goerigk, W.: The Draco nebula: A molecular cloud in the galactic halo? 151, 427

Mebold, U., see Hirth, W., et al. 153, 249

Mediavilla, E., see Buitrago, J. 148, L8

Mégessier, C., North, P., Burnet, M., Duquennoy, A.: A search for short periodic variations of the Ap Si star HD 92664 145, 281 (59, 485)

Mein, P., see Dialetis, D., et al. 147, 93

Meisels, A.: Mass-luminosity ratio in edge-on spirals 145, 135
 Melnick, J.: The 30 Doradus nebula. I. Spectral classification of 69 stars in the central cluster 153, 235

Melnick, J., Rubió, M.: CO in 30 Doradus 151, 455

Melnick, J., Moles, M., Terlevich, R.: The super star cluster in NGC 1705 149, L24

Méndez, R.H., Kudritzki, R.P., Simon, K.P.: SIT Vidicon and IDS spectra of central stars of planetary nebulae 142, 289 Menge de Freitas, S.: Velocity ellipses in the galactic plane: regional variations and spectral distributions 145, 484 (60, 63)

Mennessier, M.O.: A classification of miras from their visual and near-infrared light curves: an attempt to correlate them with their evolution 144, 463

Mennessier, M.O.: The effect of TiO absorption in late M giants on the Lockwood five-color narrow-band photometric system 151, 201

Menten, K.M., Walmsley, C.M.: Ammonia observations of L 1551 146, 369

Menten, K.M., see Wilson, T.L., et al. 147, L19

Mereghetti, S., Bignami, G.F., Caraveo, P.A.: New evidence for keV X-ray variability of QSO 0241+622 142, 37

Merkulenko, V.E., Mishina, M.N.: The chromospheric brightness oscillation spectrum from filter observations in the Hβline 146, L9

Mermilliod, M., see Hauck, B. 145, 484 (60, 61)

Mersch, G., see Heck, A., et al. 143, 246 (59, 63)

Metz, K., see Haefner, R. 145, 311

Mewe, R., Gronenschild, E.H.B.M., van den Oord, G.H.J.: Calculated X-radiation from optically thin plasmas. V. Improved atomic data for n=1-2 lines plus satellites from H- and Helike ions, 2l-nl' $(n \ge 2)$ and 3l-nl' $(n \ge 3)$ transitions from Fe and Ni ions, and lines from Li to Ne isoelectronic sequences of elements C to Ca 152, 446 (62, 197)

Mewe, R., Lemen, J.R., Peres, G., Schrijver, J., Serio, S.: Solar X-ray spectrum simulations for flaring loop models with emphasis on transient ionization effects during the impulsive phase 152, 229

Meynet, G., Hauck, B.: Geneva intrinsic colours of the supergiants of spectral types A and F 150, 163

Meys, J.J.M., see van Genderen, A.M., et al. 149, 490 (61, 213)

Mezger, P.G., see Chini, R., et al. 143, 244

Mezzetti, M., Pisani, A., Giuricin, G., Mardirossian, F.: Galaxy groups: virial quantities and galaxy population 143, 188

Mezzetti, M., see Giuricin, G., et al. 143, 245 (59, 37)

Mezzetti, M., see Giuricin, G., et al. 146, 317

Mezzetti, M., see Giuricin, G., et al. 152, 445 (62, 157)

Mezzorani, G., see Erdas, A., et al. 144, 295

Michalodimitrakis, M., Terzides, C.: Three-dimensional periodic orbits in barred galaxies. I. Vertical continuation of the retrograde family 150, 83

Michard, R.: Detailed surface photometry of 36 E-SO galaxies 144, 254 (59, 205)

Michel, F.C., see Krause-Polstorff, J. 144, 72

Milaneschi, E., Fabbri, R.: Polarization of the microwave background radiation in Bianchi type-I cosmological models with a homogeneous magnetic field 151, 7

Milani, A., Nobili, A.M.: The depletion of the outer asteroid belt 144, 261

Miley, G.K., see de Waard, G.J., et al. 145, 479

Miley, G.K., see Barthel, P.D., et al. 148, 243

Miley, G.K., see Barthel, P.D., et al. 151, 131

Miller, H.R.: Erratum: The optical variability of two Seyfert galaxies: Arakelian 120 and Markarian 231 144, 256 (59,

Mironova, E.N., see Bertaux, J.L., et al. 150, 1 Mishina, M.N., see Merkulenko, V.E. 146, L9

Mitchell, G.F., Watt, G.D.: Molecular abundances in shocked diffuse clouds: results from time-dependent modelling and comparison with diffuse cloud abundances 151, 121

Miyaji, S., Nomoto, K.: Thermonuclear reactions in cool accreting neutron stars and burst phenomena 152, 33

Miyaji, S., see Nomoto, K., et al. 149, 239

Moffat, A.F.J., see Hron, J., et al. 147, 336 (60, 355)

Molaro, P., see Franco, M.L., et al. 142, 218 (58, 693)

Molaro, P., see Vladilo, G., et al. 144, 81

Moles, M., García-Pelayo, J.M., Masegosa, A., Aparicio, A., Quintana, J.M.: UBVRI observations of quasars 152, 271

Moles, M., see Melnick, J., et al. 149, L24 Molteni, D., see Giannone, G. 143, 321

Monaghan, J.J., Lattanzio, J.C.: A refined particle method for astrophysical problems 149, 135

Monin, J.-L., see Gerbal, D., et al. 146, 119

Monnet, G., see Duval, M.F. 148, 450 (61, 141)

Monnet, G., see Bacon, R., et al. 152, 315

Moorwood, A.F.M., see Valentijn, E.A. 143, 46

Morando, B., see Festou, M.C., et al. 142, 421

Morbidelli, R., see Pannunzio, R. 148, 448 (61, 37)

Morel, P.J., see Chapellier, E., et al. 143, 466

Morel, P.J., see Baglin, A., et al. 149, 309

Morell, O., see Lagerkvist, C.-I., et al. 143, 248 (59, 137)

Morossi, C., Malagnini, M.L.: Observed and computed spectral flux distribution of non-supergiant O9-G8 stars. III. Determination of $T_{\rm eff}$ for the stars in the Breger Catalogue 147, 336 (60, 365)

Morossi, C., see Franco, M.L., et al. 142, 218 (58, 693)

Morossi, C., see Castelli, F., et al. 143, 245 (59, 1)

Morossi, C., see Malagnini, M.L., et al. 152, 117

Morris, M., Lucas, R., Omont, A.: Molecular emission from expanding circumstellar envelopes: polarization and profile asymmetries 142, 107

Morris, M., see Henkel, C., et al. 147, 143

Moss, D.: Remarks on the WUMa systems in NGC 188 150, 343

Motch, C., Pedersen, H., Ilovaisky, S.A., Chevalier, C., Hurley, K., Pizzichini, G.: The optical content of the 1979 April 6 gamma ray burst error box 145, 201

Motch, C., see Bonnet-Bidaud, J.M., et al. 143, 313 Mouchet, M., see Bonnet-Bidaud, J.M., et al. 143, 313

Mountain, C.M., Leggett, S.K., Selby, M.J., Blackwell, D.E., Petford, A.D.: Measurement of the absolute flux from Vega at 4.92 µm 151, 399

Mountain, C.M., Leggett, S.K., Selby, M.J., Zadrozny, A.: Evaluation of the 1 µm-5 µm windows at observatory altitudes in the Canary Islands 150, 281

Mountain, C.M., see Petford, A.D., et al. 146, 195

Mountain, C.M., see Petford, A.D., et al. 153, 284

Mouradian, Z., see Soru-Escaut, I., et al. 145, 19

Mouschovias, T.C.: Star Formation and the galactic magnetic field. The B-Q relation, flux freezing, and magnetic braking 142, 41

Muchmore, D., Ulmschneider, P.: Effects of CO molecules on the outer solar atmosphere: a time-dependent approach 142,

Mueller, B.E.A., Nussbaumer, H.: The ultraviolet spectrum of the symbiotic star HM Sge 145, 144

Mukai, T.: Small grains from comets 153, 213

Müller, E., Eriguchi, Y.: Equilibrium models of differentially rotating, completely catalyzed, zero-temperature configurations with central densities intermediate to white dwarf and neutron star densities 152, 325

Müller, E., see Eriguchi, Y. 146, 260

Müller, E., see Eriguchi, Y. 147, 161

Müller, E., see Oettl, R., et al. 151, 33

Müller, P., see Hirth, W., et al. 153, 249

Mundt, R., see Bastian, U. 144, 57 Mundt, R., see Baier, G., et al. 153, 278

Nadal, R., see Ginestet, N., et al. 144, 403

Nagai, F., Jordan, C.: Gas dynamics in the impulsive phase of solar flares. III. Energy transport in a flaring loop 146, 25

Naqvi, S.I.H., see Andersen, J., et al. 149, 492 (61, 353)

Narlikar, J.V., Subramanian, K.: The statistical significance of a large quasar inhomogeneity in the sky 151, 264

Nass, H.U., see Fahr, H.J., et al. 142, 476

Nasser, R.M., Varshni, Y.P.: Oscillator strengths for CIII lines 147, 189 (60, 325)

Natta, A., Oliva, E.: The star exciting the H_{II} region G333.6-0.2 152, 300

Neckel, T., Sarcander, M.: Spectroscopic observations of the Horsehead Nebula 147, L1

Neckel, T., Chini, R., Güsten, R., Wink, J.E.: Star formation in the large globule L810 153, 253

Nelles, B., see Geyer, E.H. 148, 312

Nelles, B., see Lee, W.B., et al. 149, 492 (61, 363)

Nelles, B., see Geyer, E.H. 152, 447 (62, 301)

Nepveu, M.: Magnetized viscous jets 142, 375

Nepveu, M.: Turbulence in clusters of galaxies 149, 459

Nepveu, M., Robnik, M.: *Erratum:* Some evolutionary consequences of shock-induced star formation 145, 482

Nesci, R., Perola, G.C.: The ultraviolet spectra of normal elliptical galaxies: a population synthesis approach 145, 296

Nesci, R., see Caloi, V., et al. 145, 281 (59, 505)

Nesis, A., see von Uexküll, M., et al. 146, 192

Netzer, H., see Mazeh, T., et al. 149, 83

Neugebauer, G., see Habing, H.J., et al. 152, L1

Nguyen-Quang-Rieu, see Ungerer, V., et al. 146, 123

Niarchos, P.G.: Photoelectric light curves and elements of AG Virginis 149, 491 (61, 313)

Nicklas, H., see Lee, W.B., et al. 149, 492 (61, 363)

Nicoll, J.F., see Segal, I.E. 144, L23

Niel, M., see Atteia, J.-L., et al. 152, 174

Nieto, J.-L., see Mauron, N., et al. 142, L13

Nobili, A.M., see Milani, A. 144, 261

Noels, A., see Gabriel, M., et al. 143, 206

Nomoto, K., Thielemann, F.K., Miyaji, S.: The triple alpha reaction at low temperatures in accreting white dwarfs and neutron stars 149, 239

Nomoto, K., see Saio, H. 150, L21

Nomoto, K., see Miyaji, S. 152, 33

Nordlund, Å., see Vaz, L.P.R. 147, 281

Nordström, B., Andersen, J.: Radial velocities of bright southern stars. IV. 551 A- and F-type HR and FK stars 148, 448 (61, 53)

Nordström, B., see Andersen, J., et al. 143, 245 (59, 15)

Nordström, B., see Andersen, J., et al. 144, 255 (59, 349)

Nordström, B., see Imbert, M., et al. 149, 490 (61, 259)

Nordström, B., see Andersen, J., et al. 149, 492 (61, 353)

Nordström, B., see Andersen, J., et al. 151, 329

Nordström, B., see Prévot, L., et al. 152, 442 (62, 23)

Nordström, B., see Andersen, J. 152, 448 (62, 355)

Norman, C., Heyvaerts, J.: Anomalous magnetic field diffusion during star formation 147, 247

North, P.: The evolution of some characteristics of Ap stars 148, 165

North, P., Cramer, N.: Erratum: Evidence of decay of the magnetic fields of Ap stars 147, 190 (60, 353)

North, P., see Mégessier, C., et al. 145, 281 (59, 485)

Nottale, L., see Joly, M., et al. 152, 282

Noyes, R.W., see Schrijver, C.J., et al. 149, 123

Nørgaard-Nielsen, H.U., see Hansen, L., et al. 149, 442

Nunez, J., see Rossello, G., et al. 145, 279 (59, 399)

Nussbaumer, H., see Mueller, B.E.A. 145, 144

Nussbaumer, H., see Loulergue, M., et al. 150, 246

Nyman, L.-Ä., Olofsson, H.: Time variations of the SiO (v=0, J=2-1) emission from circumstellar shells 147, 309

Nyman, L.-A., see Little, L.T., et al. 142, 378

Nyman, L.-Å., see Olofsson, H., et al. 150, 169

Oda, N.: Distribution of stellar radiation in the Galaxy 145, 45

Oettl, R., Hillebrandt, W., Müller, E.: Supernova-induced collapse of magnetic interstellar clouds 151, 33

Ogawa, H., see Takano, T., et al. 144, 363

Ogawa, H., see Kawabata, K., et al. 151, 1 Ohishi, M., see Dent, W.R.F., et al. 146, 375

Oja, T.: *UBV* photometry of stars whose positions are accurately known. II 145, 280 (59, 461)

Oja, T.: Photoelectric photometry of stars near the North Galactic Pole. II 149, 492 (61, 331)

Oke, J.B., see Koester, D., et al. 149, 423

Okorokov, V.A., Shustov, B.M., Tutukov, A.V., Yorke, H.W.: Numerical models of planetary nebulae evolution 142, 441

Olberg, M., Bester, M., Rau, G., Pauls, T., Winnewisser, G., Johansson, L.E.B., Hjalmarson, Å: A new search for and discovery of deuterated ammonia in three molecular clouds 142, L1

Oldershaw, R.L.: Inner rings of barred spiral galaxies 149, 221

Oliva, E., see Felli, M., et al. 151, 27

Oliva, E., see Natta, A. 152, 300

Olnon, F.M., see Pottasch, S.R., et al. 143, L11

Olnon, F.M., see van der Hucht, K.A., et al. 145, L13

Olnon, F.M., see van der Hucht, K.A. 149, L17

Olnon, F.M., see Matthews, H.E., et al. 149, 227

Olnon, F.M., see Habing, H.J., et al. 152, L1

Olofsson, G., Koornneef, J.: Infrared observations of a compact HII region in Monoceros (GGD 12-15) 146, 337

Olofsson, H., Rydbeck, O.E.H., Nyman, L.-Å.: The peculiar SiO (v=2, J=2-1) maser in χ Cygni 150, 169

Olofsson, H., see Johansson, L.E.B., et al. 145, 485 (60, 135)

Olofsson, H., see Nyman, L.-Å. 147, 309

Olofsson, K., see Lagerkvist, C.-I., et al. 143, 248 (59, 137)

Omizzolo, S., see Barbieri, C., et al. 142, 316 Omont, A., see Morris, M., et al. 142, 107

Omont, A., see Léger, A., et al. 144, 147

Onnembo, A., Buonaura, B., Caccin, B., Russo, G., Sollazzo,
 C.: The importance of colour-colour loops in the determination of the physical parameters of pulsating variables 152,
 349

Oort, M.J.A., Windhorst, R.A.: A very deep Westerbork survey of a field previously observed with the VLA 145, 405

Oppe, J., see van Genderen, A.M., et al. 149, 490 (61, 213)

Oppe, J., see van Genderen, A.M., et al. 152, 447 (62, 291)

Opradolce, L., McCarroll, R., Valiron, P.: Charge transfer of Si⁴⁺ with helium 148, 229

Oranje, B.J., Zwaan, C.: Magnetic structure in cool stars. VIII.

The MgII h and k surface fluxes in relation to the Mt. Wilson photometric CaII H and K measurements

147, 265

Orford, K.J., see Dowthwaite, J.C., et al. 142, 55

Orford, K.J., see Chadwick, P.M., et al. 151, L1

Ormes, J.F., see Streitmatter, R.E., et al. 143, 249

Ortolani, S., Sabbadin, F.: High resolution spectra of compact planetary nebulae 152, 442 (62, 17)

Orwig, L.E., see Dolan, J.F., et al. 143, 1

Osaki, Y.: Irradiation-induced mass-overflow instability as a possible cause of superoutbursts in SU UMa stars 144, 369 Östreicher, R., Schulte-Ladbeck, R.: A spectropolarimeter for low polarization 148, 179

Özel, M.E., Schlickeiser, R., Sieber, W.: Radio measurements in the fields of y-ray sources. II. Anticenter sources 2CG218-00, 2CG135+01, 2CG121+04, and 2CG095+04 152, 393

Packet, W., see De Grève, J.P., et al. 142, 367 Padrielli, L., see Feretti, L., et al. 147, 321

Pakull, M., see Testor, G. 145, 170

Pakull, M., see Bianchi, L. 146, 242

Palla, F., see Capuzzo-Dolcetta, R., et al. 145, 290

Pallavicini, R., Willson, R.F., Lang, K.R.: Microwave observations of late-type stars with the Very Large Array 149, 95

Palouš, J., Piskunov, A.E.: The velocity-age relation for B and A stars 143, 102

Panagia, N., see Felli, M., et al. 151, 27

Pannunzio, R., Morbidelli, R.: Photographic measures of visual double stars made at Torino 148, 448 (61, 37)

Pannunzio, R., see Cellino, A., et al. 144, 355

Paolicchi, P., see Cellino, A., et al. 144, 355

Papoular, R., see Pégourié, B. 142, 451

Paredes, J.M., see Rossello, G., et al. 145, 279 (59, 399)

Parma, P., Ekers, R.D., Fanti, R.: High resolution radio observations of low luminosity radio galaxies 145, 282 (59, 511)

Parma, P., see Fanti, C., et al. 143, 292

Parmeggiani, G., see Bendinelli, O., et al. 153, 265

Pascoli, G.: On the existence and role of magnetic fields in planetary nebulae (Text in French) 147, 257

Pascoli, G., see Louise, R. 150, 285

Pasian, F., see Malagnini, M.L., et al. 144, 49

Pastoriza, M.G., see Copetti, M.V.F., et al. 152, 427

Paterno, L., see Dziembowski, W.A., et al. 151, 47

Patey, I., see Bottinelli, L., et al. 151, L7

Patnaik, A.R., see Shaver, P.A., et al. 147, L23

Patnaik, A.R., see Spoelstra, T.A.T., et al. 152, 38

Patriarchi, P., Perinotto, M.: Properties of dust in the Orion nebula 143, 35

Paturel, G., see Bottinelli, L., et al. 143, 246 (59, 43)

Paturel, G., see Davoust, E., et al. 149, 491 (61, 273)

Paturel, G., see Fouqué, P. 150, 192

Pauldrach, A., Puls, J., Hummer, D.G., Kudritzki, R.P.: A radiation driven stellar wind model atmosphere for the Wolf-Rayet binary V 444 Cygni 148, L1

Pauls, R., see Kohoutek, L. 145, 485 (60, 87)

Pauls, T., see Olberg, M., et al. 142, L1

Pauls, T., see Bastien, P., et al. 146, 86

Peacock, N.J., see Lawson, K.D. 142, 214 (58, 475)

Pearce, G., see Mayes, A.J., et al. 143, 327

Pedersen, H., see Motch, C., et al. 145, 201

Pedlar, A., see Hummel, E., et al. 147, 189 (60, 293)

Pédoussaut, A., Ginestet, N., Carquillat, J.M.: Spectroscopic binaries. 14th complementary catalogue (Text in French) 142, 217 (58, 601)

Pédoussaut, A., see Ginestet, N., et al. 144, 403

Pégourié, B., Papoular, R.: The optical properties of dust in the mid-IR silicate bands 142, 451

Pellat, R., see Bouchet, F.R., et al. 144, 413

Pellegrini, P.S., see de Carvalho, R.R., et al. 149, 449

Peña, J.H., see Garrido, R., et al. 144, 211

Pence, W.D., Davoust, E.: Supplement to the detailed bibliography on the surface photometry of galaxies 147, 338 (60, 517)

Peng, Q.H., see Huang, J.H., et al. 148, 391 Peng, Q.H., see Huang, K.L., et al. 152, 89

Pérault, M., Falgarone, E., Puget, J.L.: 13CO observations of cool giant molecular clouds 152, 371

Perdang, J., see Däppen, W. 151, 174

Peres, G., see Reale, F., et al. 152, L5

Peres, G., see Mewe, R., et al. 152, 229

Perinotto, M., see Patriarchi, P. 143, 35

Perola, G.C., see Nesci, R. 145, 296

Perola, G.C., see Piro, L., et al. 147, 22

Perrier, F., see Bensammar, S., et al. 146, L1

Perrier, F., see Bensammar, S., et al. 149, L1

Perrin, J.-M., see Caplan, J., et al. 145, 221

Perryman, M.A.C., see di Serego Alighieri, S., et al. 149, 179 Persi, P., Ferrari-Toniolo, M., Tapia, M., Roth, M., Rodríguez, L.F.: Time-variable, excess radio emission from Cyg OB2 No.5 142, 263

Persi, P., Tapia, M., Roth, M., Ferrari-Toniolo, M.: An infrared study of the giant H_{II} region NGC 3603 144, 275

Persi, P., see Spinoglio, L., et al. 153, 55

Pesch, P., see Barbieri, C., et al. 148, 450 (61, 163)

Peters, G.J., see Doazan, V., et al. 152, 182

Peterson, C.J., see Jörsäter, S., et al. 142, 215 (58, 507)

Petford, A.D., Leggett, S.K., Blackwell, D.E., Booth, A.J., Mountain, C.M., Selby, M.J.: Measurement of stellar integrated flux in the wavelength range 370 nm-950 nm 146, 195

Petford, A.D., Leggett, S.K., Blackwell, D.E., Booth, A.J., Mountain, C.M., Selby, M.J.: Erratum: Measurement of stellar integrated flux in the wavelength range 370 nm-950 nm 153, 284

Petford, A.D., see Mountain, C.M., et al. 151, 399

Pettersen, B.R.: Discovery of flare activity in G 119-62 147, 328 Pettersen, B.R.: Discovery of flare activity on the low luminosity red dwarf system G9-38 AB 148, 151

Pettersen, B.R., see Tsvetkov, M.K. 150, 160

Pfenniger, D.: Numerical study of complex instability. I. Mappings 150, 97

Pfenniger, D.: Numerical study of complex instability. II. Barred galaxy bulges 150, 112

Pfleiderer, J., see Winkler, C., et al. 142, 218 (58, 705)

Phillipps, S., Disney, M.J.: The optical detection of very low surface brightness regions 148, 234

Phillips, J.P., White, G.J., Harten, R.: A search for H₂ emission in bipolar nebulae and regions of interstellar shock 145, 118 Phillips, J.P., White, G.J., Richardson, K.J.: CO $J=3\rightarrow 2$ and $J=2\rightarrow 1$ mapping and spectroscopy of NGC 7027 151, 421

Picat, J.P., see Mauron, N., et al. 142, L13

Picazzio, E., see Epchtein, N., et al. 149, 489 (61, 203)

Picchio, G., Tanzella-Nitti, G.: The redshifts of double galaxies

Picchio, G., see Chiumiento, G., et al. 152, 442 (62, 1)

Pichon, B.: Helium detonation in pancake stars 145, 387

Piirola, V., see Huovelin, J., et al. 152, 357

Piironen, J.O., Poutanen, M., Di Martino, M., Zappalà, V.: UBV observations and pole determinations of asteroids 15 Eunomia and 354 Eleonora 149, 491 (61, 299)

Pineault, S., Pritchet, C.J., Landecker, T.L., Routledge, D., Vaneldik, J.F.: Optical and radio imaging of the supernova remnant VRO 42.05.01 (G 166.0+4.3) 151, 52

Pinet, P.: Lunar impact flux distribution and global asymmetry revisited 151, 222

Pipher, J.L., see Woodward, C.E., et al. 147, 84

Piro, L., Perola, G.C., Massaro, E.: Non-thermal models of the X-ray emission in Seyfert galaxies: the case of NGC 4151 147, 22

Pisani, A., see Mezzetti, M., et al. 143, 188

Piskunov, A.E., see Palouš, J. 143, 102

Pizzichini, G., see Motch, C., et al. 145, 201

Planesas, P., see Barcia, A., et al. 142, L9 Planesas, P., see Barcia, A., et al. 147, 237

Poedts, S., Hermans, D., Goossens, M.: The continuous spectrum of an axisymmetric self-gravitating and static equilibrium with a mixed poloidal and toroidal magnetic field 151, 16

Poland, A.I., see Schmieder, B., et al. 153, 64 Polidan, P.S., see Doazan, V., et al. 152, 182

Pollock, A.M.T.: The probable identification of two COS-B γray sources with molecular clouds compressed by supernova remnants 150, 339

Pollock, A.M.T., Bennett, K., Bignami, G.F., Bloemen, J.B.G.M., Buccheri, R., Caraveo, P.A., Hermsen, W., Kanbach, G., Lebrun, F., Mayer-Hasselwander, H.A., Strong, A.W.: COS-B gamma-ray sources and interstellar gas in the first galactic quadrant. 146, 352

Ponz, D., see D'Odorico, S., et al. **142**, 232 Popper, D.M., see Andersen, J., et al. **151**, 329

Pospieszalska-Surdej, A., Surdej, J.: Determination of the pole orientation of an asteroid. The amplitude-aspect relation revisited 149, 186

Postnov, K.A., see Lipunov, V.M. 144, L13

Pottasch, S.R., Preite-Martinez, A., Olnon, F.M., Raimond, E., Beintema, D.A., Habing, H.J.: Highly ionized neon in the planetary nebula NGC 6302 143, L11

Pottasch, S.R., see Shaver, P.A., et al. 147, L23

Poutanen, M., Bowell, E., Martin, L.J., Thompson, D.T.: Photoelectric photometry of asteroid 69 Hesperia 149, 491 (61, 291)

Poutanen, M., see Piironen, J.O., et al. 149, 491 (61, 299)
 Prantzos, N., Durouchoux, P.: Erratum: A tentative interpretation of the cyclotron line energy variation in Her X-1 147,

Preite-Martinez, A., see Pottasch, S.R., et al. 143, L11 Preston, R.A., see Marcaide, J.M., et al. 142, 71

Preuss, E., see Barthel, P.D., et al. 151, 131

Prévot, L., Andersen, J., Ardeberg, A., Benz, W., Imbert, M., Lindgren, H., Martin, N., Maurice, E., Mayor, M., Nordström, B., Rebeirot, E., Rousseau, J.: Radial velocities of southern stars obtained with the photoelectric scanner CORAVEL. V. 404 F to M supergiant stars in the Large Magellanic Cloud 152, 442 (62, 23)

Prévot, L., see Andersen, J., et al. 143, 245 (59, 15)

Prévot, L., see Bouchet, P., et al. 149, 330

Prévot, L., see Imbert, M., et al. 149, 490 (61, 259)

Prievot-Burnichon, M.L., see Bouchet, P., et al. 149, 330

Prieto, A., see Wamsteker, W., et al. 152, 446 (62, 255)

Prieto, M., Battaner, E., Sanchez, C., Beckman, J.: Near-infrared mapping of spiral galaxies. I. The Sb galaxy NGC 2841: annular structure in the young disc component 146, 297

Prinja, R.K., Howarth, I.D.: The effects of episodic mass-loss enhancements on theoretical P Cygni profiles 149, 73

Pritchet, C.J., see Pineault, S., et al. 151, 52 Prochazka, F., see de Vegt, C. 148, 226

Prokakis, T., see Kontizas, E., et al. 146, 293

Protheroe, R.J., see Streitmatter, R.E., et al. 143, 249

Proust, D., see Hauck, B., et al. 149, 167

Pucillo, M., see Malagnini, M.L., et al. 144, 49

Puddu, G., see Erdas, A., et al. 144, 295

Puget, J.L., Léger, A., Boulanger, F.: Contribution of large polycyclic aromatic molecules to the infrared emission of the interstellar medium 142, L19

Puget, J.L., see Falgarone, E. 142, 157

Puget, J.L., see Caux, E., et al. 144, 37

Puget, J.L., see Pérault, M., et al. 152, 371

Puls, J., see Pauldrach, A., et al. 148, L1

Purton, C.R., see Kwok, S., et al. 144, 321

Pylyser, E., Doom, C., de Loore, C.: The combined effect of mass loss and overshooting. V. Massive stars in the Magellanic Clouds 148, 379

Pyper, D.M., Adelman, S.J.: Spectrophotometry of peculiar B and A stars. XVII. 63 Andromedae, HD 34452, Epsilon Ursae Majoris, CQ Ursae Majoris, CU Virginis, CS Virginis and Beta Coronae Borealis 145, 279 (59, 369)

Pyper, D.M., see Adelman, S.J. 152, 447 (62, 279)

Qiao, G.J., see Xia, X.Y., et al. 152, 93

Quarati, P., see Erdas, A., et al. 144, 295

Quarta, M.L., see Caputo, F., et al. 143, 8

Querci, F., see Querci, M. 147, 121

Querci, M., Querci, F.: Temporal variations in UV spectra of the red giant C star, TW Hor 147, 121

Quintana, J.M., see Moles, M., et al. 152, 271

Raadu, M.A., see Schmieder, B., et al. 142, 249 Rabbia, Y., see Koechlin, L. 153, 91

Rafanelli, P.: Observations of emission line galaxies. III. The broad Balmer line profiles of 12 Seyfert-1 galaxies 146, 17

Rahe, J., see Mazeh, T., et al. 149, 83

Raimond, E., see Pottasch, S.R., et al. 143, L11

Ramella, M., see Franco, M.L., et al. 142, 218 (58, 693)

Ranieri, M., see Badiali, M., et al. 151, 259

Rapaport, M.: The division corrections of a graduated circle. A comparison between Hog's, Benevides-Soares' and Boczko's methods 145, 377

Rasmussen, I.L., see Engelmann, J.J., et al. 148, 12

Ratner, M.I., see Marcaide, J.M., et al. 142, 71

Rau, G., see Olberg, M., et al. 142, L1

Rausaria, R.R., see Haug, E., et al. 146, 159

Rausaria, R.R., see Haug, E., et al. 148, 115

Rayrole, J., see Berton, R. 152, 219

Reale, F., Peres, G., Serio, S.: More on momentum deposition by electron beams in solar flares 152, L5

Rebeirot, E., see Azzopardi, M., et al. 145, L4

Rebeirot, E., see Prévot, L., et al. 152, 442 (62, 23)

Regev, O., see Livio, M. 148, 133

Rego, M., see Zamorano, J. 152, 445 (62, 173)

Reich, P., see Reich, W., et al. 151, L10

Reich, W., Fürst, E., Altenhoff, W.J., Reich, P., Junkes, N.: Evidence for two young galactic supernova remnants 151, L10

Reich, W., see Seiradakis, J.H., et al. 143, 478

Reich, W., see Mantovani, F., et al. 145, 50

Reid, N., see Stobie, R.S., et al. 147, 338 (60, 495)

Reif, K., see Braunsfurth, E. 142, 215 (58, 503)

Reif, K., see Mebold, U., et al. 151, 427

Reimers, D.: Discovery of a cataclysmic variable type companion of the M 3 III giant 4 Dra with IUE 142, L16 Reimers, D., see Koester, D. 153, 260

Reipurth, B.: Herbig-Haro objects and FU Orionis eruptions. The case of HH 57 143, 435

Reipurth, B., Sandell, G.: The shock region around the T Tauri star V 571 Orionis 150, 307

Reipurth, Bo.: Small nebulae and Herbig-Haro Objects. II. The Orion region 149, 492 (61, 319)

Reiß, R., see Cullum, M., et al. 153, L1

Rengarajan, T.N., see Iyengar, K.V.K., et al. 148, 43

Rephaeli, Y.: Statistical fluctuations in an inflationary universe 142, L29

Richardson, K.J., see Phillips, J.P., et al. 151, 421

Richter, O.-G., Sadler, E.M.: Redshifts of galaxies in the Fornax cluster 145, 280 (59, 433)

Richter, O.-G., see Iye, M. 144, 471

Richter, O.-G., see Huchtmeier, W.K. 149, 118

Richtler, T.: NGC 2112 - A forgotten old open cluster 145, 281 (59, 491)

Rickard, L.J., see Bottinelli, L., et al. 151, L7 Righini, A., see Cavallini, F., et al. 143, 116

Righini, A., see Caccin, B., et al. 149, 357

Righini, A., see Cavallini, F., et al. 150, 256

Riley, P.W., see Little, L.T., et al. 142, 378

Ritter, H.: Magnetic braking and the period gap of cataclysmic binaries 145, 227

Ritter, H.: Spin-up of white dwarfs in cataclysmic binaries 148, 207

Robe, H.: Periodic orbits in a triaxial galaxy 142, 351

Roberts, J.A.: Optically thin sychrotron emission and Type C_L radio source spectra 143, 231

Robertson, J.A., see Wang, Y.-M. 151, 361

Robertson, J.G., see Katgert-Merkelijn, J.K., et al. 150, 352 (61, 547)

Robnik, M., see Nepveu, M. 145, 482

Rocca-Volmerange, B., see Guiderdoni, B. 151, 108

Rocher, P., see Arlot, J.E. 142, 214 (58, 453)

Rocher, P., see Festou, M.C., et al. 142, 421

Rodrigo, R., see Sanchez-Lavega, A. 148, 67

Rodriguez, G., see Wamsteker, W., et al. 152, 446 (62, 255)

Rodríguez, L.F., see Persi, P., et al. 142, 263

Roelfsema, P.R., Allen, R.J.: Radio observations of H_I in UGC 2885, the largest identified Sc galaxy 146, 213

Rogers, A.E.E., see Marcaide, J.M., et al. 142, 71

Roland, G., see Biémont, E., et al. 148, 449 (61, 107)

Roland, G., see Biémont, E., et al. 149, 489 (61, 185)

Roland, J., Hanisch, R.J., Véron, P., Fomalont, E.: WSRT and VLA observations of very steep spectrum radio galaxies in clusters 148, 323

Roland, J., see Feretti, L., et al. 147, 321

Rolland, A., see Garrido, R., et al. 144, 211

Romano, G., see Barbieri, C., et al. 142, 316

Romano, G., see Barbieri, C., et al. 148, 450 (61, 163)

Romney, J.D., see Marcaide, J.M., et al. 142, 71

Rosen, N., see Harpaz, A. 143, L5

Rosner, R., see Herbold, G., et al. 145, 157

Rösner, W., see Wunner, G., et al. 149, 102

Rossello, G., Calafat, R., Figueras, F., Jordi, C., Nunez, J., Paredes, J.M., Sala, F., Torra, J.: *UBVRI* photoelectric photometry of nearby stars 145, 279 (59, 399)

Rossi, C., Lombardi, R., Gaudenzi, S., De Biase, G.A.: Interactive reduction of echelle spectrograms 143, 13

Rossi, L., see Caloi, V., et al. 145, 281 (59, 505)

Rossi, L., see Malagnini, M.L., et al. 152, 117

Rossi, S.C.F., Maciel, W.J., Benevides-Soares, P.: Partition functions and related quantities of astrophysically significant molecules 148, 93

Rostas, J., see Horani, M., et al. 142, 346

Roth, M., see Persi, P., et al. 142, 263

Roth, M., see Persi, P., et al. 144, 275

Roth, M., see Spinoglio, L., et al. 153, 55

Rothenflug, R., Arnaud, M.: Iron abundance in galaxy clusters 144, 431

Rothenflug, R., see Arnaud, M. 147, 337 (60, 425)

Rouan, D., see de Muizon, M. 143, 160

Roueff, E., see Horani, M., et al. 142, 346

Roueff, E., see Marquette, J.B., et al. 147, 115

Rouse, C.A.: Evidence for a small, high-Z, iron-like solar core 149, 65

Rousseau, J., see Prévot, L., et al. 152, 442 (62, 23)

Roussel, A., see Epchtein, N., et al. 149, 489 (61, 203)

Roussel-Dupré, D.: SKYLAB observations of the solar O1 resonance triplet 153, 116

Routledge, D., see Pineault, S., et al. 151, 52

Rovithis, P., Rovithis-Livaniou, E.: Photoelectric observations and minima times for RZ Comae Berenices 142, 217 (58, 679)

Rovithis, P.E., see Rovithis-Livaniou, H. 145, 484 (60, 71)

Rovithis-Livaniou, E., see Rovithis, P. 142, 217 (58, 679)

Rovithis-Livaniou, H., Rovithis, P.E.: Analysis of light curves of the eclipsing binary u Herculis 145, 484 (60, 71)

Rowan-Robinson, M., see Habing, H.J., et al. 152, L1

Rowe, B.R., see Marquette, J.B., et al. 147, 115

Rowland, H.L., Vlahos, L.: Return currents in solar flares: collisionless effects 142, 219

Różyczka, M.: Two-dimensional models of stellar wind bubbles.

I. Numerical methods and their application to the investigation of outer shell instabilities 143, 59

Ròżyczka, M., Tenorio-Tagle, G.: Two-dimensional models of stellar wind bubbles. II. Variable mass-loss rates and the possibility of outer-shell fragmentation in relation to the origin of interstellar bullets 147, 202

Ròżyczka, M., Tenorio-Tagle, G.: Two-dimensional models of stellar wind bubbles. III. Self-confining flows in media with strong density gradients 147, 209

Ròżyczka, M., Tenorio-Tagle, G.: Two-dimensional models of stellar wind bubbles. IV. Properties of bow shocks around dense clumps in free wind regions 147, 220

Rózyczka, M., see Tenorio-Tagle, G., et al. 148, 52

Rubió, M., see Melnick, J 151, 455

Rucinski, D., see Fahr, H.J., et al. 142, 476

Rucinski, S.M., Vilhu, O., Whelan, J.A.J.: The Lyman alpha emission in W Ursae Majoris 143, 153

Rucinski, S.M., see Wade, R.A. 147, 337 (60, 471)

Ruder, H., see Ventura, J., et al. 144, 479

Ruder, H., see Soffel, M., et al. 144, 485

Ruder, H., see Wunner, G., et al. 149, 102

Rudnicki, W., see Gil, J. 147, 184

Rufener, F., see Waelkens, C. 152, 6

Ruffini, R., see Cogotti, R., et al. 142, 124

Russo, G., see Onnembo, A., et al. 152, 349

Ruzmaikin, A.A., Sokoloff, D.D., Shukurov, A.M.: Magnetic field distribution in spiral galaxies 148, 335

Rydbeck, G., Hjalmarson, Å., Rydbeck, O.E.H.: Distribution and kinematics of CO in the spiral galaxy M51 144, 282

Rydbeck, G., see Johansson, L.E.B., et al. 145, 485 (60, 135) Rydbeck, O.E.H., see Rydbeck, G., et al. 144, 282 Rydbeck, O.E.H., see Olofsson, H., et al. 150, 169 Ryter, C., see Caux, E., et al. 144, 37

Saarinen, S., Valtonen, M.J.: Simulations of clusters of galaxies with massive cores 153, 130

Saarinen, S., see Valtonen, M.J., et al. 143, 182

Sabbadin, F., see Ortolani, S. 152, 442 (62, 17)

Sadler, E.M., see Richter, O.-G. 145, 280 (59, 433)

Sáez, M., see Alfaro, E.J., et al. 145, 280 (59, 441) Sagar, R., see Stobie, R.S., et al. 147, 338 (60, 503)

Saio, H., Nomoto, K.: Evolution of a merging pair of C+O white dwarfs to form a single neutron star 150, L21

Sakurai, T.: Magnetic stellar winds: a 2-D generalization of the Weber-Davis model 152, 121

Sala, F., Torra, J., Cortés, P.: High order hydrodynamical equations 152, 448 (62, 321)

Sala, F., see Rossello, G., et al. 145, 279 (59, 399)

Salter, C.J., see Mantovani, F., et al. 145, 50

Salter, C.J., see Shaver, P.A., et al. 147, L23

Salvador-Sole, E., see Gerbal, D., et al. 146, 119

Sambuco, A.M., see Caccin, B., et al. 149, 357

Sanchez, C., see Prieto, M., et al. 146, 297
Sanchez-Lavega, A., Rodrigo, R.: Ground based observations of synoptic cloud systems in southern equatorial to temperate

latitudes of Jupiter from 1975 to 1983 148, 67 Sancisi, R., see Broeils, A.H. 153, 281

Sandell, G., see Reipurth, B. 150, 307

Sandqvist, A., Wootten, A., Loren, R.B.: Distribution of HCO⁺ (J=3-2) in the inner 5 pc of the Galaxy 152, L25

Sandqvist, Aa., see Lindblad, P.O., et al. 144, 496

Sanduleak, N., see Barbieri, C., et al. 148, 450 (61, 163)

Santer, R., Deschamps, M., Ksanfomaliti, L.V., Dollfus, A.: Photopolarimetric analysis of the Martian atmosphere by the Soviet MARS-5 orbiter. I. White clouds and dust veils 150, 217

Santin, P., see Malagnini, M.L., et al. 144, 49

Saramonova, E.Y., see Krasinsky, G.A., et al. 145, 90

Sarasso, M., see Chiumiento, G., et al. 152, 442 (62, 1)

Sarcander, M., see Neckel, T. 147, L1

Sareyan, J.P., see Chapellier, E., et al. 143, 466

Saripalli, L., Gopal-Krishna: Dynamics of energy supply to bright hot spots associated with 10 extragalactic radios sources 149, 205

Saxner, M., Hammarbäck, G.: An empirical temperature calibration for F dwarfs 151, 372

Scaltriti, F., Cellino, A., Busso, M.: Photometry of southern stars. II. Further evidence of spots in the eclipsing binary BH Virginis 149, 11

Scaltriti, F., see Cellino, A., et al. 144, 315

Scaltriti, F., see Busso, M., et al. 148, 29

Scardia, M.: Revised orbital elements of the visual binary stars ADS 2616 AB and ADS 4229 AB 145, 280 (59, 455)

Scardia, M., see Antonello, E., et al. 146, 11

Schaeffer, R.: The probability generating function for galaxy clustering 144, L1

Schatzman, E., see Baglin, A., et al. 149, 309

Schiffer, R.: The effect of surface roughness on the spectral reflectance of dielectric particles. Application to the zodiacal light 148, 347

Schild, H.: The spectrum of a Type I supernova in NGC 7038 142, 401

Schild, H.: The evolutionary status of OB stars with peculiar nitrogen spectra 146, 113 Schild, H., Maeder, A.: The initial mass limit for neutron star and black hole formation 143, L7

Schild, R., see Marcaide, J.M., et al. 142, 71

Schilizzi, R.T., see Fanti, C., et al. 143, 292

Schilizzi, R.T., see Barthel, P.D., et al. 148, 243

Schilizzi, R.T., see Barthel, P.D., et al. 151, 131

Schindler, R., Isserstedt, J.: Surface photometry from the ESO/SRC atlas 145, 281 (59, 497)

Schlickeiser, R.: A viable mechanism to establish relativistic thermal particle distribution functions in cosmic sources 143, 431

Schlickeiser, R., Lerche, I.: Cosmic gas dynamics. I. Basic equations and the dynamics of hot interstellar matter 151, 151

Schlickeiser, R., see Bogdan, T.J. 143, 23

Schlickeiser, R., see Seiradakis, J.H., et al. 143, 478

Schlickeiser, R., see Lerche, I. 151, 408

Schlickeiser, R., see Özel, M.E., et al. 152, 393

Schlosser, W., see Winkler, C., et al. 143, 194

Schmid-Burgk, J., see Engels, D., et al. 148, 344

Schmid-Burgk, J., see Schneider, P. 148, 369

Schmidt, H.U., Simon, G.W., Weiss, N.O.: Buoyant magnetic flux tubes. II. Three-dimensional behaviour in granules and supergranules 148, 191

Schmidt, W., see von Uexküll, M., et al. 146, 192

Schmidt-Kaler, T., see Winkler, C., et al. 142, 218 (58, 705)

Schmidt-Kaler, T., see Hron, J., et al. 147, 336 (60, 355)

Schmidt-Kaler, T., see Winkler, C., et al. 143, 194

Schmieder, B., Malherbe, J.M., Poland, A.I., Simon, G.: Dynamics of solar filaments. IV. Structure and mass flow of an active region filament 153, 64

Schmieder, B., Raadu, M.A., Malherbe, J.M.: Twisting motions in a disturbed solar filament 142, 249

Schmitz, F., Ulmschneider, P., Kalkofen, W.: Acoustic waves in the solar atmosphere. VII. Non-grey, non-LTE H⁻ models 148, 217

Schmutzler, T., Biermann, P.: The evolution of galaxies in small groups 149, 383

Schneider, H.: Strömgren photometry of open clusters. I. NGC 6281, NGC 6405 148, 448 (61, 45)

Schneider, P.: A new formulation of gravitational lens theory, time-delay, and Fermat's principle 143, 413

Schneider, P., Schmid-Burgk, J.: Mutual coherence of gravitationally lensed images 148, 369

Schober, H.J., Schroll, A.: The asteroid 476 Hedwig: lightcurve, rotation period and UBV-photometry 152, 446 (62, 187)

Schober, H.J., see Zappalà, V., et al. 147, 35

Schoembs, R., see Haefner, R. 150, 325

Scholz, M.: Properties and spectra of extended static model photospheres of M giants 145, 251

Schönberg, K.: Study of the Sobolev approximation in turbulent expanding envelopes 148, 405

Schönberg, K.: An atlas of theoretical P-Cygni-profiles in early stars 152, 448 (62, 339)

Schönberner, D., see Drilling, J.S. 146, L23

Schrijver, C.J., Zwaan, C., Maxson, C.W., Noyes, R.W.: A study of ultraviolet and X-ray emissions of selected solar regions 149, 123

Schrijver, J., see Mewe, R., et al. 152, 229

Schröder, A., see Fenkart, R. 143, 247 (59, 83)

Schröder, K.-P.: A study of ultraviolet spectra of ζ Aurigae/VV Cephei systems. VII. Chromospheric density distribution and wind acceleration region 147, 103

Schröder, K.-P., Che-Bohnenstengel, A.: Photometric and UV spectroscopic observations of 22 Vul at eclipse: observational evidence for an extended chromosphere of a "solar type" G supergiant 151, L5

Schroll, A., see Schober, H.J. 152, 446 (62, 187)

Schulte-Ladbeck, R.: Linear polarization of symbiotic stars 142, 333

Schulte-Ladbeck, R., see Östreicher, R. 148, 179

Schulz, A., Gillespie, A.R., Krügel, E.: CO (J=4-3) spectroscopy in M17SW and OMC1 142, 363

Schulz, H.: Optical spectroscopy of the oval distortion in NGC 4151 143, 29

Schüssler, M., see Hasan, S.S. 151, 69

Schuster, H.E., see Wamsteker, W., et al. 152, 446 (62, 255)

Schutte, W., see Geballe, T.R., et al. 146, L6

Schwan, H.: The systems of the positions and proper motions in the star catalogues AGK 3, AGK 3 RN, and N 30 149, 50

Schwarz, H.E.: Narrow band polarimetry of a sample of cool giants and supergiants 147, 111

Schwarz, H.E., see Clarke, D., et al. 145, 232

Schwarz, H.E., see Aspin, C., et al. 149, L21

Schwarz, H.E., see Aspin, C., et al. 151, 169

Schwarz, U.J.: H1 synthesis observations of the peculiar galaxy NGC 3718 and its companion NGC 3729 142, 273

Schwarz, U.J., see Kalberla, P.M.W., et al. 144, 27

Schweizer, M.A.: Transient elastic photon diffusion 151, 79

Scuflaire, R., see Gabriel, M., et al. 143, 206

Sedlmayr, E., see Gail, H.-P. 148, 183

Segal, I.E., Nicoll, J.F.: Uniformity of quasars in the chronometric cosmology 144, L23

Seidelmann, P.K., see Capitaine, N., et al. 146, 381

Seiradakis, J.H., Reich, W., Sieber, W., Kühr, H., Schlickeiser, R.: An extended extragalactic radio source behind the Milky Way 143, 478

Seiradakis, J.H., see Huchtmeier, W.K. 143, 216

Sekanina, Z.: Light variations of Periodic Comet Halley beyond 7 AU 148, 299

Sekanina, Z., see Hanner, M.S., et al. 152, 177

Selby, M.J., see Petford, A.D., et al. 146, 195

Selby, M.J., see Mountain, C.M., et al. 150, 281

Selby, M.J., see Mountain, C.M., et al. 151, 399

Selby, M.J., see Petford, A.D., et al. 153, 284

Selvelli, P.L., see de Freitas Pacheco, J.A., et al. 152, 101

Sembay, S., see Spinoglio, L., et al. 153, 55

Semenzato, R., see Ipser, J.R. 149, 408

Serabyn, E., see Drossart, P., et al. 149, L10

Sergysels, R., see Loks, A. 149, 462

Serio, S., see Reale, F., et al. 152, L5

Serio, S., see Mewe, R., et al. 152, 229

Serra, G., see Caux, E., et al. 144, 37

Severne, G., see Luwel, M. 152, 305

Sezer, C., see Gülmen, Ö., et al. 147, 336 (60, 389)

Shakhovskoy, N.M., see Sillanpää, A., et al. 147, 67

Shane, W.W., see Walterbos, R.A.M., et al. 150, 351 (61, 451)

Shapiro, I.I., see Marcaide, J.M., et al. 142, 71

Shaver, P.A.: A study of quasar pairs 143, 451

Shaver, P.A., Chen, J.-S.: Pairs of extragalactic HII regions 148, 443

Shaver, P.A., Pottasch, S.R., Salter, C.J., Patnaik, A.R., van Gorkom, J.H., Hunt, G.C.: The compact radio source near G357.7-0.1 147, L23

Shaviv, G., see Mazeh, T., et al. 149, 83

Shaviv, G., see Mazeh, T., et al. 149, 470

Shelton, I., see Borra, E.F., et al. 149, 266

Shukre, C., see Gardner, F.F., et al. 146, 303

Shukurov, A.M., see Ruzmaikin, A.A., et al. 148, 335

Shustov, B.M., see Okorokov, V.A., et al. 142, 441

Sieber, W., see Turlo, Z., et al. 142, 181

Sieber, W., see Seiradakis, J.H., et al. 143, 478

Sieber, W., see Özel, M.E., et al. 152, 393

Sikorski, J., see Bielicz, E., et al. 153, 269

Silen, J., see Bourgois, G., et al. 144, 452

Sillanpää, A., Teerikorpi, P., Haarala, S., Korhonen, T., Efimov, Y.S., Shakhovskoy, N.M.: Similar structures in the outbursts of OJ 287 in 1972 and 1983 147, 67

Simard-Normandin, M., see Vallée, J.P. 143, 274

Simien, F., see Bacon, R., et al. 152, 315

Simmons, J.F.L., Stewart, B.G.: Point and interval estimation of the true unbiased degree of linear polarization in the presence of low signal-to-noise ratios 142, 100

Simnett, G.M.: The fate of sunward streaming protons associated with coronal mass ejections 145, 139

Simon, G.W., see Schmidt, H.U., et al. 148, 191

Simon, G., see Schmieder, B., et al. 153, 64

Simon, K.P., see Méndez, R.H., et al. 142, 289

Simon, M., see Felli, M., et al. 145, 305

Simon, M., see Massi, M., et al. 152, 387

Simon, P.A., see Legrand, J.-P. 152, 199

Sinclair, A.T., Taylor, D.B.: Analysis of the orbits of Titan, Hyperion, and Iapetus by numerical integration and by analytical theories 147, 241

Sinclair, A.T., see Taylor, D.B. 149, 490 (61, 221)

Sivagnanam, P., see Le Squeren, A.M. 152, 85

Sivan, J.-P., see Caplan, J., et al. 145, 221

Slootmaker, A., Herman, J., Habing, H.J.: OH emission from Mira variables, infrared stars and molecular clouds 145, 281 (59, 465)

Smaldone, L.A., see Donati-Falchi, A., et al. 152, 165

Smeyers, P., Bruggen, P.: Erratum: Linear radial pulsations in stars in thermal imbalance 144, 516

Smith Jr, H.: Parallax estimation using both trigonometric and photometric parallaxes 152, 413

Smith, L.J., Lloyd, C., Walker, E.N.: UV and optical observations of variability in the WR + compact candidate HD 96548 146, 307

Snow, T.P., see Doazan, V., et al. 152, 182

Sobouti, Y.: Linear oscillations of isotropic stellar systems. II. Radial modes of energy-truncated models 147, 61

Soffel, M., Herold, H., Ruder, H., Ventura, J.: Radiative transfer in the accretion column of X-ray pulsars: effects from the hot spot 144, 485

Soffel, M., see Ventura, J., et al. 144, 479

Sofue, Y., Klein, U., Beck, R., Wielebinski, R.: Large-scale configuration of magnetic fields in spiral galaxies 144, 257

Soggiu, E., see Badiali, M., et al. 151, 259

Sokoloff, D.D., see Ruzmaikin, A.A., et al. 148, 335

Sol, H., Tarenghi, M., Vanderriest, C., Vigroux, L., Lelièvre, G.: Limits on parallax and proper motion of an optical counterpart of Geminga 144, 109

Sol, H., see Mauron, N., et al. 142, L13

Solanki, S.K., Stenflo, J.O.: Models of solar magnetic fluxtubes: constraints imposed by Fe1 and II lines 148, 123

Solf, J., Ulrich, H.: The structure of the R Aquarii nebula 148, 274

Solf, J., see Carsenty, U. 152, 254

Sollazzo, C., see Onnembo, A., et al. 152, 349

Sommer-Larsen, J., see Christensen, P.R. 150, L5

Soru-Escaut, I., Martres, M.-J., Mouradian, Z.: Singularity of solar rotation and flare productivity 145, 19

Soulié, G.: Accurate equatorial coordinates of known or new components in a third series of some 200 double and multiple systems 148, 447 (61, 17)

Soutoul, A., see Engelmann, J.J., et al. 148, 12

Souviron, J., see Lachiéze-Rey, M., et al. 150, 62

Spaenhauer, A.M., Thevenin, F.: Field giants: selection efficiency from photometry and metallicity gradient in the galactic bulge 144, 327

Spinoglio, L., Persi, P., Ferrari-Toniolo, M., Giovannelli, F., Bassani, L., Di Cocco, G., Clement, R.M., Coe, M.J., Dean, A.J., Sembay, S., Roth, M., Tapia, M., Macdougall, J.R., Elsmore, B.: IRAS and near-infrared observations of the Seyfert galaxies MCG 8-11-11, Mkn 79 and Mkn 279 153, 55

Spite, F., see Barbuy, B., et al. 144, 343

Spite, M., see Barbuy, B., et al. 144, 343

Spoelstra, T.A.T.: Effects of amplitude and phase scintillations on decimeter wavelength observations at mid-latitudes 148, 21

Spoelstra, T.A.T., Patnaik, A.R., Gobal-Krishna: A sample of 25 extragalactic radio sources having a spectrum peaked around 1 GHz (List 2) 152, 38

Spoelstra, T.A.T., see Kwok, S., et al. 144, 321

Spruit, H.C., see Herbold, G., et al. 145, 157

Spyrou, N.: The possibility of contracting collapsed stars 149, 283

Stahl, O., Wolf, B., de Groot, M., Leitherer, C.: Atlas of highdispersion spectra of peculiar emission-line stars in the Magellanic Clouds 149, 490 (61, 237)

Stahl, O., see Zickgraf, F.-J., et al. 143, 421

Stahl, O., see Bertout, C., et al. 144, 87

Stahl, O., see Sterken, C., et al. 145, 483 (60, 1)

Stahl, O., see Bertout, C., et al. 147, 186

Stahl, O., see Wolf, B. 148, 412

Stahl, O., see Leitherer, C., et al. 153, 168

Stalio, R., see Franco, M.L., et al. 147, 191

Stalio, R., see Doazan, V., et al. 152, 182

Stanga, R., see Felli, M., et al. 151, 27

Stark, A.A., see Gardner, F.F., et al. 146, 303

Staude, J., see Žugžda, Y.D., et al. 143, 201

Steemers, W.J.G., see van Genderen, A.M., et al. 153, 163

Steenbock, W., see Watanabe, T. 149, 21

Steffen, M.: A model atmosphere analysis of the F5 IV-V subgiant Procyon 145, 279 (59, 403)

Steinberg, J.L., Hoang, S., Dulk, G.A.: Evidence of scattering effects on the sizes of interplanetary Type III radio bursts 150, 205

Steinberg, J.L., see Dulk, G.A., et al. 150, L28

Stella, L., see Heise, J., et al. 148, L14

Stellmacher, G., see Lebecq, C., et al. 152, 157

Stenflo, J.O., see Solanki, S.K. 148, 123

Stenholm, L.G.: The physical structure of the dark cloud B5 144, 179

Stenholm, L.G.: The accuracy of molecular cloud abundances and isotopic ratios 149, 90

Stephens, S.A.: Antiproton upper limits from the observed charge ratio of muons and their implications for cosmic ray models 149, 1

Steppe, H., see Becker, W. 145, 486 (60, 169)

Sterken, C.: wby photometry of Sigma Scorpii 142, 217 (58, 657)

Sterken, C., Duerbeck, H.W., Hensberge, H., Manfroid, J., Stahl, O., van der Linden, D.: The eclipsing variable HR 2800 145, 483 (60, 1)

Sterken, C., see vander Linden, D. 150, 76

Stewart, B.G.: The correlation between normalised Stokes parameters in a sinusoidally modulated intensity polarimeter 143, 235

Stewart, B.G., see Simmons, J.F.L. 142, 100

Stewart, B.G., see Clarke, D., et al. 145, 232

Stewart, P., see Younis, S., et al. 147, 178

Stewart, P., see Huang, S. 153, 189

Stickland, D.J., Lloyd, C., Willis, A.J.: IRAS observations of AS 431: A superluminous WR star? 150, L9

Stobie, R.S., Gilmore, G., Reid, N.: Galactic structure photoelectric standards 147, 338 (60, 495)

Stobie, R.S., Sagar, R., Gilmore, G.: CCD stellar sequences in galactic structure fields 147, 338 (60, 503)

Stollman, G.M., van Paradijs, J.: Super-Eddington fluxes in a quasi-hydrostatic, optically thick region of a neutron-star outer envelope 153, 99

Stone, R.G., see Lengyel-Frey, D., et al. 151, 215

Storey, P.J., see Loulergue, M., et al. 150, 246

Streitmatter, R.E., Balasubrahmanyan, V.K., Protheroe, R.J., Ormes, J.F.: Cosmic ray propagation in the local superbubble 143, 249

Strom, R.G., Blair, W.P.: CTB80: probable changes in the central nebulosity, 1953–1981 149, 259

Strom, R.G., Conway, R.G.: Polarization maps at 49 cm of 27 3C sources 150, 352 (61, 537)

Strom, R.G., Eckart, A., Biermann, P.: 1919 + 742: a large double radio source 151, 43

Strom, R.G., see de Waard, G.J., et al. 145, 479

Strom, R.G., see Conway, R.G. 146, 392

Strom, R.G., see Barthel, P.D., et al. 148, 243

Strom, R.G., see Hanisch, R.J., et al. 153, 9

Strom, R., see Biermann, P., et al. 147, L27

Strong, A.W.: Gamma-ray emission from atomic and molecular gas at intermediate galactic latitudes 145, 81

Strong, A.W.: Data analysis in gamma-ray astronomy: multivariate likelihood method for correlation studies 150, 273

Strong, A.W., see Pollock, A.M.T., et al. 146, 352

Stumpff, P.: Rigorous treatment of the heliocentric motion of stars 144, 232

Stutzki, J., Winnewisser, G.: Hyperfine selective collisional excitation of interstellar molecules 144, 1

Stutzki, J., Winnewisser, G.: On the interpretation of hyperfine-structure intensity anomalies in the NH₃ (J, K)=(1,1) inversion transition 144, 13

Stutzki, J., Winnewisser, G.: A critical discussion of the standard interpretation of NH₃ observations 148, 254

Stutzki, J., see Takano, T., et al. 144, L20

Subramanian, K., see Narlikar, J.V. 151, 264

Sugitani, K., see Kawabata, K., et al. 151, 1

Sunyaev, R.A., Titarchuk, L.G.: Comptonization of low-frequency radiation in accretion disks: angular distribution and polarization of hard radiation 143, 374

Suraud, E.: Thomas-Fermi study of the bubble phase in hot dense matter 143, 108

Surdej, J.: Analysis of P Cygni line profiles: generalization of the nth order moment W_n 152, 361

Surdej, J., see Pospieszalska-Surdej, A. 149, 186

Surdej, J., see Gosset, E., et al. 153, 71

Surdej, J., see Hutsemékers, D. 153, 245

Suzuki, S., see Dent, W.R.F., et al. 146, 375

Sveshnikov, M.L., see Krasinsky, G.A., et al. 145, 90

Sveshnikova, E.S., see Krasinsky, G.A., et al. 145, 90

Swings, J.P., see Gosset, E., et al. 153, 71

Sybesma, C.H.B.: The evolution of massive close binary systems with mass loss and overshooting. I. Mass transfer in systems with initial masses of $20+10~M_{\odot}$ 142, 171

Takaba, H., see Kawabata, K., et al. 151, 1

Takahashi, K., see Yokoi, K., et al. 145, 339

Takano, T., Fukui, Y., Ogawa, H.: Kinematics of the extended CO envelope of Heiles' Cloud 2 144, 363

Takano, T., Stutzki, J., Winnewisser, G., Fukui, Y.: Detection of high velocity emission in NH₃ (1,1) and (2,2) spectra towards NGC 2071 144, L20

Takano, T., see Kawabata, K., et al. 151, 1

Tal, Y., see Mazeh, T., et al. 149, 470

Tanzella-Nitti, G.: Radial velocities of galaxies: some considerations on the comparison between radio and optical data 142, 216 (58, 549)

Tanzella-Nitti, G., Fontanelli, P.: A useful list of redshift calibrators 147, 190 (60, 343)

Tanzella-Nitti, G., see Picchio, G. 142, 21

Tapia, M., see Persi, P., et al. 142, 263

Tapia, M., see Persi, P., et al. 144, 275

Tapia, M., see Spinoglio, L., et al. 153, 55

Taranova, O.G., see Ipatov, A.P., et al. 142, 85

Tarenghi, M., see Sol, H., et al. 144, 109

Tarenghi, M., see Caloi, V., et al. 145, 286

Tarenghi, M., see Véron, P., et al. 150, 317

Tarrab, I.: Age and process of star formation in very young LMC associations 150, 151

Taylor, D.B., Sinclair, A.T.: Positions of the satellites of Saturn in 1978, 1982 and 1983 obtained at the Royal Greenwich Observatory 149, 490 (61, 221)

Taylor, D.B., see Sinclair, A.T. 147, 241

te Lintel Hekkert, P., see Burton, W.B. 153, 285 (62, 643)

Teerikorpi, P.: H II regions and the value of H_0 143, 469

Teerikorpi, P., see Sillanpää, A., et al. 147, 67

Teisseire, M., see Devienne, F.M. 147, 54

Tempesti, P., see Burchi, R., et al. 145, 483 (60, 9)

Tenorio-Tagle, G., Bodenheimer, P., Yorke, H.W.: Non-spherical supernova remnants. II. The interaction of remnants with molecular clouds 145, 70

Tenorio-Tagle, G., Rózyczka, M., Yorke, H.W.: The Cygnus loop: A supernova breaking out of a mulecular cloud? 148, 52

Tenorio-Tagle, G., see Ròżyczka, M. 147, 202

Tenorio-Tagle, G., see Rożyczka, M. 147, 209

Tenorio-Tagle, G., see Ròżyczka, M. 147, 220

Terebey, S., see Henkel, C., et al. 147, 143

Terlevich, R., see Melnick, J., et al. 149, L24

Terzides, C., see Michalodimitrakis, M. 150, 83

Testor, G., Pakull, M.: Discovery of a very bright compact object N88A in the Small Magellanic Cloud 145, 170

Testor, G., see Heydari-Malayeri, M. 144, 98

Teuber, J., see Johansen, K.T., et al. 152, L21

Texier, P., see Chollet, F., et al. 150, 351 (61, 443)

Thé, P.S., Cuypers, H., Tjin A Djie, H.R.E., Feinstein, A., Westerlund, B.E.: NGC 6611-W 409: a remarkable Be star with a strong variable near-infrared excess 150, 345

Thé, P.S., Felenbok, P., Cuypers, H., Tjin A Djie, H.R.E.: High resolution spectroscopic and photometric study of the possibility that HD 76534 and HD 163296 are Herbig Ae/Be-type stars 149, 429

Thé, P.S., Hageman, T., Westerlund, B.E., Tjin A Djie, H.R.E.: The spectral energy distribution of stars above the ZAMS in the central part of the open cluster NGC 6383 151, 391

Thé, P.S., see van der Hucht, K.A., et al. 145, L13

Thé, P.S., see van Genderen, A.M., et al. 149, 490 (61, 213)

Thejappa, G., see Krasnosel'skikh, V.V., et al. 149, 323

Thevenin, F., see Spaenhauer, A.M. 144, 327 Thielemann, F.K., see Nomoto, K., et al. 149, 239

Thomas, R.N., see Doazan, V., et al. 152, 182

Thompson, A.M., see Craig, I.J.D., et al. 149, 171

Thompson, D.T., see Poutanen, M., et al. 149, 491 (61, 291)

Titarchuk, L.G., see Sunyaev, R.A. 143, 374

Titterington, D.M.: General structure of regularization procedures in image reconstruction 144, 381

Tjemkes, S., see van der Klis, M., et al. 151, 322

Tjin A Djie, H.R.E., see Thé, P.S., et al. 149, 429

Tjin A Djie, H.R.E., see Thé, P.S., et al. 150, 345

Tjin A Djie, H.R.E., see Thé, P.S., et al. 151, 391

Tobin, W.: The galactic reddening law: the evidence from *wbyβ* photometry of B stars 142, 189

Tobin, W.: Four-colour and H β photometry of blue stars selected from a balloon-ultraviolet survey and other sources 147, 337 (60, 459)

Tokovinin, A.A.: Interferometric observations of double stars in 1983 and 1984 150, 351 (61, 483)

Tokunaga, A.T., see Hanner, M.S., et al. 152, 177

Tokunaga, A., see Drossart, P., et al. 149, L10

Tomas, M., see Chollet, F., et al. 150, 351 (61, 443)

Tomasi, P., see Mantovani, F., et al. 145, 50

Tomassetti, G., see Ficarra, A., et al. 144, 255 (59, 255)

Topaktas, L., see Fenkart, R.P., et al. 143, 246 (59, 73)

Toriseva, M., Mattila, K.: Comparison of formaldehyde and hydroxyl parameters in the ε Chamaeleonis I dark cloud with the distribution of optical extinction and young stars 153, 207

Toriseva, M., see Mattila, K., et al. 145, 192 Toriseva, M., see Mattila, K., et al. 152, 441

Tornambé, A., Matteucci, F.: Mass limit for e-capture supernovae and chemical evolution of galaxies 151, 447

Tornambé, A., see Matteucci, F. 142, 13

Torra, J., see Rossello, G., et al. 145, 279 (59, 399)

Torra, J., see Sala, F., et al. 152, 448 (62, 321)

Torres, G.: Visual measurements of southern double stars 145, 280 (59, 449)

Torres, G.: Absolute and relative motion of the visual double star JC 19 (IDS 22187S4157) 152, 446 (62, 191)

Torricelli-Ciamponi, G., see Dobrowolny, M. 142, 404

Treves, A., see Ghisellini, G., et al. 146, 204

Tritton, S.B., see Hartl, H. 145, 41

Tsarouhas, G., see Bozis, G. 145, 215

Tsinganos, K., see Bodo, G., et al. 149, 246

Tsvetkov, M.K., Pettersen, B.R.: The K2 flaring giant V 654 Her 150, 160

Tuominen, I., see Huovelin, J., et al. 152, 357

Turatto, M., see Barbon, R., et al. 142, 218 (58, 735)

Turlo, Z., Forkert, T., Sieber, W., Wilson, W.: Calibration of the instrumental polarization of radio telescopes 142, 181

Turner, B.E., see Bottinelli, L., et al. 151, L7

Turner, D.G.: The reddening (and distance?) of P Cygni 144, 241

Turunen, T., see Bourgois, G., et al. 144, 452

Turver, K.E., see Dowthwaite, J.C., et al. 142, 55

Turver, K.E., see Chadwick, P.M., et al. 151, L1

Tutukov, A.V., see Okorokov, V.A., et al. 142, 441

Tylenda, R.: Optically thick radial accretion onto main sequence stars and degenerate dwarfs 147, 197

Ulmschneider, P., see Muchmore, D. 142, 393

Ulmschneider, P., see Herbold, G., et al. 145, 157

Ulmschneider, P., see Schmitz, F., et al. 148, 217

Ulrich, H., see Solf, J. 148, 274

Ulrich, H., see Fried, J.W. 152, L14

Underhill, A.B.: An interpretation of the spectral variations of Theta Coronae Borealis 148, 431

Ungerechts, H., see Güsten, R., et al. 142, 381

Ungerechts, H., see Güsten, R. 145, 241

Ungerer, V., Mauron, N., Brillet, J., Nguyen-Quang-Rieu: The Taurus dark cloud around the position of 3C 111: an optical and C ¹⁸O line study 146, 123

Uomoto, A., Kirshner, R.P.: Peculiar Type I supernovas 149, L7

Urbanik, M., Gräve, R., Klein, U.: A survey of the distribution of λ2.8 cm radio continuum in nearby galaxies. VI. A small sample of interacting galaxies 152, 291

Valdarnini, R.: Evolution of adiabatic perturbations in a photino-dominated universe 143, 94

Valdarnini, R., Bonometto, S.A.: Fluctuation evolution in a twocomponent dark-matter model 146, 235

Valentijn, E.A., Moorwood, A.F.M.: The stellar content of the A 496 cD galaxy 143, 46

Valentijn, E.A., see Feretti, L., et al. 147, 321

Valiron, P., see Opradolce, L., et al. 148, 229

Vallée, J.P., Simard-Normandin, M.: Observational search for polarized emission from space vehicles/communication relays near the galactic centre 143, 274

Valtier, J.C., see Chapellier, E., et al. 143, 466

Valtonen, M.J., Innanen, K.A., Huang, T.-Y., Saarinen, S.: No missing mass in clusters of galaxies? 143, 182

Valtonen, M.J., see Saarinen, S. 153, 130

van Albada, G.D.: Application of a new gasdynamics code to gas flow problems in disk galaxies 142, 491

van Albada, G.D., see Boulanger, F., et al. 144, L9

van Albada-van Dien, E.: Photographic observations of visual double stars 147, 189 (60, 315)

van Breda, I.G., see Bates, B., et al. 145, 321

van Breugel, W.J.M., see Fanti, C., et al. 143, 292

van den Bergh, S., see Younger, P.F. 150, 350 (61, 365)

van den Boogaart, A.K., see van Genderen, A.M., et al. 153, 163

van den Boogart, A.K., see van Genderen, A.M., et al. 152, 447 (62, 291)

van den Heuvel, E.P.J., see Bonsema, P.F.J. 146, L3

van den Oord, G.H.J., see Mewe, R., et al. 152, 446 (62, 197) van der Bij, D.P.M., see van Genderen, A.M., et al. 152, 447 (62, 291)

van der Bij, M.D.P., see van Genderen, A.M., et al. 149, 490 (61, 213)

van der Burg, G.: HI observations of some galaxies and their faint companions 152, 445 (62, 147)

van der Hucht, K.A., Olnon, F.M.: The neon abundance of the Wolf-Rayet star in γ^2 Velorum 149, L17

van der Hucht, K.A., Jurriens, T.A., Olnon, F.M., Thé, P.S.,

Wesselius, P.R., Williams, P.M.: IRAS observations of Sand.3 and M1-67: two new planetary nebulae with Wolf-Rayet nuclei 145, L13

van der Hulst, J.M., Hummel, E.: The first detection of a radio continuum bridge between interacting galaxies 150, L7

van der Hulst, J.M., see Liszt, H.S., et al. 142, 237

van der Hulst, J.M., see Liszt, H.S., et al. 142, 245 van der Hulst, J.M., see Hummel, E., et al. 147, 189 (60, 293)

van der Hulst, J.M., see Kuijpers, J. 149, 343

van der Klis, M., Clausen, J.V., Jensen, K., Tjemkes, S., van Paradijs, J.: The optical binary light curve of LMC X-3 151, 322

van der Linden, D., see Sterken, C., et al. 145, 483 (60, 1)

van der Veen, W.E.C.J.: Interpretation of new narrow band light curves of the eclipsing binary u Her 145, 380

van der Zwet, G.P., Allamandola, L.J.: Polycyclic aromatic hydrocarbons and the diffuse interstellar bands 146, 76

van der Zwet, G.P., Allamandola, L.J., Baas, F., Greenberg, J.M.: Laboratory identification of the emission features near 3.5 μm in the pre-main-sequence star HD 97048 145, 262

van Driel, W., see Knapp, G.R., et al. 142, 1

van Driel, W., see Krumm, N., et al. 144, 202 van Driel, W., see van Genderen, A.M., et al. 149, 490 (61, 213)

van Genderen, A.M.: An investigation of the micro-variations of highly luminous OBA type stars. II 151, 349

van Genderen, A.M., Alphenaar, P., van der Bij, M.D.P., Deul, E.R., van Driel, W., van Heerde, G.M., de Lange, L., van-Leeuwen, F., Meys, J.J.M., Oppe, J., Thé, P.S., Wiertz, M.J.J.: An investigation of the micro-variations of highly luminous OBA type stars. I 149, 490 (61, 213)

van Genderen, A.M., Bijleveld, W., van Groningen, E.: VBLUW photometry of the association Sco OB1 (containing the open cluster NGC 6231). A discussion on the evolutionary status of the hypergiant ζ^1 Sco (B1Ia⁺) 142, 215 (58, 537)

van Genderen, A.M., Steemers, W.J.G., Feldbrugge, P.T.M., Groot, M., Damen, E., van den Boogaart, A.K.: An investigation of the micro-variations of highly luminous OBA type stars. III. The S Dor type star R 71 = HDE 269006 in the LMC 153, 163

van Genderen, A.M., van den Boogart, A.K., Brand, J., de Bruyn, J.W., Burger, J.H., van der Bij, D.P.M., Deul, E.R., van Heerde, G.M., Hooimeyer, J.R.A., Kraakman, H., de Lange, L., Lemstra, G., Oppe, J., Wiertz, M.J.J.: An investigation of the micro variations of highly luminous OBA type stars. IV. 152, 447 (62, 291)

van Genderen, A.M., see Greve, A. 148, 397

van Gorkom, J.H., see Shaver, P.A., et al. 147, L23

van Groningen, E., see van Genderen, A.M., et al. 142, 215 (58, 537)

Van Hamme, W., Wilson, R.E.: A contribution on the problem of empirical masses for contact binaries 152, 25

van Heerde, G.M., see van Genderen, A.M., et al. 149, 490 (61, 213)

van Heerde, G.M., see van Genderen, A.M., et al. 152, 447 (62, 291)

van Leeuwen, F., see van Genderen, A.M., et al. 149, 490 (61,

van Paradijs, J.: Recurrence behaviour of dwarf novae: the Kuk-

arkin-Parenago relation 144, 199
van Paradijs, J., Lewin, W.H.G.: Are galactic bulge X-ray burst

van Paradijs, J., Lewin, W.H.G.: Are galactic bulge X-ray burs sources leftovers of disrupted globular clusters? 142, 361 van Paradijs, J., see Lewin, W.H.G. 149, L27 van Paradijs, J., see van der Klis, M., et al. 151, 322

van Paradijs, J., see Stollman, G.M. 153, 99

van 't Veer-Menneret, C., Coupry, M.F., Burkhart, C.: Spectrum analysis of the giant Am star HR 178 146, 139

van Woerden, H., see Knapp, G.R., et al. 142, 1

van Woerden, H., see Krumm, N., et al. 144, 202

vander Linden, D., Sterken, C.: wby photometry of the β Cephei variable HR 5488 150, 76

Vanderriest, C., see Sol, H., et al. 144, 109

Vaneldik, J.F., see Pineault, S., et al. 151, 52

Varshalovich, D.A., see Chandra, S., et al. 142, 217 (58, 687)

Varshalovich, D.A., see Chandra, S., et al. 148, 145

Varshni, Y.P., see Nasser, R.M. 147, 189 (60, 325)

Varvoglis, H., Ghosh, S.: Chaotic behaviour of high Mach number flows 148, 35

Vauclair, G., see Koester, D., et al. 142, L5

Vauclair, G., see Koester, D., et al. 149, 423

Vauglin, I., see Davoust, E., et al. 149, 491 (61, 273)

Vaz, L.P.R., Nordlund, Å.: The reflection effect in model stellar atmospheres. I. Grey atmospheres with convection 147, 281

Vaz, L.P.R., see Giménez, A., et al. 152, 445 (62, 179)

Vedrenne, G., see Atteia, J.-L., et al. 152, 174

Velden, L., see Mebold, U., et al. 151, 427

Ventura, J., Soffel, M., Herold, H., Ruder, H.: Cyclotron line profiles and photon diffusion in a hot plasma 144, 479

Ventura, J., see Soffel, M., et al. 144, 485

Ventura, R., see Dziembowski, W.A., et al. 151, 47

Verlhac, A., see Koutchmy, S. 142, 355

Verma, R.P., see Iyengar, K.V.K., et al. 148, 43

Vernazza, J.E., see Doyle, J.G., et al. 150, 69

Véron, P., Véron-Cetty, M.-P.: Star formation in early-type galaxies 145, 433

Véron, P., Véron-Cetty, M.-P., Tarenghi, M.: The ultraviolet absorption spectrum of NGC 4151 150, 317

Véron, P., see Véron-Cetty, M.-P. 145, 425

Véron, P., see Roland, J., et al. 148, 323

Véron, P., see Véron-Cetty, M.P., et al. 151, 101

Véron-Cetty, M.P.: Study of a complete sample of galaxies. I. UBV aperture photometry 142, 217 (58, 665)

Véron-Cetty, M.-P., Véron, P.: NGC 1808: a nearby galaxy with a faint Seyfert nucleus 145, 425

Véron-Cetty, M.P., Véron, P., Woltjer, L.: Optical observations of the jet of the Crab Nebula 151, 101

Véron-Cetty, M.-P., see Véron, P. 145, 433

Véron-Cetty, M.-P., see Véron, P., et al. 150, 317

Vettolani, G., de Souza, R.E., Marano, B., Chincarini, G.: The distribution of voids 144, 506

Vettolani, G., see De Souza, R.E., et al. 143, 143

Veugelen, P.: Linear oscillations of differentially rotating selfgravitating cylinders 143, 256

Veugelen, P.: Classification of normal modes of rotating cylindrical systems 143, 458

Vidal, J.L., see Bonneau, D., et al. 142, 218 (58, 729)

Vidal, S., see Delgado, A.J., et al. 142, 214 (58, 447)

Vietri, M.: Are Ly-α clouds detectable in emission at 21 cm? 144, L17

Vigroux, L., see Sol, H., et al. 144, 109

Vigroux, L., see Lachiéze-Rey, M., et al. 150, 62

Vilhu, O., see Rucinski, S.M., et al. 143, 153

Viotti, R., see Bensammar, S., et al. 146, L1

Virtanen, H., see Huovelin, J., et al. 152, 357

Vitores, A., see Wamsteker, W., et al. 152, 446 (62, 255)

Vizard, D.R., see Little, L.T., et al. 142, 378

Vladilo, G., Beckman, J.E., Crivellari, L., Franco, M.L., Molaro, P.: The distribution of the local interstellar medium derived from Mgπ column densities towards seven cool stars 144, 81

Vladilo, G., see Franco, M.L., et al. 142, 218 (58, 693)

Vladimirskii, K.V., see Lotova, N.A., et al. 150, 266

Vlahos, L., see Rowland, H.L. 142, 219

Vogel, E., see Klebsch, W., et al. 152, L12

Vogt, N., Barrera, L.H.: A simple method to calibrate intensities of photographic slit spectrograms 148, 237

Vogt, N., see Krzeminski, W. 144, 124

Vogt, N., see Hron, J., et al. 147, 336 (60, 355)

Volk, K., Kwok, S.: Dynamical evolution of planetary nebulae 153, 79

Volokitin, A.S., see Krasnosel'skikh, V.V., et al. 149, 323

Volonté, S., see Blanchet, L., et al. 152, 417

von der Lühe, O.: The speckle masking transfer function 150, 229

von Uexküll, M., Kneer, F., Mattig, W., Nesis, A., Schmidt, W.: Oscillations of the Sun's chromosphere. III. Simultaneous Hα observations from two sites 146, 192

von Uexküll, M., see Kneer, F. 144, 443

Vreux, J.M.: H_{α} observations of the enigmatic Of binary BD + $40^{\circ}4220 = \text{Cyg OB2 No.} 5 = \text{V 729 Cyg}$ 143, 209

Vreux, J.M., Andrillat, Y., Gosset, E.: HD 192163 variability revisited: A very short period WR binary or a pulsating star? 149, 337

Vujnović, V., Burshtein, M.L.: Absolute scale of transition probabilities in neutral fluorine 151, 442

Wachmann, A.A.: UBV photometric observations of TT Aurigae 147, 190 (60, 349)

Wade, R.A., Rucinski, S.M.: Linear and quadratic limb-darkening coefficients for a large grid of LTE model atmospheres 147, 337 (60, 471)

Waelkens, C.: Photometric variations and period determination of eight southern CP stars 148, 449 (61, 127)

Waelkens, C., Cuypers, J.: Two new multiperiodic β Cephei candidates in the Scorpius complex 152, 15

Waelkens, C., Rufener, F.: Photometric variability of mid-B stars 152, 6

Wagner, W.J., see Gary, D.E., et al. 152, 42

Waldron, W.L., see Wolfire, M.G., et al. 142, L25

Walker, E.N., see Smith, L.J., et al. 146, 307

Walker, H.J.: IRAS photometry of dust shells around hydrogendeficient stars 152, 58

Walker, H.J., Hill, P.W.: Radial velocities for the hydrogendeficient star HD 168476, several helium-strong and heliumweak stars 149, 491 (61, 303)

Walker, M.F., see Andersen, J., et al. 150, L12

Wallis, M.K., Hassan, M.H.A.: Stochastic diffusion of interplanetary dust grains orbiting under Poynting-Robertson forces 151, 435

Wallis, M.K., see Festou, M.C., et al. 152, 170

Walmsley, C.M.: The interpretation of the radio continuum emission from comet IRAS-Araki-Alcock (1983d) 142, 437

Walmsley, C.M., see Güsten, R., et al. 142, 381

Walmsley, C.M., see Bastien, P., et al. 146, 86

Walmsley, C.M., see Hermsen, W., et al. 146, 134

Walmsley, C.M., see Mauersberger, R., et al. 146, 168

Walmsley, C.M., see Menten, K.M. 146, 369

Walmsley, C.M., see Wilson, T.L., et al. 147, L19

Walmsley, C.M., see Engels, D., et al. 148, 344

Walmsley, C.M., see Guilloteau, S., et al. 153, 179

Walmsley, M., see Dowthwaite, J.C., et al. 142, 55

Walter, G., Beer, H.: Measurement of neutron capture cross sections of s-only isotopes: ⁷⁰Ge, ⁸⁶Sr, and ⁸⁷Sr 142, 268

Walterbos, R.A.M., Gräve, R.: Radio continuum emission from the nuclear region of M 31: evidence for a nuclear radio spiral 150, L1

Walterbos, R.A.M., Brinks, E., Shane, W.W.: A high resolution radio continuum survey of Messier 31. II. Observations at 1412 MHz, data reduction, and the 37W catalogue of radio sources 150, 351 (61, 451)

Walterbos, R.A.M., see Braun, R. 143, 307

Wamsteker, W., Prieto, A., Vitores, A., Schuster, H.E., Danks, A.C., Gonzalez, R., Rodriguez, G.: Faint southern galaxies with Hα emission 152, 446 (62, 255)

Wamsteker, W., see Mazeh, T., et al. 149, 83

Wang, Y.-M., Robertson, J.A.: "Propeller" action by rotating neutron stars 151, 361

Wargau, W., see Mazeh, T., et al. 149, 83

Warren WH, Jr., see Adelman, C.J., et al. 147, 189 (60, 339)

Watanabe, T., Steenbock, W.: Statistical equilibrium of neutral calcium in the Sun and Procyon 149, 21

Waters, L.B.F.M., see Leitherer, C., et al. 153, 168

Watson, M., see Heise, J., et al. 148, L14

Watt, G.D., see Mitchell, G.F. 151, 121

Wehrse, R., Kalkofen, W.: Resonance lines in dusty gaseous nebulae 147, 71

Weidemann, V., see Koester, D., et al. 142, L5

Weidemann, V., see Koester, D., et al. 149, 423

Weigelt, G., Baier, G.: R 136a in the 30 Doradus nebula resolved by holographic speckle interferometry 150, L18

Weigelt, G., see Baier, G., et al. 151, 61 Weigelt, G., see Baier, G., et al. 153, 278

Weiss, N.O., see Schmidt, H.U., et al. 148, 191

Weliachew, L., Emerson, D.T., Forveille, T., Bieging, J.H., Wright, M.C.H., Ellder, J.: Hydrogen cyanide in the bipolar source Cep A 153, 139

Weller, W.G., see Jeffers, S. 149, 489 (61, 173)

Wendker, H.J., see Heske, A. 148, 439

Wendker, H.J., see Heske, A. 149, 199

Wendker, H.J., see Heske, A. 151, 309

Wenzel, W., see Atteia, J.-L., et al. 152, 174

Werner, K., Husfeld, D.: Multi-level non-LTE line formation calculations using approximate Λ-operators 148, 417

Werner, W.: A dynamical halo around the edge-on galaxy NGC 4631 144, 502

Wesselius, P.R., see van der Hucht, K.A., et al. 145, L13

Wesson, P.S.: Relations for a Kaluza-Klein cosmology with variable rest mass 143, 233

Wesson, P.S.: Tidal torques and the spins of galaxies formed in the adiabatic or pancake theory 151, 105

Wesson, P.S.: Avoiding the big bang: matter production from Minkowski space and the early universe 151, 276

West, R.M., Kohoutek, L.: Spectroscopic verification of suspected planetary nebulae. II 145, 485 (60, 91)

Westerlund, B.E., see Azzopardi, M., et al. 144, 388

Westerlund, B.E., see Thé, P.S., et al. 150, 345

Westerlund, B.E., see Thé, P.S., et al. 151, 391

Westin, B.A.M.: The nucleus of the Seyfert 1 galaxy NGC 7469: physical conditions and structure 151, 137

Westin, T.N.G.: The local system of early type stars. Spatial extent and kinematics 145, 485 (60, 99)

Whaling, W., Hannaford, P., Lowe, R.M., Biémont, E., Grevesse, N.: Absolute transition probabilities in vanadium 1 and the solar abundance of vanadium 153, 109

Whelan, J.A.J., see Rucinski, S.M., et al. 143, 153

White, G.J., see Phillips, J.P., et al. 145, 118

White, G.J., see Phillips, J.P., et al. 151, 421

Whitehouse, D.R.: Coronal heating and stellar flares 145, 449

Whitehouse, D.R.: Solar cycle phase variations 145, 451

Whitney, A.R., see Marcaide, J.M., et al. 142, 71

Wiehr, E.: Spatial and temporal variation of circular Zeeman Profiles in isolated solar Ca⁺K structures 149, 217

Wiehr, E., see Küveler, G. 142, 205

Wielebinski, R., see Sofue, Y., et al. 144, 257

Wielebinski, R., see de Jong, T., et al. 147, L6

Wienke, B.R.: Relativistic photon-Maxwellian electron cross sections 152, 336

Wiertz, M.J.J., see van Genderen, A.M., et al. 149, 490 (61, 213)

Wiertz, M.J.J., see van Genderen, A.M., et al. 152, 447 (62, 291)

Wilczek, R., Drapatz, S.: A high accuracy algorithm for maximum entropy image restoration in the case of small data sets 142. 9

Williams, J.G., see Capitaine, N., et al. 146, 381

Williams, P.J., see Bourgois, G., et al. 144, 452

Williams, P.M., see van der Hucht, K.A., et al. 145, L13

Willis, A.J., see Stickland, D.J., et al. 150, L9

Willson, R.F., see Pallavicini, R., et al. 149, 95

Wilson, I.R.G., Dopita, M.A.: An empirical investigation of mass-loss in OB stars 149, 295

Wilson, R.E., see Van Hamme, W. 152, 25

Wilson, T.L., Walmsley, C.M., Menten, K.M., Hermsen, W.: The discovery of a new masering transition of interstellar methanol 147, L19

Wilson, T.L., see Martin-Pintado, J., et al. 142, 131

Wilson, T.L., see Bastien, P., et al. 146, 86

Wilson, T.L., see Hermsen, W., et al. 146, 134

Wilson, T.L., see Mauersberger, R., et al. 146, 168

Wilson, T.L., see Gardner, F.F., et al. 146, 303

Wilson, W., see Turlo, Z., et al. 142, 181

Windhorst, R.A., see Oort, M.J.A. 145, 405

Windhorst, R.A., see Kron, R.G., et al. 146, 38 Windhorst, R.A., see Katgert-Merkelijn, J.K., et al. 150, 352

(61, 547) Windhorst, R.A., see Katgert-Merkelijn, J.K., et al. 150, 352

Wink, J.E., see Neckel, T., et al. 153, 253

Winkler, C., Pfleiderer, J., Schmidt-Kaler, T.: The Milky Way in the ultraviolet spectral region 142, 218 (58, 705)

Winkler, C., Schmidt-Kaler, T., Schlosser, W.: The plane of symmetry of the zodiacal light and the structure of the Gegenschein (Text in German) 143, 194

Winnberg, A., see Herman, J., et al. 143, 122

Winnberg, A., see Engels, D., et al. 148, 344

Winnberg, A., see Matthews, H.E., et al. 149, 227

Winnewisser, G., see Olberg, M., et al. 142, L1

Winnewisser, G., see Takano, T., et al. 144, L20

Winnewisser, G., see Stutzki, J. 144, 1

Winnewisser, G., see Stutzki, J. 144, 13

Winnewisser, G., see Stutzki, J. 148, 254

Winnewisser, G., see Klebsch, W., et al. 152, L12

Witzel, A., see Biermann, P., et al. 142, L23

Wolf, B., Stahl, O.: The absorption spectrum of the B[e] star MWC300 148, 412 Wolf, B.E.: Erratum: Acoustic waves in early-type stars. I. An efficient method for the computation of thermodynamic quantities in time-dependent stellar atmosphere calculation 145, 278

Wolf, B., see Zickgraf, F.-J., et al. 143, 421

Wolf, B., see Bertout, C., et al. 144, 87

Wolf, B., see Bertout, C., et al. 147, 186

Wolf, B., see Stahl, O., et al. 149, 490 (61, 237)

Wolf, B., see Leitherer, C., et al. 153, 168

Wolfire, M.G., Waldron, W.L., Cassinelli, J.P.: Comment on the IRAS infrared spectrum of Zeta Puppis (O4 If) 142, L25

Woltjer, L., see Véron-Cetty, M.P., et al. 151, 101

Woodward, C.E., Helfer, H.L., Pipher, J.L.: VLA continuum observations of compact HII regions 147, 84

Wootten, A., see Sandqvist, A., et al. 152, L25

Wouterloot, J.G.A., Habing, H.J.: OH observations of cloud complexes in Taurus 145, 484 (60, 43)

Wouterloot, J.G.A., Habing, H.J.: Molecular clouds in the Perseus arm 151, 297

Wright, M.C.H., see Weliachew, L., et al. 153, 139

Wu, X.J., see Xia, X.Y., et al. 152, 93

Wunderlich, E., see de Jong, T., et al. 147, L6

Wunner, G., Rösner, W., Herold, H., Ruder, H.: Stationary hydrogen lines in white dwarf magnetic fields and the spectrum of the magnetic degenerate Grw+70°8247 149, 102

Wyse, R.F.G., see Jones, B.J.T. 149, 144

Xia, X.Y., Qiao, G.J., Wu, X.J., Hou, Y.Q.: Inverse Compton scattering in strong magnetic fields and its possible application to pulsar emission 152, 93

Xiong, D.R.: Convective overshooting in stellar internal models 150, 133

Yamada, K.M.T., see Klebsch, W., et al. 152, L12

Yamamoto, T.: Formation environment of cometary nuclei in the primordial solar nebula 142, 31

Yamamoto, T., Ashihara, O.: Condensation of ice particles in the vicinity of a cometary nucleus 152, L17

Yi li, Sun., Jaschek, M., Andrillat, Y., Jaschek, C.: Spectroscopic observations of 33 T Tau stars in the blue 152, 447 (62,

Yokoi, K., Takahashi, K., Arnould, M.: The production and survival of 205Pb in stars, and the 205Pb-205Tl s-process chronometry 145, 339

Yorke, H.W., see Okorokov, V.A., et al. 142, 441

Yorke, H.W., see Tenorio-Tagle, G., et al. 145, 70

Yorke, H.W., see Tenorio-Tagle, G., et al. 148, 52

Yoshizawa, M., Andreasen, G.K., Høg, E.: Astrometric and photometric estimators for TYCHO photon counts 147, 227

Younger, P.F., van den Bergh, S.: Photoelectric UBV colours of supernovae 150, 350 (61, 365)

Younis, S., Meaburn, J., Stewart, P.: The structure of the elliptical galaxy IC 4296 147, 178

Yudin, B.F., see Ipatov, A.P., et al. 142, 85

Zadrozny, A., see Mountain, C.M., et al. 150, 281

Zamorano, J., Rego, M.: On the effect of recent atomic parameter values in the Blue Compact Galaxies abundance 152, 445 (62, 173)

Zaninetti, L.: Relativistic short wavelength instabilities in astrophysical jets. I. Fluidodynamical case 148, 79

Zappalà, V., Di Martino, M., Hanslmeier, A., Schober, H.J.: New cases of ambiguity among large asteroids' spin rates

Zappalà, V., see De Sanctis, G., et al. 143, 248 (59, 139)

Zappalà, V., see Cellino, A., et al. 144, 355

Zappalà, V., see Piironen, J.O., et al. 149, 491 (61, 299)

Zappalà, V., see Debehogne, H., et al. (1982) 143, 247 (59, 99)

Zarka, P.: On detection of radio bursts associated with Jovian and Saturnian lightning 146, L15

Zarro, D.M., Zirin, H.: Series merging of hydrogen Balmer lines during a stellar flare 148, 240

Zavatti, F., see Bendinelli, O., et al. 153, 265

Zeidler-KT, E.-M., see Koester, D., et al. 142, L5

Zenchenko, V., see Atteia, J.-L., et al. 152, 174

Zeng, Q.: Rotation-inversion transition of interstellar ammonia 149, 305

Zhu, X., see Fang, L., et al. 143, 241

Zickgraf, F.-J., Wolf, B., Stahl, O., Leitherer, C., Klare, G.: The hybrid spectrum of the LMC hypergiant R126 143,

Zinn, R., see Buonanno, R., et al. 152, 65

Zirin, H., see Zarro, D.M. 148, 240

Zolliker, P., see Benz, A.O. 144, 227

Zucconi, J.M., Festou, M.C.: The fluorescence spectrum of the CN radical in comets 150, 180

Žugžda, Y.D., Locans, V., Staude, J.: Oscillations in the chromosphere and transition region above sunspot umbrae. A photospheric or a chromospheric resonator? 143, 201

Zwaan, C., see Oranje, B.J. 147, 265

Zwaan, C., see Schrijver, C.J., et al. 149, 123

Annual Subject Index

Astronomy and Astrophysics, Volumes 142–153 (1985) Supplement Series, Volumes 58.3 (1984)–62.3 (1985)

Volume and page numbers of articles published in the Supplement Series are printed in italics

The cross references for the keywords are stored in the computer. Therefore they are always printed, even if in the respective year no paper belonging to a special cross reference is published.

Absolute magnitudes; see Stars: luminosities of

Abundances; see under the different objects

Acceleration mechanisms

Stochastic electron acceleration in stellar coronae Bogdan, T.J., Schlickeiser, R. 143, 23

A viable mechanism to establish relativistic thermal particle distribution functions in cosmic sources

Schlickeiser, R. 143, 431

The shortest time scales present in solar hard X-ray bursts Brown, J.C., Loran, J.M., MacKinnon, A.L. 147, L10

Source energy spectra of heavy cosmic ray nuclei as derived from the French-Danish experiment on HEAO-3

Engelmann, J.J., Goret, P., Juliusson, E., Koch-Miramond, L., Lund, N., Masse, P., Rasmussen, I.L., Soutoul, A. 148, 12

Estimates of galactic cosmic ray spectra at low energies *Ip, W.-H., Axford, W.I.* **149**, 7

Acceleration and thermal instabilities in the jets of SS 433

Bodo, G., Ferrari, A., Massaglia, S., Tsinganos, K. 149, 246 Fast electron generation in quasiperpendicular shocks and type II solar radiobursts

Krasnosel'skikh, V.V., Kruchina, E.N., Thejappa, G., Volokitin, A.S. 149, 323

An explanation of the secondary-to-primary ratio in galactic cosmic radiation. No contradiction with continuous Fermi acceleration

Lerche, I., Schlickeiser, R. 151, 408

Accretion; see Stars: accretion, accretion disks; Black holes

Analytical methods

Accurate methods in general planetary theory Laskar, J. 144, 133

Linear oscillations of isotropic stellar systems. II. Radial modes of energy-truncated models

Sobouti, Y. 147, 61

Associations; see Clusters: open, and associations

Asteroids

Positions of asteroids obtained during 1982 with the GPO telescope at ESO, Chile

Debehogne, H., Hahn, G., Lagerkvist, C.-I. 143, 247; 59, 87 Positions of asteroids observed at La Silla-GPO, in September 1983. 3 discoveries

Debehogne, H. 143, 247; 59, 95 Positions of asteroids (1982)

Debehogne, H., De Sanctis, G., Zappalà, V. 143, 247; 59, 99 Minor planets' positions and discoveries obtained in February 1983 at the European Southern Observatory, La Silla

Debehogne, H., de Freitas Mourão, R.R. 143, 247; 59, 103

Minor planets discoveries at the GPO, ESO-La Silla in September 1983. Dependences of stars for catalogue improvement and future perturbation studies

Debehogne, H. 143, 248; 59, 117

Positions of asteroids obtained with the GPO telescope at ESO, Chile and with the Kvistaberg Schmidt telescope

Lagerkvist, C.-I., Olofsson, K., From, A., Hammarbäck, G., Magnusson, P., Morell, O. 143, 248; 59, 137

Positions of selected minor planets (1981-1983)

De Sanctis, G., Ferreri, W., Zappalà, V. 143, 248; 59, 139

The depletion of the outer asteroid belt Milani, A., Nobili, A.M. 144, 261

Do we observe light curves of binary asteroids?

Cellino, A., Pannunzio, R., Zappalà, V., Farinella, P., Paolicchi, P. 144, 355

Laboratory photometry of asteroids and atmosphereless bodies. The S. A. M. apparatus

D'Ambrosio, V., Burchi, R., Di Paolantonio, A., Giuliani, C. 144, 427

Rotational properties of asteroids 2, 12, 80, 145, and 354 obtained by photoelectric photometry

Burchi, R., D'Ambrosio, V., Tempesti, P., Lanciano, N. 145, 483; 60, 9

New cases of ambiguity among large asteroids' spin rates Zappalà, V., Di Martino, M., Hanslmeier, A., Schober, H.J. 147, 35

A Lie integrator program and test for the elliptic restricted three body problem

Delva, M. 147, 188; 60, 277

Determination of the pole orientation of an asteroid. The amplitude-aspect relation revisited

Pospieszalska-Surdej, A., Surdej, J. 149, 186

Photoelectric photometry of asteroid 69 Hesperia

Poutanen, M., Bowell, E., Martin, L.J., Thompson, D.T. 149, 491; 61, 291

 $\it UBV$ observations and pole determinations of asteroids 15 Eunomia and 354 Eleonora

Piironen, J.O., Poutanen, M., Di Martino, M., Zappalà, V. 149, 491; 61, 299

The asteroid 476 Hedwig: lightcurve, rotation period and UBV-photometry

Schober, H.J., Schroll, A. 152, 446; 62, 187

Astrometry

Observations and comparison with theory of Saturn's satellites, 1981–1982 (Text in French)

Dourneau, G., Dulou, M.R., Le Campion, J.F. 142, 91

Results of astrolabe observations made at Merate observatory: time and latitude, 1983

Buffoni, L., Carta, F., Chlistovsky, F., Manara, A., Mazzoleni, F. 142, 214; 58, 499

The Pleiades cluster. II. Does it contain pre-main-sequence stars?

Breger, M. 143, 455

Limits on parallax and proper motion of an optical counterpart of Geminga

Sol, H., Tarenghi, M., Vanderriest, C., Vigroux, L., Lelièvre, G. 144, 109

Rigorous treatment of the heliocentric motion of stars Stumpff, P. 144, 232

Visual measurements of southern double stars Torres, G. 145, 280; 59, 449 UBV photometry of stars whose positions are accurately known. Π

Oja, T. 145, 280; 59, 461

The division corrections of a graduated circle. A comparison between Hog's, Benevides-Soares' and Boczko's methods

Rapaport, M. 145, 377

Astrometric and photometric estimators for TYCHO photon counts

Yoshizawa, M., Andreasen, G.K., Hog, E. 147, 227

Results from a pilot program for determining precise optical positions of radio sources with the 1.5 m L. Figl-telescope of the Vienna Observatory

de Vegt, C., Prochazka, F. 148, 226

The second astrolabe catalogue at Valinhos

Clauzet, L.B.F., Benevides-Soares, P. 148, 448; 61, 83

The systems of the positions and proper motions in the star catalogues AGK 3, AGK 3 RN, and N 30 $\,$

Schwan, H. 149, 50

CTB80: probable changes in the central nebulosity, 1953–1981 Strom, R.G., Blair, W.P. 149, 259

Astrolabe observations of radiostars at Valinhos

Clauzet, L.B.F., Atalla, R., Débarbat, S. 149, 489; 61, 211
Photoelectric photometry of stars near the North Galactic Pole.

Oja, T. 149, 492; 61, 331

The direct use of spherical coordinates in focal plane astrometry Eichhorn, H. 150, 251

Results of observations made in Paris with the astrolable

Chollet, F., Débarbat, S., Hascoët, J.-C., Lam, S.K., Texier, P., Tomas, M. 150, 351; 61, 443

Two-epoch observations of the core radio structure in extended quasars

Barthel, P.D., Miley, G.K., Schilizzi, R.T., Preuss, E. 151, 131

Observations of right ascensions of selected FK4-stars concerning the magnitude equation

Firneis, M., Göbel, E. 152, 444; 62, 137

Absolute and relative motion of the visual double star JC 19 (IDS 22187S4157)

Torres, G. 152, 446; 62, 191

Astronomical constants

Universal time, lunar tidal deceleration and relativistic effects from observations of transits, eclipses and occultations in the XVIII-XX centuries

Krasinsky, G.A., Saramonova, E.Y., Sveshnikov, M.L., Sveshnikova, E.S. 145, 90

Atlases

An atlas of theoretical P-Cygni-profiles in early stars Schönberg, K. 152, 448; 62, 339

The ion tail of Comet Kohoutek 1973 XII during 17 days of solar wind gusts

Jockers, K. 153, 285; 62, 787

Atomic and molecular data

Einstein A-values for purely rotational transitions in the HDO-molecule

Chandra, S., Kegel, W.H., Warshalovich, D.A. 142, 217; 58, 687

A potential extraterrestrial species: the SH⁺ molecular ion *Horani*, M., Rostas, J., Roueff, E. 142, 346

Einstein A-coefficients for pure rotational transitions in the $\mathrm{H_2}^{18}\mathrm{O}\text{-molecule}$

Chandra, S. 143, 246; 59, 59

Radiative lifetimes for $Nb\, \pi$ and the problem of the solar abundance of niobium

Hannaford, P., Lowe, R.M., Biémont, E., Grevesse, N. 143, 447

Hyperfine selective collisional excitation of interstellar molecules Stutzki, J., Winnewisser, G. 144, 1

Millimeter and submillimeter wave spectroscopy of the deuterated ethynyl radical

Bogey, M., Demuynck, C., Destombes, J.L. 144, L15

Dependence of Stark widths and shifts on the ionization potential: $np^{k-1} (n+1)s - np^k$ resonance transitions

Dimitrijević, M.S. 145, 439

Line intensity ratios for transitions in OIII Aggarwal, K.M. 146, 149

Oscillator strengths for CIII lines

Nasser, R.M., Varshni, Y.P. 147, 189; 60, 325

A finding list for the multiplet tables of NSRDS-NBS 3, Sections 1-10

Adelman, C.J., Adelman, S.J., Fischel, D., Warren, W.H. Jr. 147, 189; 60, 339

An updated evaluation of recombination and ionization rates Arnaud, M., Rothenflug, R. 147, 337; 60, 425

Laboratory measurements of the submillimeter wave spectrum of $H_{\bullet}O^{+}$

Bogey, M., Demuynck, C., Denis, M., Destombes, J.L. 148, L11

Partition functions and related quantities of astrophysically significant molecules

Rossi, S.C.F., Maciel, W.J., Benevides-Soares, P. 148, 93

Models of solar magnetic fluxtubes: constraints imposed by Fe I and II lines

Solanki, S.K., Stenflo, J.O. 148, 123

Charge transfer of Si4+ with helium

Opradolce, L., McCarroll, R., Valiron, P. 148, 229

Stationary hydrogen lines in white dwarf magnetic fields and the spectrum of the magnetic degenerate $Grw+70^\circ8247$

Wunner, G., Rösner, W., Herold, H., Ruder, H. 149, 102

Fe XIX transitions within the n=2 complex

Loulergue, M., Mason, H.E., Nussbaumer, H., Storey, P.J. 150, 246

Possible parents for the cometary CN radical: photochemistry and excitation conditions

Bockelée-Morvan, D., Crovisier, J. 151, 90

Absolute scale of transition probabilities in neutral fluorine Vujnović, V., Burshtein, M.L. 151, 442

Millimeter wave spectrum of tricarbon monoxide, CCCO Klebsch, W., Bester, M., Yamada, K.M.T., Winnewisser, G., Joentgen, W., Altenbach, H.-J., Vogel, E. 152, L12

Relativistic photon-Maxwellian electron cross sections Wienke, B.R. 152, 336

Dielectronic satellite spectra of Caxx resonance lines in solar flares

Blanchet, L., Cornille, M., Dubau, J., Faucher, P., Lion, J., Volonté, S. 152, 417

Optical region elemental abundance analyses of B and A stars. IV. Re-evaluation with new critically compiled FeII oscillator strengths and improved estimates of the damping constants Adelman, S.J., Fuhr, J.R. 152, 434

Calculated X-radiation from optically thin plasmas. V. Improved atomic data for n=1-2 lines plus satellites from H- and He-like ions, 2l-nl' ($n \ge 2$) and 3l-nl' ($n \ge 3$) transitions from Fe and Ni ions, and lines from Li to Ne isoelectronic sequences of elements C to Ca

Mewe, R., Gronenschild, E.H.B.M., van den Oord, G.H.J. 152, 446; 62, 197

Absolute transition probabilities in vanadium I and the solar abundance of vanadium

Whaling, W., Hannaford, P., Lowe, R.M., Biémont, E., Grevesse, N. 153, 109

Atomic and molecular processes; see also Chemical reactions

Hyperfine selective collisional excitation of interstellar molecules Stutzki, J., Winnewisser, G. 144, 1

A treatment of opacity suitable for media of low density and temperature. I

Capuzzo-Dolcetta, R., Di Fazio, A., Palla, F. 145, 290 Photoionization models for QSO absorption-line regions

Gruenwald, R.B., Aldrovandi, S.M.V. 145, 324

Dependence of Stark widths and shifts on the ionization potential: np^{k-1} $(n+1)s-np^k$ resonance transitions Dimitrijević, M.S. 145, 439

CRESU study of the reaction $N^+ + H_2 \rightarrow NH^+ + H$ between 8 and 70 K and interstellar chemistry implications

Marquette, J.B., Rowe, B.R., Dupeyrat, G., Roueff, E. 147, 115

Oscillator strengths for CIII lines

Nasser, R.M., Varshni, Y.P. 147, 189; 60, 325

Electron temperatures of astrophysical plasmas from the $\hbox{[O{\,\sc iii}]}$ line ratio

Aldrovandi, S.M.V., Gruenwald, R.B. 147, 331

An updated evaluation of recombination and ionization rates Arnaud, M., Rothenflug, R. 147, 337; 60, 425

Partition functions and related quantities of astrophysically significant molecules

Rossi, S.C.F., Maciel, W.J., Benevides-Soares, P. 148, 93 Charge transfer of Si⁴⁺ with helium

Opradolce, L., McCarroll, R., Valiron, P. 148, 229

Possible parents for the cometary CN radical: photochemistry and excitation conditions

Bockelée-Morvan, D., Crovisier, J. 151, 90

Estimated Stark widths and shifts of some singly charged ion spectral lines

Lakićević, I.S. 151, 457

Solar X-ray spectrum simulations for flaring loop models with emphasis on transient ionization effects during the impulsive phase

Mewe, R., Lemen, J.R., Peres, G., Schrijver, J., Serio, S. 152, 229

Calculated X-radiation from optically thin plasmas. V. Improved atomic data for n=1-2 lines plus satellites from H- and He-like ions, 2l-nl' ($n \ge 2$) and 3l-nl' ($n \ge 3$) transitions from Fe and Ni ions, and lines from Li to Ne isoelectronic sequences of elements C to Ca

Mewe, R., Gronenschild, E.H.B.M., van den Oord, G.H.J. 152, 446; 62, 197

Binary stars; see Stars: binaries

BL Lacertae objects

The variable extragalactic object 3C 446

Barbieri, C., Cristiani, S., Omizzolo, S., Romano, G. 142, 316

Optically thin sychrotron emission and Type C_L radio source spectra

Roberts, J.A. 143, 231

Inhomogeneous synchrotron-self-Compton models and the problem of relativistic beaming of BL Lac objects

Ghisellini, G., Maraschi, L., Treves, A. 146, 204

Similar structures in the outbursts of OJ 287 in 1972 and 1983 Sillanpää, A., Teerikorpi, P., Haarala, S., Korhonen, T., Efimov, Y.S., Shakhovskoy, N.M. 147, 67

Black holes

Theoretical interpretation of the nutational effects in SS 433 Cogotti, R., Ruffini, R., Jong, S.D. 142, 124

The number of critical points in polytropic accretion onto black holes

Chang, K.M. 142, 212

Black holes or compact stars?

Harpaz, A., Rosen, N. 143, L5

The initial mass limit for neutron star and black hole formation Schild, H., Maeder, A. 143, L7

Helium detonation in pancake stars *Pichon, B.* 145, 387

Non-uniqueness of transonic solution for accretion onto a Schwarzschild black hole

Lu, J.F. 148, 176

Black hole accretion disks. Electrodynamic coupling of accretiondisk coronae and the partitioning of soft and hard X-ray emission

Kuperus, M., Ionson, J.A. 148, 309

The optical binary light curve of LMC X-3

van der Klis, M., Clausen, J.V., Jensen, K., Tjemkes, S., van Paradijs, J. 151, 322

Catalogues

Spectroscopic binaries. 14th complementary catalogue (Text in French)

Pédoussaut, A., Ginestet, N., Carquillat, J.M. 142, 217; 58,: 601

A revised supernova catalogue

Barbon, R., Cappellaro, E., Ciatti, F., Turatto, M., Kowal, C.T. 142, 218; 58, 735

The velocity-age relation for B and A stars Palouš, J., Piskunov, A.E. 143, 102

A catalogue of [Fe/H] determinations, 1984 edition Cayrel de Strobel, G., Bentolila, C., Hauck, B., Duquennoy, A. 143, 248; 59, 145

A new Bologna sky survey at 408 MHz

Ficarra, A., Grueff, G., Tomassetti, G. 144, 255; 59, 255

uvbyβ photoelectric photometric catalogue (magnetic tape) Hauck, B., Mermilliod, M. 145, 484; 60, 61

The second astrolabe catalogue at Valinhos

Clauzet, L.B.F., Benevides-Soares, P. 148, 448; 61, 83

The systems of the positions and proper motions in the star catalogues AGK 3, AGK 3 RN, and N 30 $\,$

Schwan, H. 149, 50

A search for faint blue stars in high galactic latitudes. IV. Star and quasar distribution as a function of the magnitude in the PHL and PB surveys near the South Galactic Pole

Berger, J., Fringant, A.-M. 149, 489; 61, 191

Valinhos 2.2 micron survey of the southern galactic plane. Positions and infrared photometry of 338 sources

Epchtein, N., Matsuura, O.T., Braz, M.A., Lépine, J.R.D., Picazzio, E., Marques Dos Santos, P., Boscolo, P., Le Bertre, T., Roussel, A. 149, 489; 61, 203

Catalogue of central velocity dispersions of galaxies

Davoust, E., Paturel, G., Vauglin, I. 149, 491; 61, 273

Standard photometric diameters of galaxies. II. Reduction of the ESO, UGC, MCG catalogues

Fouqué, P., Paturel, G. 150, 192

The direct use of spherical coordinates in focal plane astrometry Eichhorn, H. 150, 251

UV fluxes of Population II stars Cacciari, C. 150, 350; 61, 407

A catalogue of dwarf galaxies south of $\delta = -17.^{\circ}5$ Feitzinger, J.V., Galinski, T. 150, 352; 61, 503

Radial velocities of southern stars obtained with the photoelectric scanner CORAVEL. V. 404 F to M supergiant stars in the Large Magellanic Cloud

Prévot, L., Andersen, J., Ardeberg, A., Benz, W., Imbert, M., Lindgren, H., Martin, N., Maurice, E., Mayor, M., Nordström, B., Rebeirot E., Rousseau, J. 152, 442; 62, 23

Celestial mechanics

Observations and comparison with theory of Saturn's satellites, 1981-1982 (Text in French)

Dourneau, G., Dulou, M.R., Le Campion, J.F. 142, 91

The orbit of periodic comet Crommelin between the years 1000 and 2100

Festou, M.C., Morando, B., Rocher, P. 142, 421

Accurate methods in general planetary theory Laskar, J. 144, 133

Conservative fields derived from two monoparametric families of planar orbits

Bozis, G., Tsarouhas, G. 145, 215

Construction of periodic orbits and problems of capture (Text in French)

Edelman, C. 145, 454

A Lie integrator program and test for the elliptic restricted three body problem

Delva, M. 147, 188; 60, 277

Analysis of the orbits of Titan, Hyperion, and Iapetus by numerical integration and by analytical theories

Sinclair, A.T., Taylor, D.B. 147, 241

Zero velocity hypersurfaces for the general planar four body problem

Loks, A., Sergysels, R. 149, 462

Positions of the satellites of Saturn in 1978, 1982 and 1983 obtained at the Royal Greenwich Observatory

Taylor, D.B., Sinclair, A.T. 149, 490; 61, 221

Numerical study of complex instability. I. Mappings Pfenniger, D. 150, 97

Stability of circular orbits in non-central Newtonian fields Ichtiaroglou, S., Bozis, G. 151, 64

Lunar impact flux distribution and global asymmetry revisited Pinet, P. 151, 222

Stochastic stellar orbits in perturbed integrable galaxy potentials Gerhard, O.E. 151, 279

Chemical reactions

CRESU study of the reaction $N^+ + H_2 \rightarrow NH^+ + H$ between 8 and 70 K and interstellar chemistry implications

Marquette, J.B., Rowe, B.R., Dupeyrat, G., Roueff, E. 147,

Molecular abundances in shocked diffuse clouds: results from time-dependent modelling and comparison with diffuse cloud abundances

Mitchell, G.F., Watt, G.D. 151, 121

Condensation of ice particles in the vicinity of a cometary nucleus

Yamamoto, T., Ashihara, O. 152, L17

Radiative association rate coefficients under shocked conditions in interstellar clouds. The case of $CH_3^+\,+\,H_2$

Herbst, E. 153, 151

Clusters: globular

Magnitudes and colours for stars in the central part of the globular cluster NGC 7099 (M30)

Cordoni, J.-P., Aurière, M. 142, 216; 58, 559

A high dispersion analysis of a giant star in 47 Tucanae D'Odorico, S., Gratton, R.G., Ponz, D. 142, 232

UV-bright stars in galactic globular clusters, their far-UV spectra and their contribution to the globular cluster luminosity de Boer, K.S. 142, 321

Are galactic bulge X-ray burst sources leftovers of disrupted globular clusters?

van Paradijs, J., Lewin, W.H.G. 142, 361

The role of initial binaries in cluster evolution: direct N-body calculations

Giannone, G., Molteni, D. 143, 321

Reddening of globular clusters in M 31

Iye, M., Richter, O.-G. 144, 471
The giant, asymptotic, and horizontal branches of globular clusters. II. Photographic photometry of the metal-poor clusters M15, M92, and NGC 5466

Buonanno, R., Corsi, C.E., Fusi Pecci, F. 145, 97

M62: an RR Lyrae-rich, UV-bright galactic globular cluster Caloi, V., Castellani, V., Tarenghi, M. 145, 286

Ellipticities of "disk" and "halo" globular clusters in the SMC Kontizas, E., Dialetis, D., Prokakis, T., Kontizas, M. 146, 293

A UBVRI photoelectric sequence in 47 Tuc Alcaino, G., Liller, W. 146, 389

Deep photometry of globular clusters. V. Age derivations and their implications for galactic evolution

Gratton, R.G. 147, 169

CCD based B and V lightcurves for the eclipsing binary NJL 5 in Omega Centauri

Jensen, K.S., Jørgensen, H.E. 147, 187; 60, 229

CO band strengths for giants in galactic globular clusters. Are they related to the second parameter problem?

Caputo, F. 147, 317

The distance modulus of the Large Magellanic Cloud: evidence from colour-magnitude diagrams of old clusters

Andersen, J., Blecha, A., Walker, M.F. 150, L12

The blue horizontal branch of the globular cluster M15: photographic photometry with the GALAXY machine

Battistini, P., Bregoli, G., Fusi Pecci, F., Lolli, M., Epps Bingham, E.A. 150, 351; 61, 487

Color-magnitude diagrams for the clusters and the field of the Fornax dwarf spheroidal galaxy

Buonanno, R., Corsi, C.E., Fusi Pecci, F., Hardy, E., Zinn, R. 152, 65

Collisionless mixing in 1-dimensional gravitational systems initially in a stationary waterbag configuration

Luwel, M., Severne, G. 152, 305

A UBVRI photoelectric sequence in the globular cluster NGC 6584

Alcaino, G., Liller, W. 152, 447; 62, 317

Clusters: of galaxies

The redshifts of double galaxies

Picchio, G., Tanzella-Nitti, G. 142, 21

No missing mass in clusters of galaxies?

Valtonen, M.J., Innanen, K.A., Huang, T.-Y., Saarinen, S. 143, 182

Galaxy groups: virial quantities and galaxy population

Mezzetti, M., Pisani, A., Giuricin, G., Mardirossian, F. 143, 188

UBV three-colour photometric parameters of four galactic clusters near Cassiopeia

Fenkart, R., Schröder, A. 143, 247; 59, 83

The NGC 4593 group of active galaxies

Kollatschny, W., Fricke, K.J. 143, 393

The probability generating function for galaxy clustering Schaeffer, R. 144, L1

Are Ly-α clouds detectable in emission at 21 cm? Vietri, M. 144, L17

Distribution and motions of atomic hydrogen in lenticular galaxies. IV. A ring of H_I around NGC 4262

Krumm, N., van Driel, W., van Woerden, H. 144, 202

On the way of understanding Particle-In-Cell simulations of gravitational clustering

Bouchet, F.R., Adam, J.-C., Pellat, R. 144, 413

Iron abundance in galaxy clusters

Rothenflug, R., Arnaud, M. 144, 431

The nuclear radio sources in the elliptical galaxies NGC 3309 and NGC 3311 in the cluster Abell 1060

Lindblad, P.O., Jörsäter, S., Sandqvist, Aa. 144, 496

The distribution of voids

Vettolani, G., de Souza, R.E., Marano, B., Chincarini, G. 144, 506

The anisotropy of the spatial orientations of galaxies in the Local Supercluster

MacGillivray, H.T., Dodd, R.J. 145, 269

Energy content of non-isothermal X-ray plasma in clusters of galaxies

Gerbal, D., Mathez, G., Monin, J.-L., Salvador-Sole, E. 146, 119

The HI content of spirals in galaxy groups

Giuricin, G., Mardirossian, F., Mezzetti, M. 146, 317

The short wide angle tail radio source in NGC 4874

Feretti, L., Giovannini, G. 147, L13

The wide angle tailed radio source NGC 2329 in the cluster A 569

Feretti, L., Giovannini, G., Gregorini, L., Padrielli, L., Roland, J., Valentijn, E.A. 147, 321

Observations of the southern galaxy clusters STR 0625-540 and STR 0627-544

Hopp, U., Materne, J. 148, 359

The Antlia cluster of galaxies and its environment: the Hydra I-Centaurus supercluster

Hopp, U., Materne, J. 148, 449; 61, 93

Turbulence in clusters of galaxies

Nepveu, M. 149, 459

Are galaxy diameters dependent on their environment?

Bosma, A. 149, 482

VLA observations of the extended source near

Coma A

Giovannini, G., Feretti, L., Andernach, H. 150, 302

Tidal torques and the spins of galaxies formed in the adiabatic or pancake theory

Wesson, P.S. 151, 105

Evolution of spiral galaxies in the Virgo Cluster. I. Statistical analysis of H_I deficiency and colors

Guiderdoni, B., Rocca-Volmerange, B. 151, 108

Gravitational amplification of light: general solution in the vacuole model

Hammer, F. 152, 262

A search for environmental effects on the optical properties of galaxies in groups

Giuricin, G., Mardirossian, F., Mezzetti, M. 152, 445; 62, 157 Simulations of clusters of galaxies with massive cores Saarinen, S., Valtonen, M.J. 153, 130

Clusters: open, and associations

Search for variable stars in the young open cluster NGC 6871 Delgado, A.J., Alfaro, E.J., García-Pelayo, J.M., Garrido, R., Vidal, S. 142, 214; 58, 447

VBLUW photometry of the association Sco OB1 (containing the open cluster NGC 6231). A discussion on the evolutionary status of the hypergiant ζ^1 Sco (B1Ia⁺)

van Genderen, A.M., Bijleveld, W., van Groningen, E. 142, 215; 58, 537

A study of the open cluster NGC 6475 (M 7) (and two other stellar clusterings)

Lodén, L.O. 142, 216; 58, 595

Membership and photometric abundances of red evolved stars in open clusters

Clarià, J.J. 144, 254; 59, 195

Erratum: UBV photometry of the southern galactic cluster NGC $4755 = \kappa$ Crucis

Dachs, J., Kaiser, D. 144, 256; 59, 368

uvby and H β photometry of the open cluster IC 4996

Alfaro, E.J., Delgado, A.J., García-Pelayo, J.M., Garrido, R., Sáez, M. 145, 280; 59, 441

NGC 2112 - A forgotten old open cluster

Richtler, T. 145, 281; 59, 491

Metallicities and distances of galactic clusters as determined from *UBV*-data. I. The effects of metallicity and reddening on the colors of main-sequence stars

Cameron, L.M. 146, 59

The evolutionary status of OB stars with peculiar nitrogen spectra

Schild, H. 146, 113

Metallicities and distances of galactic clusters as determined from UBV-data. II. The metallicities and distances of 38 open clusters Cameron, L.M. 147, 39

Metallicities and distances of galactic clusters as determined from UBV-data. III. Ages and abundance gradients of open clusters Cameron, L.M. 147, 47

Interstellar reddening law towards the nucleus of h Per Franco, M.L., Magazzù, A., Stalio, R. 147, 191

Radial velocities for 28 southern young open clusters Hron, J., Maitzen, H.M., Moffat, A.F.J., Schmidt-Kaler, Th., Vogt, N. 147, 336; 60, 355

Physical properties of the Cepheids RT Aurigae and SZ Tauri Gieren, W.P. 148, 138 Strömgren photometry of open clusters. I. NGC 6281, NGC 6405

Schneider, H. 148, 448; 61, 45

Radial velocities and membership probabilities in the open star cluster NGC 6475 (M 7)

Gieseking, F. 148, 448; 61, 75

Variable stars in the young open cluster IC 4996

Delgado, A.J., Alfaro, E.J., Garrido, R. 148, 449; 61, 89 The super star cluster in NGC 1705

Melnick, J., Moles, M., Terlevich, R. 149, L24

Evolution of intermediate mass stars: the role of convective overshooting and stellar wind

Bertelli, G., Bressan, A.G., Chiosi, C. 150, 33

Analysis of relative proper motion: an improved method to assign membership probabilities in open clusters

Cabrera-Caño, J., Alfaro, E.J. 150, 298

Remarks on the WUMa systems in NGC 188 Moss, D. 150, 343

Speckle interferometry of the central object in the giant $H\,\textsc{ii}$ region NGC 3603

Baier, G., Ladebeck, R., Weigelt, G. 151, 61

Further photometry and spectroscopy in the young cluster region Tr 24/Sco OB 1

Heske, A., Wendker, H.J. 151, 309

The spectral energy distribution of stars above the ZAMS in the central part of the open cluster NGC 6383

Thé, P.S., Hageman, T., Westerlund, B.E., Tjin A Djie, H.R.E. 151, 391

Metallicities and distances of galactic clusters as determined from UBV-data. IV. The distance to the Hyades

Cameron, L.M. 152, 250

Photoelectric search for CP2-stars in open clusters. VI. NGC 5460, NGC 6087 and IC 4725

Maitzen, H.M. 152, 444; 62, 129

Galactic cluster star radial velocities obtained with a focal reducer
 field spectrograph. I. The clusters IC 1805, NGC 2287,
 NGC 2548, IC 4665, NGC 6633, NGC 6940 and NGC 7092
 Geyer, E.H., Nelles, B. 152, 447; 62, 301

Spectroscopic identification of white dwarfs in galactic clusters. III. IC 2391 and NGC 2451

Koester, D., Reimers, D. 153, 260

Collisions, atomic and molecular; see Atomic and molecular data

Comets

Formation environment of cometary nuclei in the primordial solar nebula

Yamamoto, T. 142, 31

A potential extraterrestrial species: the SH + molecular ion Horani, M., Rostas, J., Roueff, E. 142, 346

The orbit of periodic comet Crommelin between the years 1000 and 2100

Festou, M.C., Morando, B., Rocher, P. 142, 421

The interpretation of the radio continuum emission from comet IRAS-Araki-Alcock (1983 d)

Walmsley, C.M. 142, 437

Spectrophotometric observations of comet P/Crommelin (1983n)

Festou, M.C., Dennefeld, M., Maurice, E., Bouvier, J. 144, L5 Construction of periodic orbits and problems of capture (Text in French)

Edelman, C. 145, 454

An estimate of the magnetic field strength in the OH coma of comet Austin (1982 VI)

Gérard, E. 146, 1

Comet-star close encounters and transient emission line activity of stars

Bhatt, H.C. 146, 363

Light variations of Periodic Comet Halley beyond 7 AU Sekanina, Z. 148, 299

The fluorescence spectrum of the CN radical in comets Zucconi, J.M., Festou, M.C. 150, 180

Possible parents for the cometary CN radical: photochemistry and excitation conditions

Bockelée-Morvan, D., Crovisier, J. 151, 90

Condensation of ice particles in the vicinity of a cometary nucleus

Yamamoto, T., Ashihara, O. 152, L17

IUE observations of comet P/Crommelin (1983 n)

Festou, M.C., Carey, W.C., Evans, A., Wallis, M.K., Keller, H.U. 152, 170

Dark grains on comet Crommelin

Hanner, M.S., Knacke, R., Sekanina, Z., Tokunaga, A.T. 152, 177

Small grains from comets

Mukai, T. 153, 213

The ion tail of Comet Kohoutek 1973 XII during 17 days of solar wind gusts

Jockers, K. 153, 285; 62, 787

Convection

Convective instability in a solar flux tube. II. Nonlinear calculations with horizontal radiative heat transport and finite viscosity *Hasan, S.S.* 143, 39

Evolution of massive stars with semiconvective diffusion

Langer, N., El Eid, M.F., Fricke, K.J. 145, 179

The chromospheric brightness oscillation spectrum from filter observations in the $H\beta$ -line

Merkulenko, V.E., Mishina, M.N. 146, L9

Improved methods of predicting stellar atmospheres from known atmospheres in the presence of convection

Irwin, A.W. 146, 282

The reflection effect in model stellar atmospheres. I. Grey atmospheres with convection

Vaz, L.P.R., Nordlund, A. 147, 281

Evolution of intermediate mass stars: the role of convective overshooting and stellar wind

Bertelli, G., Bressan, A.G., Chiosi, C. 150, 33

Convective overshooting in stellar internal models

Xiong, D.R. 150, 133

Photospheric convection zones and evolution of subluminous OB-stars

Groth, H.G., Kudritzki, R.P., Heber, U. 152, 107

Cosmic background radiation

Statistical fluctuations in an inflationary universe Rephaeli, Y. 142, L29

The ionisation of the primeval plasma at the time of recombination

Jones, B.J.T., Wyse, R.F.G. 149, 144

Polarization of the microwave background radiation in Bianchi type-I cosmological models with a homogeneous magnetic field *Milaneschi, E., Fabbri, R.* **151**, 7

Cosmic rays; see also Sun (the): cosmic rays

Cosmic ray propagation in the local superbubble

Streitmatter, R.E., Balasubrahmanyan, V.K., Protheroe, R.J., Ormes, J.F. 143, 249

The gamma-ray deficit toward the galactic center

Blitz, L., Bloemen, J.B.G.M., Hermsen, W., Bania, T.M. 143, 267

A viable mechanism to establish relativistic thermal particle distribution functions in cosmic sources

Schlickeiser, R. 143, 431

Ionic models of cosmic ray sources

Arnaud, M., Cassé, M. 144, 64

A dynamical halo around the edge-on galaxy NGC 4631 Werner, W. 144, 502

Gamma-ray emission from atomic and molecular gas at intermediate galactic latitudes

Strong, A.W. 145, 81

The interstellar radiation field and the production of inverse-Compton gamma rays in the Galaxy

Bloemen, J.B.G.M. 145, 391

COS-B gamma-ray sources and interstellar gas in the first galactic quadrant.

Pollock, A.M.T., Bennett, K., Bignami, G.F., Bloemen, J.B.G.M., Buccheri, R., Caraveo, P.A., Hermsen, W., Kanbach, G., Lebrun, F., Mayer-Hasselwander, H.A., Strong, A.W. 146, 352

Antiprotons from thick cosmic-ray sources Lagage, P.O., Cesarsky, C.J. 147, 127

Source energy spectra of heavy cosmic ray nuclei as derived from the French-Danish experiment on HEAO-3

Engelmann, J.J., Goret, P., Juliusson, E., Koch-Miramond, L., Lund, N., Masse, P., Rasmussen, I.L., Soutoul, A. 148, 12

Antiproton upper limits from the observed charge ratio of muons and their implications for cosmic ray models

Stephens, S.A. 149, 1

Estimates of galactic cosmic ray spectra at low energies Ip, W.-H., Axford, W.I. 149, 7

Cosmic gas dynamics. I. Basic equations and the dynamics of hot interstellar matter

Schlickeiser, R., Lerche, I. 151, 151

An explanation of the secondary-to-primary ratio in galactic cosmic radiation. No contradiction with continuous Fermi acceleration

Lerche, I., Schlickeiser, R. 151, 408

Some solar cycle phenomena related to the geomagnetic activity from 1868 to 1980. I. The shock events, or the interplanetary expansion of the toroidal field

Legrand, J.-P., Simon, P.A. 152, 199

Interstellar and intracluster tunnels: acceleration of cosmic rays above 10¹⁵ eV

Ferrari, A., Masani, A. 152, 205

M81 at high radio frequencies

Beck, R., Klein, U., Krause, M. 152, 237

Radio structure of the Galaxy: thick disk and thin disk at 408 MHz

Beuermann, K., Kanbach, G., Berkhuijsen, E.M. 153, 17

Cosmogony

The ¹⁴N/¹⁵N ratio in the Jovian atmosphere Drossart, P., Encrenaz, T., Combes, M. 146, 181

Cosmology

Radio source counts below 100 μ Jy predicted from IRAS 60 μ counts

Biermann, P., Eckart, A., Witzel, A. 142, L23

Statistical fluctuations in an inflationary universe Rephaeli, Y. 142, L29

Evolution of adiabatic perturbations in a photino-dominated universe

Valdarnini, R. 143, 94

Galaxy groups: virial quantities and galaxy population Mezzetti, M., Pisani, A., Giuricin, G., Mardirossian, F. 143, 188

Relations for a Kaluza-Klein cosmology with variable rest mass Wesson, P.S. 143, 233

Orientation correlation of radio double sources

Fang, L., Chu, Y., Zhu, X. 143, 241

A comparative study of cosmological evolution in the radio, optical and X-ray bands

Danese, L., De Zotti, G., Franceschini, A. 143, 277

A new formulation of gravitational lens theory, time-delay, and Fermat's principle

Schneider, P. 143, 413

A study of quasar pairs Shaver, P.A. 143, 451

HII regions and the value of H_0

Teerikorpi, P. 143, 469

Uniformity of quasars in the chronometric cosmology

Segal, I.E., Nicoll, J.F. 144, L23

Gravitational amplification of light by a non-static and thick lens

Hammer, F. 144, 408

On the way of understanding Particle-In-Cell simulations of gravitational clustering

Bouchet, F.R., Adam, J.-C., Pellat, R. 144, 413

The distribution of voids

Vettolani, G., de Souza, R.E., Marano, B., Chincarini, G. 144, 506

High redshift Mg II and Fe II absorption in QSO spectra from known C IV systems

Boissé, P., Bergeron, J. 145, 59

A very deep Westerbork survey of a field previously observed with the VLA

Oort, M.J.A., Windhorst, R.A. 145, 405

A deep Westerbork survey of areas with multicolor Mayall 4 m plates. III. Photometry and spectroscopy of faint source identifications

Kron, R.G., Koo, D.C., Windhorst, R.A. 146, 38

Fluctuation evolution in a two-component dark-matter model Valdarnini, R., Bonometto, S.A. 146, 235

The HI content of spirals in galaxy groups

Giuricin, G., Mardirossian, F., Mezzetti, M. 146, 317

Deep photometry of globular clusters. V. Age derivations and their implications for galactic evolution

Gratton, R.G. 147, 169

Mutual coherence of gravitationally lensed images Schneider, P., Schmid-Burgk, J. 148, 369

The Antlia cluster of galaxies and its environment: the Hydra I-Centaurus supercluster

Hopp, U., Materne, J. 148, 449; 61, 93

The ionisation of the primeval plasma at the time of recombina-

Jones, B.J.T., Wyse, R.F.G. 149, 144

A search for faint blue stars in high galactic latitudes. IV. Star and quasar distribution as a function of the magnitude in the PHL and PB surveys near the South Galactic Pole

Berger, J., Fringant. A.-M. 149, 489; 61, 191

A Westerbork survey of Einstein X-ray Observatory deep survey areas. I. The 0.6 and 1.4 GHz catalogues, sources counts and spectral index distributions

Katgert-Merkelijn, J.K., Robertson, J.G., Windhorst, R.A., Katgert, P. 150, 352; 61, 547

Polarization of the microwave background radiation in Bianchi type-I cosmological models with a homogeneous magnetic field Milaneschi, E., Fabbri, R. 151, 7

Avoiding the big bang: matter production from Minkowski space and the early universe

Wesson, P.S. 151, 276

A sample of 25 extragalactic radio sources having a spectrum peaked around 1 GHz (List 2)

Spoelstra, T.A.T., Patnaik, A.R., Gobal-Krishna 152, 38 Gravitational amplification of light: general solution in the vacuole model

Hammer, F. 152, 262

A search for environmental effects on the optical properties of galaxies in groups

Giuricin, G., Mardirossian, F., Mezzetti, M. 152, 445; 62, 157 Spectral index - flux density relation for extragalatic radio sources selected at low frequency

Kulkarni, V.K., Mantovani, F. 153, 13

Data analysis; see also Image processing

A high accuracy algorithm for maximum entropy image restoration in the case of small data sets

Wilczek, R., Drapatz, S. 142, 9

Comparative performances of an objective grating concept in UV spectroscopic observations of solar system objects. I. Imaging capabilities

Bruston, P., Choucq-Bruston, M. 142, 59

High-resolution photography of the solar chromosphere. XX. True widths of Hα active region loops

Bray, R.J., Loughhead, R.E. 142, 199

The spectra of late-type dwarfs and sub-dwarfs in the near ultraviolet. III. An atlas of Mg II h and k profiles

Franco, M.L., Crivellari, L., Molaro, P., Vladilo, G., Ramella, M., Morossi, C., Allocchio, C., Beckman, J.E. 142, 218; 58, 693

Photometric calibrations of an MCP space qualified photographic-camera

Koutchmy, S., Verlhac, A. 142, 355

Interactive reduction of echelle spectrograms

Rossi, C., Lombardi, R., Gaudenzi, S., De Biase, G.A. 143, 13 A simple maximum entropy deconvolution algorithm

Cornwell, T.J., Evans, K.F. 143, 77

The velocity-age relation for B and A stars

Palouš, J., Piskunov, A.E. 143, 102

The correlation between normalised Stokes parameters in a sinusoidally modulated intensity polarimeter Stewart, B.G. 143, 235

On period determination methods

Heck, A., Manfroid, J., Mersch, G. 143, 246; 59, 63

A solution to the short spacing problem in radio interferometry Braun, R., Walterbos, R.A.M. 143, 307

IUE data analysis: radial velocities from line coincidence statis-

Bord, D.J., Davidson, J.P. 143, 461

Uniformity of quasars in the chronometric cosmology Segal, I.E., Nicoll, J.F. 144, L23

An analysis of scattered light in low dispersion IUE spectra Basri, G., Clarke, J.T., Haisch, B.M. 144, 161

The International Ultraviolet Explorer (IUE) point spread function at low resolution

Cassatella, A., Barbero, J., Benvenuti, P. 144, 335

Wide-field kinematic H a observations of the Milky Way with a scanning and imaging Fabry-Perot: preliminary results

Caplan, J., Perrin, J.-M., Sivan, J.-P. 145, 221

The shortest time scales present in solar hard X-ray bursts Brown, J.C., Loran, J.M., MacKinnon, A.L. 147, L10

CCD based B and V lightcurves for the eclipsing binary NJL 5 in Omega Centauri

Jensen, K.S., Jørgensen, H.E. 147, 187; 60, 229

Astrometric and photometric estimators for TYCHO photon

Yoshizawa, M., Andreasen, G.K., Høg, E. 147, 227

Effects of amplitude and phase scintillations on decimeter wavelength observations at mid-latitudes

Spoelstra, T.A.T. 148, 21

Light variations of Periodic Comet Halley beyond 7 AU Sekanina, Z. 148, 299

Catalogue of central velocity dispersions of galaxies Davoust, E., Paturel, G., Vauglin, I. 149, 491; 61, 273

Data analysis in gamma-ray astronomy: multivariate likelihood method for correlation studies

Strong, A.W. 150, 273

Analysis of relative proper motion: an improved method to assign membership probabilities in open clusters

Cabrera-Caño, J., Alfaro, E.J. 150, 298

Analysis of the light variations of the RV Tauri star V 453 Ophiu-

Mantegazza, L. 151, 270

Relativistic photon-Maxwellian electron cross sections Wienke, B.R. 152, 336

Observations of right ascensions of selected FK4-stars concerning the magnitude equation

Firneis, M., Göbel, E. 152, 444; 62, 137

Measurements of distributed polarized radio sources from spinning spacecraft; effect of a tilted axial antenna. ISEE-3 application and results

Fainberg, J., Hoang, S., Manning, R. 153, 145

Thomas-Fermi study of the bubble phase in hot dense matter Suraud, E. 143, 108

Distances, distance scale

Infrared variability of the reflection nebulosity around RS Pup-

Mayes, A.J., Evans, A., Bode, M.F. 142, 48

The optical properties of dust in the mid-IR silicate bands Pégourié, B., Papoular, R. 142, 451

VLA line observations of OH/IR stars

Herman, J., Baud, B., Habing, H.J., Winnberg, A. 143, 122

HI line studies of galaxies. IV. Distance moduli of 468 disk galax-

Bottinelli, L., Gouguenheim, L., Paturel, G., de Vaucouleurs, G. 143, 246; 59, 43

Limits on parallax and proper motion of an optical counterpart of Geminga

Sol, H., Tarenghi, M., Vanderriest, C., Vigroux, L., Lelièvre, G. 144, 109

Separations of HII regions in galaxies

Braunsfurth, E., Feitzinger, J.V. 144, 215

Anomalous motions of HI clouds

Bash, F.N., Leisawitz, D. 145, 127

The Taurus dark cloud around the position of 3C 111: an optical and C $^{18}\mathrm{O}$ line study

Ungerer, V., Mauron, N., Brillet, J., Nguyen-Quang-Rieu 146,

Metallicities and distances of galactic clusters as determined from UBV-data. II. The metallicities and distances of 38 open clusters Cameron, L.M. 147, 39

Orbital elements for fifteen visual binaries

Baize, P. 147, 189; 60, 333

A useful list of redshift calibrators

Tanzella-Nitti, G., Fontanelli, P. 147, 190; 60, 343

Peculiar Type I supernovas

Uomoto, A., Kirshner, R.P. 149, L7

The distance modulus of the Large Magellanic Cloud: evidence from colour-magnitude diagrams of old clusters

Andersen, J., Blecha, A., Walker, M.F. 150, L12

Metallicities and distances of galactic clusters as determined from UBV-data. IV. The distance to the Hyades

Cameron, L.M. 152, 250

Parallax estimation using both trigonometric and photometric parallaxes

Smith, Jr., H. 152, 413

Distances, reddenings and distribution of emission B-stars in the galactic centre region $|I| \le 45^{\circ}$

Kozok, J.R. 152, 442; 62, 7

An apparent increase of the Hubble constant with velocities of the determining galaxies

Giraud, E. 153, 125

Double stars; see Stars: binaries

Dust; see Interstellar medium: dust; Interplanetary medium

Earth: atmosphere

Effects of amplitude and phase scintillations on decimeter wavelength observations at mid-latitudes

Spoelstra, T.A.T. 148, 21

Terrestrial $\rm O_2$ lines used as wavelength references: experimental profiles and asymmetries vs. model computations

Caccin, B., Cavallini, F., Ceppatelli, G., Righini, A., Sambuco, A.M. 149, 357

Earth: general

Clarifications concerning the definition and determination of the celestial ephemeris pole

Capitaine, N., Williams, J.G., Seidelmann, P.K. 146, 381

Results of observations made in Paris with the astrolable

Chollet, F., Débarbat, S., Hascoët, J.-C., Lam, S.K., Texier, P., Tomas, M. 150, 351; 61, 443

Time observations with the Photoelectric Transit Instrument at the Observatory of Torino in the period 1980.3–1984.0

Chiumiento, G., Picchio, G., Sarasso, M. 152, 442; 62, 1

Eclipses

A study of ultraviolet spectra of ζ Aurigae/VV Cephei systems. VII. Chromospheric density distribution and wind acceleration region

Schröder, K.-P. 147, 103

Elementary particles

Statistical fluctuations in an inflationary universe

Rephaeli, Y. 142, L29

Evolution of adiabatic perturbations in a photino-dominated universe

Valdarnini, R. 143, 94

Antiproton upper limits from the observed charge ratio of muons and their implications for cosmic ray models

Stephens, S.A. 149, 1

Relativistic photon-Maxwellian electron cross sections Wienke, B.R. 152, 336

Ephemerides

Accurate methods in general planetary theory Laskar, J. 144, 133

Clarifications concerning the definition and determination of the celestial ephemeris pole

Capitaine, N., Williams, J.G., Seidelmann, P.K. 146, 381

Errata

Erratum: Acoustic waves in early-type stars. I. An efficient method for the computation of thermodynamic quantities in time-dependent stellar atmosphere calculation

Wolf, B.E. 145, 278

Erratum: Some evolutionary consequences of shock-induced star formation

Nepveu, M., Robnik, M. 145, 482

Erratum: Evidence of decay of the magnetic fields of Ap stars North, P., Cramer, N. 147, 190; 60, 353

Fundamental stars and other objects

The Be II λ3130 Å region in the spectra of Vega and Sirius Griffin, R. & R. 149, 437

Observations of right ascensions of selected FK4-stars concerning the magnitude equation

Firneis, M., Göbel, E. 152, 444; 62, 137

The flux distribution of Vega for 10 μ m \leq λ \leq 100 μ m, and the calibration of IRAS at 12 μ m and 25 μ m

Leggett, S.K. 153, 273

Galaxies: active; see also Galaxies, Seyfert

Radio source counts below 100 μ Jy predicted from IRAS 60 μ counts

Biermann, P., Eckart, A., Witzel, A. 142, L23

Optical spectroscopy of the oval distortion in NGC 4151 Schulz, H. 143, 29

A comparative study of cosmological evolution in the radio, optical and X-ray bands

Danese, L., De Zotti, G., Franceschini, A. 143, 277

The NGC 4593 group of active galaxies

Kollatschny, W., Fricke, K.J. 143, 393

A new formulation of gravitational lens theory, time-delay, and Fermat's principle

Schneider, P. 143, 413

A viable mechanism to establish relativistic thermal particle distribution functions in cosmic sources

Schlickeiser, R. 143, 431

Observations of emission line galaxies. III. The broad Balmer line profiles of 12 Seyfert-1 galaxies

Rafanelli, P. 146, 17

Orientation effects and the reddening of the lines and continua of Seyfert galaxies

De Zotti, G., Gaskell, C.M. 147, 1

Non-thermal models of the X-ray emission in Seyfert galaxies: the case of NGC 4151

Piro, L., Perola, G.C., Massaro, E. 147, 22

NGC 6212: an elliptical galaxy with a highly active nucleus Biermann, P., Strom, R., Bartel, N. 147, L27

Electron temperatures of astrophysical plasmas from the $\hbox{[O{\,\sc iii}]}$ line ratio

Aldrovandi, S.M.V., Gruenwald, R.B. 147, 331

The large and small scale radio structure of 3 C 236

Barthel, P.D., Schilizzi, R.T., Miley, G.K., Jägers, W.J.,

Strom, R.G. 148, 243

The Antlia cluster of galaxies and its environment: the Hydra ICentaurus supercluster

Hopp, U., Materne, J. 148, 449; 61, 93

Studies of faint blue objects at high galactic latitudes. IV. Faint blue objects in the field of χ UMa

Barbieri, C., Barbon, R., de Bastiani, L., Romano, G., Pesch, P., Sanduleak, N. 148, 450; 61, 163

Composite models for the narrow emission line region of active galactic nuclei. III. The ejected filament

Aldrovandi, S.M.V., Contini, M. 149, 109

The evolution of galaxies in small groups Schmutzler, T., Biermann, P. 149, 383

The active centre of the galaxy merger ESO 148-IG02

Bergvall, N., Johansson, L. 149, 475

A Westerbork survey of Einstein X-ray Observatory deep survey areas. I. The 0.6 and 1.4 GHz catalogues, sources counts and spectral index distributions

Katgert-Merkelijn, J.K., Robertson, J.G., Windhorst, R.A., Katgert, P. 150, 352; 61, 547

Faint southern galaxies with Ha emission

Wamsteker, W., Prieto, A., Vitores, A., Schuster, H.E., Danks, A.C., Gonzalez, R., Rodriguez, G. 152, 446; 62, 255

Galaxies: barred

The velocity field of NGC 1365. I. The measurements and data reduction techniques

Jörsäter, S., Peterson, C.J., Lindblad, P.O., Boksenberg, A. 142, 215; 58, 507

Optical spectroscopy of the oval distortion in NGC 4151 Schulz, H. 143, 29

Distant encounters between disk galaxies and the origin of S0 spirals

Icke, V. 144, 115

Redshifts of galaxies in the Fornax cluster

Richter, O.-G., Sadler, E.M. 145, 280; 59, 433

Luminosity and mass models for the barred spiral galaxies NGC 7741, NGC 3359 and NGC 7479

Duval, M.F., Monnet, G. 148, 450; 61, 141

Inner rings of barred spiral galaxies Oldershaw, R.L. 149, 221

Three-dimensional periodic orbits in barred galaxies. I. Vertical continuation of the retrograde family

Michalodimitrakis, M., Terzides, C. 150, 83

Numerical study of complex instability. II. Barred galaxy bulges Pfenniger, D. 150, 112 Spiral structure of molecular clouds in response to bar forcing: a particle simulation

Combes, F., Gerin, M. 150, 327

Stochastic stellar orbits in perturbed integrable galaxy potentials Gerhard, O.E. 151, 279

A survey of the distribution of λ2.8 cm radio continuum in nearby galaxies. VI. A small sample of interacting galaxies Urbanik, M., Gräve, R., Klein, U. 152, 291

Galaxies: clusters of, see Clusters: of galaxies

Galaxies: compact

A search for faint blue stars in high galactic latitudes. III. Twelve PSS fields at declinations -6° and -12° near the South Galactic Pole

Berger, J., Fringant, A.-M. 142, 216; 58, 565

Star formation and chemical abundances in the blue compact galaxy ESO 338-IG04

Bergvall, N. 146, 269

Pairs of extragalactic H II regions Shaver, P.A., Chen, J.-S. 148, 443

No evidence for M 87-like ejection in F-71

Christensen, P.R., Sommer-Larsen, J. 150, L5

Age determination of extragalactic H II regions Copetti, M.V.F., Pastoriza, M.G., Dottori, H.A. 152, 427

On the effect of recent atomic parameter values in the Blue Compact Galaxies abundance

Zamorano, J., Rego, M. 152, 445; 62, 173

Galaxies: coronae of

Are Ly-α clouds detectable in emission at 21 cm? Vietri, M. 144, L17

Galaxies: dwarf elliptical

New carbon stars in spheroidal galaxies. I. Sculptor, Carina, Leo I and Leo II systems

Azzopardi, M., Lequeux, J., Westerlund, B.E. 144, 388

Atlas of dwarf galaxies in the region of M81 group

Karachentseva, V.E., Karachentsev, I.D., Börngen, F. 147, 187; 60, 213

A catalogue of dwarf galaxies south of $\delta = -17.^{\circ}5$ Feitzinger, J.V., Galinski, T. 150, 352; 61, 503

Galaxies: elliptical

UV-bright stars in galactic globular clusters, their far-UV spectra and their contribution to the globular cluster luminosity de Boer, K.S. 142, 321

Periodic orbits in a triaxial galaxy

Robe, H. 142, 351

Anisotropic models of elliptical galaxies. II. The case of flattened isophotes

Bacon, R. 143, 84

The nuclear radio sources in the elliptical galaxies NGC 3309 and NGC 3311 in the cluster Abell 1060

Lindblad, P.O., Jörsäter, S., Sandqvist, Aa. 144, 496

The ultraviolet spectra of normal elliptical galaxies: a population synthesis approach

Nesci, R., Perola, G.C. 145, 296

Star formation in early-type galaxies

Véron, P., Véron-Cetty, M.-P. 145, 433 The structure of the elliptical galaxy IC 4296

Younis, S., Meaburn, J., Stewart, P. 147, 178

The evolution of galaxies in small groups Schmutzler, T., Biermann, P. 149, 383

Properties of the dust lane and ionized gas in M84 Hansen, L., Nørgaard-Nielsen, H.U., Jørgensen, H.E. 149,

Photometry of NGC 6166

Lachièze-Rey, M., Vigroux, L., Souviron, J. 150, 62

Stochastic stellar orbits in perturbed integrable galaxy potentials Gerhard, O.E. 151, 279

Surface photometry of galaxies extended to z = 0.59Johansen, K.T., Florentin-Nielsen, R., Teuber, J. 152, L21

Mass-to-light ratio of elliptical galaxies Bacon, R., Monnet, G., Simien, F. 152, 315

Ellipticity and shell structure in galaxies Huang, S., Stewart, P. 153, 189

Galaxies: evolution of

Distribution and motions of atomic hydrogen in lenticular galaxies. III. NGC 3998

Knapp, G.R., van Driel, W., van Woerden, H. 142, 1

Radio source counts below 100 µJy predicted from IRAS 60 µ counts

Biermann, P., Eckart, A., Witzel, A. 142, L23

Extragalactic dust. I. NGC 7070 A

Brosch, N., Greenberg, J.M., Grosbøl, P.J. 143, 399

Distant encounters between disk galaxies and the origin of S0 spirals

Icke, V. 144, 115

Distribution and motions of atomic hydrogen in lenticular galaxies. IV. A ring of HI around NGC 4262

Krumm, N., van Driel, W., van Woerden, H. 144, 202

Star formation and chemical abundances in the blue compact galaxy ESO 338-IG04

Bergvall, N. 146, 269

Radio continuum and far-infrared emission from spiral galaxies: a close correlation

de Jong, T., Klein, U., Wielebinski, R., Wunderlich, E. 147, L6

Stellar populations in a faint star field in the Large Magellanic Cloud

Ardeberg, A., Linde, P., Lindgren, H., Lyngå, G. 148, 263 Entropy and angular momentum transport in spiral density

waves Kegel, W.H. 149, 315

The evolution of galaxies in small groups Schmutzler, T., Biermann, P. 149, 383

The active centre of the galaxy merger ESO 148-IG02 Bergvall, N., Johansson, L. 149, 475

Photometry of NGC 6166

Lachièze-Rey, M., Vigroux, L., Souviron, J. 150, 62

Spiral structure of molecular clouds in response to bar forcing: a particle simulation

Combes, F., Gerin, M. 150, 327

Evolution of spiral galaxies in the Virgo Cluster. I. Statistical analysis of H_I deficiency and colors

Guiderdoni, B., Rocca-Volmerange, B. 151, 108

Collisionless mixing in 1-dimensional gravitational systems initially in a stationary waterbag configuration

Luwel, M., Severne, G. 152, 305

The nature of the diffuse radio source near Coma A Hanisch, R.J., Strom, R.G., Jaffe, W.J. 153, 9

global formula for star formation Brosche, P., Lentes, F.T. 153, 157 Optical studies of galaxies in clusters. I. Observations of hydrogen deficient galaxies

Chincarini, G., de Souza, R. 153, 218

Galaxies: formation of

Statistical fluctuations in an inflationary universe Rephaeli, Y. 142, L29

The anisotropy of the spatial orientations of galaxies in the Local Supercluster

MacGillivray, H.T., Dodd, R.J. 145, 269

Fluctuation evolution in a two-component dark-matter model Valdarnini, R., Bonometto, S.A. 146, 235

Star formation and chemical abundances in the blue compact galaxy ESO 338-IG04

Bergvall, N. 146, 269

The ionisation of the primeval plasma at the time of recombina-

Jones, B.J.T., Wyse, R.F.G. 149, 144

Tidal torques and the spins of galaxies formed in the adiabatic or pancake theory

Wesson, P.S. 151, 105

Collisionless mixing in 1-dimensional gravitational systems initially in a stationary waterbag configuration

Luwel, M., Severne, G. 152, 305

Galaxies: general

Distribution and motions of atomic hydrogen in lenticular galaxies. III. NGC 3998

Knapp, G.R., van Driel, W., van Woerden, H. 142, 1

Radial velocities of galaxies: some considerations on the comparison between radio and optical data

Tanzella-Nitti, G. 142, 216; 58, 549

Study of a complete sample of galaxies. I. UBV aperture photom-

Véron-Cetty, M.P. 142, 217; 58, 665

No missing mass in clusters of galaxies?

Valtonen, M.J., Innanen, K.A., Huang, T.-Y., Saarinen, S. 143,

Galaxy groups: virial quantities and galaxy population

Mezzetti, M., Pisani, A., Giuricin, G., Mardirossian, F. 143,

Erratum: One-millimeter continuum observations of IRAS and FIRSSE sources

Chini, R., Mezger, P.G., Kreysa, E., Gemünd, H.-P. 143, 244 HI line studies of galaxies. IV. Distance moduli of 468 disk galax-

Bottinelli, L., Gouguenheim, L., Paturel, G., de Vaucouleurs, G. 143, 246; 59, 43

HII regions and the value of H_0

Teerikorpi, P. 143, 469

Detailed surface photometry of 36 E-SO galaxies

Michard, R. 144, 254; 59, 205

Spectroscopic verification of suspected planetary nebulae. II West, R.M., Kohoutek, L. 145, 485; 60, 91

Morphology of spiral galaxies. I. General properties Grosbøl, P.J. 147, 188; 60, 261

Systematic errors in Zwicky's magnitudes Fasano, G. 147, 188; 60, 285

Supplement to the detailed bibliography on the surface photometry of galaxies

Pence, W.D., Davoust, E. 147, 338; 60, 517

Properties of IRAS galaxies with $B_T^0 \lesssim 14.5$

Iyengar, K.V.K., Rengarajan, T.N., Verma, R.P. 148, 43

The optical detection of very low surface brightness regions Phillipps, S., Disney, M.J. 148, 234

The large and small scale radio structure of 3 C 236

Barthel, P.D., Schilizzi, R.T., Miley, G.K., Jägers, W.J.,

Strom, R.G. 148, 243

Observations of the southern galaxy clusters STR 0625-540 and STR 0627-544

Hopp, U., Materne, J. 148, 359

Mutual coherence of gravitationally lensed images Schneider, P., Schmid-Burgk, J. 148, 369

Are galaxy diameters dependent on their environment? Bosma, A. 149, 482

Catalogue of central velocity dispersions of galaxies Davoust, E., Paturel, G., Vauglin, I. 149, 491; 61, 273

The first detection of a radio continuum bridge between interacting galaxies

van der Hulst, J.M., Hummel, E. 150, L7

Standard photometric diameters of galaxies. II. Reduction of the ESO, UGC, MCG catalogues

Fouqué, P., Paturel, G. 150, 192

A catalogue of dwarf galaxies south of $\delta = -17.^{\circ}5$ Feitzinger, J.V., Galinski, T. 150, 352; 61, 503

HI observations of some galaxies and their faint companions van der Burg, G. 152, 445; 62, 147

The nature of the diffuse radio source near Coma A Hanisch, R.J., Strom, R.G., Jaffe, W.J. 153, 9

Simulations of clusters of galaxies with massive cores Saarinen, S., Valtonen, M.J. 153, 130

Galaxies: haloes of; see also Galaxies: coronae of

UV-bright stars in galactic globular clusters, their far-UV spectra and their contribution to the globular cluster luminosity de Boer, K.S. 142, 321

A dynamical halo around the edge-on galaxy NGC 4631 Werner, W. 144, 502

Radio observations of H_I in UGC 2885, the largest identified Sc

Roelfsema, P.R., Allen, R.J. 146, 213

The optical detection of very low surface brightness regions Phillipps, S., Disney, M.J. 148, 234

Numerical study of complex instability. II. Barred galaxy bulges Pfenniger, D. 150, 112

Cosmic gas dynamics. I. Basic equations and the dynamics of hot interstellar matter

Schlickeiser, R., Lerche, I. 151, 151

Galaxies: individual; see also Galaxies: Magellanic Clouds

A 496

The stellar content of the A 496 cD galaxy Valentijn, E.A., Moorwood, A.F.M. 143, 46

Car

New carbon stars in spheroidal galaxies. I. Sculptor, Carina, Leo I and Leo II systems

Azzopardi, M., Lequeux, J., Westerlund, B.E. 144, 388

Fornax

Color-magnitude diagrams for the clusters and the field of the Fornax dwarf spheroidal galaxy

Buonanno, R., Corsi, C.E., Fusi Pecci, F., Hardy, E., Zinn, R. 152, 65

F-71

No evidence for M 87-like ejection in F-71 Christensen, P.R., Sommer-Larsen, J. 150, L5

F-9

The fading of the Seyfert galaxy F-9
Kollatschny, W., Fricke, K.J. 146, L11

Hoag's object

The nature of Hoag's object: the perfect ringed galaxy Brosch, N. 153, 199

IC 4296

The structure of the elliptical galaxy IC 4296 Younis, S., Meaburn, J., Stewart, P. 147, 178

Leo

New carbon stars in spheroidal galaxies. I. Sculptor, Carina, Leo I and Leo II systems

Azzopardi, M., Lequeux, J., Westerlund, B.E. 144, 388

Leo I

New carbon stars in spheroidal galaxies. I. Sculptor, Carina, Leo I and Leo II systems

Azzopardi, M., Lequeux, J., Westerlund, B.E. 144, 388

M 31

Reddening of globular clusters in M 31 *Iye, M., Richter, O.-G.* **144**, 471

Radio continuum emission from the nuclear region of M 31: evidence for a nuclear radio spiral

Walterbos, R.A.M., Gräve, R. 150, L1

A high resolution radio continuum survey of Messier 31. II. Observations at 1412 MHz, data reduction, and the 37W catalogue of radio sources

Walterbos, R.A.M., Brinks, E., Shane, W.W. 150, 351; 61, 451

M 51

Distribution and kinematics of CO in the spiral galaxy M51 Rydbeck, G., Hjalmarson, Å., Rydbeck, O.E.H. 144, 282

M 84

Properties of the dust lane and ionized gas in M84

Hansen, L., Nørgaard-Nielsen, H.U., Jørgensen, H.E. 149,
442

NGC 300

The velocity field of the ionized gas in NGC 300 Marcelin, M., Boulesteix, J., Georgelin, Y.P. 151, 144

NGC 1365

The velocity field of NGC 1365. I. The measurements and data reduction techniques

Jörsäter, S., Peterson, C.J., Lindblad, P.O., Boksenberg, A. 142, 215; 58, 507

NGC 1808

NGC 1808: a nearby galaxy with a faint Seyfert nucleus Véron-Cetty, M.-P., Véron, P. 145, 425

NGC 2623

Detection of distant extragalactic OH in absorption Kazès, I., Dickey, J.M. 152, L9

NGC 2712

Hi-observations of isolated spiral galaxies Huchtmeier, W.K., Richter, O.-G. 149, 118

NGC 2841

Near-infrared mapping of spiral galaxies. I. The Sb galaxy NGC 2841: annular structure in the young disc component Prieto, M., Battaner, E., Sanchez, C., Beckman, J. 146, 297

NGC 3309

The nuclear radio sources in the elliptical galaxies NGC 3309 and NGC 3311 in the cluster Abell 1060

Lindblad, P.O., Jörsäter, S., Sandqvist, Aa. 144, 496

NGC 3311

The nuclear radio sources in the elliptical galaxies NGC 3309 and NGC 3311 in the cluster Abell 1060

Lindblad, P.O., Jörsäter, S., Sandqvist, Aa. 144, 496

NGC 3718

H1 synthesis observations of the peculiar galaxy NGC 3718 and its companion NGC 3729

Schwarz, U.J. 142, 273

NGC 3729

H1 synthesis observations of the peculiar galaxy NGC 3718 and its companion NGC 3729

Schwarz, U.J. 142, 273

NGC 3998

Distribution and motions of atomic hydrogen in lenticular galaxies. III. NGC 3998

Knapp, G.R., van Driel, W., van Woerden, H. 142, 1

NGC 4151

Optical spectroscopy of the oval distortion in NGC 4151 Schulz, H. 143, 29

Infrared emission from dust in the Seyfert galaxy NGC 4151 Mayes, A.J., Pearce, G., Evans, A. 143, 327

Non-thermal models of the X-ray emission in Seyfert galaxies: the case of NGC 4151

Piro, L., Perola, G.C., Massaro, E. 147, 22
The ultraviolet absorption spectrum of NGC 4151
Véron, P., Véron-Cetty, M.-P., Tarenghi, M. 150, 317

NGC 4565

The "thick" radio disk of NGC 4565 Broeils, A.H, Sancisi, R. 153, 281

NGC 4593

The NGC 4593 group of active galaxies Kollatschny, W., Fricke, K.J. 143, 393

NGC 4631

A dynamical halo around the edge-on galaxy NGC 4631 Werner, W. 144, 502

NGC 5301

H_I-observations of isolated spiral galaxies Huchtmeier, W.K., Richter, O.-G. 149, 118

NGC 5398

Gas and star content and spatial distribution in the giant extragalactic H II region Tol 89

Durret, F., Bergeron, J., Boksenberg, A. 143, 347

NGC 5506

Detection of distant extragalactic OH in absorption Kazès, I., Dickey, J.M. 152, L9

NGC 5832

H I-observations of isolated spiral galaxies Huchtmeier, W.K., Richter, O.-G. 149, 118

NGC 6166

Photometry of NGC 6166 Lachièze-Rey, M., Vigroux, L., Souviron, J. 150, 62

NGC 6212

NGC 6212: an elliptical galaxy with a highly active nucleus Biermann, P., Strom, R., Bartel, N. 147, L27

NGC 6240

Spectroscopy of the nuclei of the super-starburst galaxy NGC 6240 Fried, J.W., Ulrich, H. 152, L14

NGC 7070 A

Extragalactic dust. I. NGC 7070 A

Brosch, N., Greenberg, J.M., Grosbøl, P.J. 143, 399

Sci

New carbon stars in spheroidal galaxies. I. Sculptor, Carina, Leo I and Leo II systems

*Azzopardi, M., Lequeux, J., Westerlund, B.E. 144, 388

UGC 2885

Radio observations of H1 in UGC 2885, the largest identified Sc galaxy

*Roelfsema, P.R., Allen, R.J. 146, 213

3C236

The large and small scale radio structure of 3 C 236

Barthel, P.D., Schilizzi, R.T., Miley, G.K., Jägers, W.J.,

Strom, R.G. 148, 243

Galaxies: irregular

High redshift MgII and FeII absorption in QSO spectra from known CIV systems

Boissé, P., Bergeron, J. 145, 59

Atlas of dwarf galaxies in the region of M81 group Karachentseva, V.E., Karachentsev, I.D., Börngen, F. 147, 187; 60, 213

The super star cluster in NGC 1705 Melnick, J., Moles, M., Terlevich, R. 149, L24

Detection of extragalactic CS Henkel, C., Bally, J. 150, L25

A survey of the distribution of λ2.8 cm radio continuum in nearby galaxies. VI. A small sample of interacting galaxies Urbanik, M., Gräve, R., Klein, U. 152, 291

Galaxies: jets of

Magnetized viscous jets Nepveu, M. 142, 375 The radio structure of 3 C 130 interpreted with a dynamical model

Jägers, W.J., de Grijp, M.H.K. 143, 176

Compact steep spectrum 3CR radio sources. VLBI observations at 18 cm

Fanti, C., Fanti, R., Parma, P., Schilizzi, R.T., van Breugel, W.J.M. 143, 292

Magnetic vortex tubes, jets and nonthermal sources Browne, P.F. 144, 298

The nuclear radio sources in the elliptical galaxies NGC 3309 and NGC 3311 in the cluster Abell 1060

Lindblad, P.O., Jörsäter, S., Sandqvist, Aa. 144, 496

Turbulence and angular momentum in extragalactic radio jets. I. Linear stability analysis

Londrillo, P. 145, 353

Inhomogeneous synchrotron-self-Compton models and the problem of relativistic beaming of BL Lac objects

Ghisellini, G., Maraschi, L., Treves, A. 146, 204

Relativistic short wavelength instabilities in astrophysical jets. I. Fluidodynamical case

Zaninetti, L. 148, 79

No evidence for M 87-like ejection in F-71 Christensen, P.R., Sommer-Larsen, J. 150, L5

Galaxies: kinematics and dynamics of

Distribution and motions of atomic hydrogen in lenticular galaxies. III. NGC 3998

Knapp, G.R., van Driel, W., van Woerden, H. 142, 1

The redshifts of double galaxies

Picchio, G., Tanzella-Nitti, G. 142, 21

The velocity field of NGC 1365. I. The measurements and data reduction techniques

Jörsäter, S., Peterson, C.J., Lindblad, P.O., Boksenberg, A. 142, 215; 58, 507

H1 synthesis observations of the peculiar galaxy NGC 3718 and its companion NGC 3729

Schwarz, U.J. 142, 273

Periodic orbits in a triaxial galaxy

Robe, H. 142, 351

Changes of entropy and entropy flux induced by spiral structure in galaxies

Fuchs, B. 142, 487

Application of a new gasdynamics code to gas flow problems in disk galaxies

van Albada, G.D. 142, 491

Optical spectroscopy of the oval distortion in NGC 4151 Schulz, H. 143, 29

Anisotropic models of elliptical galaxies. II. The case of flattened isophotes

Bacon, R. 143, 84

Distant encounters between disk galaxies and the origin of S0 spirals

Icke, V. 144, 115

Distribution and motions of atomic hydrogen in lenticular galaxies. IV. A ring of H_I ground NGC 4262

Krumm, N., van Driel, W., van Woerden, H. 144, 202

Distribution and kinematics of CO in the spiral galaxy M51 Rydbeck, G., Hjalmarson, Å., Rydbeck, O.E.H. 144, 282

Mass-luminosity ratio in edge-on spirals

Meisels, A. 145, 135

NGC 1808: a nearby galaxy with a faint Seyfert nucleus Véron-Cetty, M.-P., Véron, P. 145, 425

Radio observations of H_I in UGC 2885, the largest identified Sc galaxy

Roelfsema, P.R., Allen, R.J. 146, 213

Dynamics of the bulge of the lenticular galaxy NGC 7814 Bacon, R. 147, L16

Linear oscillations of isotropic stellar systems. II. Radial modes of energy-truncated models

Sobouti, Y. 147, 61

Hydrodynamics of a highly flattened galaxy, based on the collisionless Boltzmann equation

Aoki, S. 148, 1

Luminosity and mass models for the barred spiral galaxies NGC 7741, NGC 3359 and NGC 7479

Duval, M.F., Monnet, G. 148, 450; 61, 141

Second-order calculation of entropy changes induced by spiral density waves in galaxies

Fuchs, B. 149, 321

The evolution of galaxies in small groups Schmutzler, T., Biermann, P. 149, 383

Catalogue of central velocity dispersions of galaxies Davoust, E., Paturel, G., Vauglin, I. 149, 491; 61, 273

Three-dimensional periodic orbits in barred galaxies. I. Vertical continuation of the retrograde family

Michalodimitrakis, M., Terzides, C. 150, 83

Numerical study of complex instability. I. Mappings *Pfenniger*, D. **150**, 97

Numerical study of complex instability. II. Barred galaxy bulges Pfenniger, D. 150, 112

Tidal torques and the spins of galaxies formed in the adiabatic or pancake theory

Wesson, P.S. 151, 105

The velocity field of the ionized gas in NGC 300

Marcelin, M., Boulesteix, J., Georgelin, Y.P. 151, 144

Stochastic stellar orbits in perturbed integrable galaxy potentials Gerhard, O.E. 151, 279

Mass-to-light ratio of elliptical galaxies

Bacon, R., Monnet, G., Simien, F. 152, 315

H1 observations of some galaxies and their faint companions van der Burg, G. 152, 445; 62, 147

Resonant systems with three degrees of freedom Contopoulos, G., Barbanis, B. 153, 44

Ellipticity and shell structure in galaxies

Huang, S., Stewart, P. 153, 189

Optical studies of galaxies in clusters. I. Observations of hydrogen deficient galaxies

Chincarini, G., de Souza, R. 153, 218

Galaxies: lenticular

The flattening distribution of lenticular galaxies De Souza, R.E., Vettolani, G., Chincarini, G. 143, 143

Distribution and motions of atomic hydrogen in lenticular galaxies. IV. A ring of H $\scriptstyle\rm I$ around NGC 4262

Krumm, N., van Driel, W., van Woerden, H. 144, 202

Star formation in early-type galaxies

Véron, P., Véron-Cetty, M.-P. 145, 433

SO galaxies and the influence of the gas content on the radio continuum emission from a disk component

Hummel, E., Kotanyi, C.G. 145, 475

Dynamics of the bulge of the lenticular galaxy NGC 7814 Bacon, R. 147, L16

Structure of SO galaxies in the central regions of the Fornax cluster

de Carvalho, R.R., da Costa, L.N., Pellegrini, P.S. 149, 449

The nature of Hoag's object: the perfect ringed galaxy *Brosch*, N. **153**, 199

Galaxies: Magellanic Clouds

The hybrid spectrum of the LMC hypergiant R 126

Zickgraf, F.-J., Wolf, B., Stahl, O., Leitherer, C., Klare, G.

143, 421

Discovery of a very bright compact object N88A in the Small Magellanic Cloud

Testor, G., Pakull, M. 145, 170

Ellipticities of "disk" and "halo" globular clusters in the SMC Kontizas, E., Dialetis, D., Prokakis, T., Kontizas, M. 146, 293
Stellar populations in a faint star field in the Large Magellanic Cloud

Ardeberg, A., Linde, P., Lindgren, H., Lyngå, G. 148, 263
The combined effect of mass loss and overshooting. V. Massive stars in the Magellanic Clouds

Pylyser, E., Doom, C., de Loore, C. 148, 379

 $\ensuremath{\textit{VBLUW}}$ photometry of the stars and nebulosity of N 70 in the LMC

Greve, A., van Genderen, A.M. 148, 397

The number of W-R stars in the Large Magellanic Cloud Azzopardi, M., Breysacher, J. 149, 213

The visible and infrared extinction law and the gas-to-dust ratio in the Small Magellanic Cloud

Bouchet, P., Lequeux, J., Maurice, E., Prévot, L., Prévot-Burnichon, M.L. 149, 330

Atlas of high-dispersion spectra of peculiar emission-line stars in the Magellanic Clouds

Stahl, O., Wolf, B., de Groot, M., Leitherer, C. 149, 490; 61,

Radial velocities of southern stars obtained with the photoelectric scanner Coravel. IV. Radial velocity variations of six cepheids in the Large Magellanic Cloud: HV 879, HV 899, HV 909, HV 2257, HV 2338, HV 2827

Imbert, M., Andersen, J., Ardeberg, A., Bardin, C., Benz, W., Lindgren, H., Martin, N., Maurice, E., Mayor, M., Nordström, B., Prévot, L. 149, 490; 61, 259

The distance modulus of the Large Magellanic Cloud: evidence from colour-magnitude diagrams of old clusters

Andersen, J., Blecha, A., Walker, M.F. 150, L12

R 136a in the 30 Doradus nebula resolved by holographic speckle interferometry

Weigelt, G., Baier, G. 150, L18

Age and process of star formation in very young LMC associations

Tarrab, I. 150, 151

Magnitudes, colors and positions for bright stars in the Large Magellanic Cloud bar

Bernazzani, M., Buonanno, R., Corsi, C.E., Hardy, E. 150, 351; 61, 473

The optical binary light curve of LMC X-3

van der Klis, M., Clausen, J.V., Jensen, K., Tjemkes, S., van Paradijs, J. 151, 322

CO in 30 Doradus

Melnick, J., Rubió, M. 151, 455

High resolution observations of interstellar Na I absorption towards Large Magellanic Cloud stars. I. R 116, R 127 and R 128 with the ESO Coudé Echelle Spectrometer

Ferlet, R., Dennefeld, M., Maurice, E. 152, 151

The problem of the runaway stars and the distribution function of peculiar radial velocities in the Large Magellanic Cloud (Text in German)

Isserstedt, J., Hart, R. 152, 343

Age determination of extragalactic H II regions

Copetti, M.V.F., Pastoriza, M.G., Dottori, H.A. 152, 427

Radial velocities of southern stars obtained with the photoelectric scanner CORAVEL. V. 404 F to M supergiant stars in the Large Magellanic Cloud

Prévot, L., Andersen, J., Ardeberg, A., Benz, W., Imbert, M., Lindgren, H., Martin, N., Maurice, E., Mayor, M., Nordström, B., Rebeirot E., Rousseau, J. 152, 442; 62, 23

Absolute Hα and Hβ photometry of LMC H II regions Caplan, J., Deharveng, L. 152, 444; 62, 63

An investigation of the micro-variations of highly luminous OBA type stars. III. The S Dor type star R 71 = HDE 269006 in the LMC

van Genderen, A.M., Steemers, W.J.G., Feldbrugge, P.T.M., Groot, M., Damen, E., van den Boogaart, A.K. 153, 163

The massive wind of S Dor Leitherer, C., Appenzeller, I., Klare, G., Lamers, H.J.G.L.M., Stahl, O., Waters, L.B.F.M., Wolf, B. 153, 168

Galaxies: nuclei of

Infrared emission from dust in the Seyfert galaxy NGC 4151 Mayes, A.J., Pearce, G., Evans, A. 143, 327

Photoionization models for Liners: gas distribution and abundances

Binette, L. 143, 334

Helium detonation in pancake stars

Pichon, B. 145, 387

NGC 1808: a nearby galaxy with a faint Seyfert nucleus Véron-Cetty, M.-P., Véron, P. 145, 425

Orientation effects and the reddening of the lines and continua of Seyfert galaxies

De Zotti, G., Gaskell, C.M. 147, 1

NGC 6212: an elliptical galaxy with a highly active nucleus *Biermann, P., Strom, R., Bartel, N.* 147, L27

Electron temperatures of astrophysical plasmas from the $[O\,{\sc III}]$ line ratio

Aldrovandi, S.M.V., Gruenwald, R.B. 147, 331

Composite models for the narrow emission line region of active galactic nuclei. III. The ejected filament

Aldrovandi, S.M.V., Contini, M. 149, 109

Near infrared and radio observations of active galactic nuclei Lépine, J.R.D., Braz, M.A., Epchtein, N. 149, 351

The evolution of galaxies in small groups

Schmutzler, T., Biermann, P. 149, 383

The active centre of the galaxy merger ESO 148-IG02 Bergvall, N., Johansson, L. 149, 475

Radio continuum emission from the nuclear region of M 31: evidence for a nuclear radio spiral

Walterbos, R.A.M., Gräve, R. 150, L1

Detection of extragalactic CS

Henkel, C., Bally, J. 150, L25

Photometry of NGC 6166

Lachièze-Rey, M., Vigroux, L., Souviron, J. 150, 62

The nucleus of the Seyfert 1 galaxy NGC 7469: physical conditions and structure

Westin, B.A.M. 151, 137

Spectroscopy of the nuclei of the super-starburst galaxy NGC 6240

Fried, J.W., Ulrich, H. 152, L14

Statistical study of AGN's. I. Line widths of C IV and H β versus optical luminosity

Joly, M., Collin-Souffrin, S., Masnou, J.L., Nottale, L. 152, 282

A survey of the distribution of λ2.8 cm radio continuum in nearby galaxies. VI. A small sample of interacting galaxies Urbanik, M., Gräve, R., Klein, U. 152, 291

Galaxies: radio

Compact steep spectrum 3CR radio sources. VLBI observations at 18 cm

Fanti, C., Fanti, R., Parma, P., Schilizzi, R.T., van Breugel, W.J.M. 143, 292

The nuclear radio sources in the elliptical galaxies NGC 3309 and NGC 3311 in the cluster Abell 1060

Lindblad, P.O., Jörsäter, S., Sandqvist, Aa. 144, 496

High resolution radio observations of low luminosity radio galaxies

Parma, P., Ekers, R.D., Fanti, R. 145, 282; 59, 511

A deep Westerbork survey of areas with multicolor Mayall 4 m plates. III. Photometry and spectroscopy of faint source identifications

Kron, R.G., Koo, D.C., Windhorst, R.A. 146, 38

The HI content of spirals in galaxy groups

Giuricin, G., Mardirossian, F., Mezzetti, M. 146, 317

Linear polarization at λ 49 cm of 27 double radio sources Conway, R.G., Strom, R.G. 146, 392

Radio continuum and far-infrared emission from spiral galaxies: a close correlation

de Jong, T., Klein, U., Wielebinski, R., Wunderlich, E. 147,

The short wide angle tail radio source in NGC 4874 Feretti, L., Giovannini, G. 147, L13

NGC 6212: an elliptical galaxy with a highly active nucleus Biermann, P., Strom, R., Bartel, N. 147, L27

The wide angle tailed radio source NGC 2329 in the cluster A 569

Feretti, L., Giovannini, G., Gregorini, L., Padrielli, L., Roland, J., Valentijn, E.A. 147, 321

Results from a pilot program for determining precise optical positions of radio sources with the 1.5 m L. Figl-telescope of the Vienna Observatory

de Vegt, C., Prochazka, F. 148, 226

Dynamics of energy supply to bright hot spots associated with 10 extragalactic radios sources

Saripalli, L., Gopal-Krishna 149, 205

The first detection of a radio continuum bridge between interacting galaxies

van der Hulst, J.M., Hummel, E. 150, L7

VLA observations of the extended source near

Giovannini, G., Feretti, L., Andernach, H. 150, 302

Polarization maps at 49 cm of 27 3C sources Strom, R.G., Conway, R.G. 150, 352; 61, 537

1919 + 742: a large double radio source

Strom, R.G., Eckart, A., Biermann, P. 151, 43

Detection of distant extragalactic OH in absorption Kazès, I., Dickey, J.M. 152, L9

Spectroscopy of the nuclei of the super-starburst galaxy NGC 6240

Fried, J.W., Ulrich, H. 152, L14

The nature of the diffuse radio source near Coma A Hanisch, R.J., Strom, R.G., Jaffe, W.J. 153, 9

Galaxies: redshifts of

The redshifts of double galaxies Picchio, G., Tanzella-Nitti, G. 142, 21

Redshifts of galaxies in the Fornax cluster Richter, O.-G., Sadler, E.M. 145, 280; 59, 433

A useful list of redshift calibrators

Tanzella-Nitti, G., Fontanelli, P. 147, 190; 60, 343

Observations of the southern galaxy clusters STR 0625-540 and STR 0627-544

Hopp, U., Materne, J. 148, 359

The Antlia cluster of galaxies and its environment: the Hydra I-Centaurus supercluster

Hopp, U., Materne, J. 148, 449; 61, 93

Gravitational amplification of light: general solution in the vacuole model

Hammer, F. 152, 262

H1 observations of some galaxies and their faint companions van der Burg, G. 152, 445; 62, 147

Galaxies: Sevfert

Study of a complete sample of galaxies. I. UBV aperture photometry

Véron-Cetty, M.P. 142, 217; 58, 665

Optical spectroscopy of the oval distortion in NGC 4151 Schulz, H. 143, 29

Infrared emission from dust in the Seyfert galaxy NGC 4151 Mayes, A.J., Pearce, G., Evans, A. 143, 327

Uniformity of quasars in the chronometric cosmology Segal, I.E., Nicoll, J.F. 144, L23

Erratum: The optical variability of two Seyfert galaxies: Arakelian 120 and Markarian 231

Miller, H.R. 144, 256; 59, 367

NGC 1808: a nearby galaxy with a faint Seyfert nucleus Véron-Cetty, M.-P., Véron, P. 145, 425

Spectroscopic verification of suspected planetary nebulae. I Kohoutek, L., Pauls, R. 145, 485; 60, 87

The fading of the Seyfert galaxy F-9
Kollatschny, W., Fricke, K.J. 146, L11

Observations of emission line galaxies. III. The broad Balmer line profiles of 12 Seyfert-1 galaxies

Rafanelli, P. 146, 17

Orientation effects and the reddening of the lines and continua of Seyfert galaxies

De Zotti, G., Gaskell, C.M. 147, 1

Non-thermal models of the X-ray emission in Seyfert galaxies: the case of NGC 4151 $\,$

Piro, L., Perola, G.C., Massaro, E. 147, 22

Mrk 273: a new OH megamaser

Bottinelli, L., Fraix-Burnet, D., Gouguenheim, L., Kazes, I., Le Squeren, A.M., Patey, I., Rickard, L.J., Turner, B.E. 151, L7

The nucleus of the Seyfert 1 galaxy NGC 7469: physical conditions and structure

Westin, B.A.M. 151, 137

IRAS and near-infrared observations of the Seyfert galaxies MCG 8-11-11, Mkn 79 and Mkn 279

Spinoglio, L., Persi, P., Ferrari-Toniolo, M., Giovannelli, F., Bassani, L., Di Cocco, G., Clement, R.M., Coe, M.J., Dean, A.J., Sembay, S., Roth, M., Tapia, M., Macdougall, J.R., Elsmore, B. 153, 55

Galaxies: spiral

H_I synthesis observations of the peculiar galaxy NGC 3718 and its companion NGC 3729

Schwarz, U.J. 142, 273

Changes of entropy and entropy flux induced by spiral structure in galaxies

Fuchs, B. 142, 487

Application of a new gasdynamics code to gas flow problems in disk galaxies

van Albada, G.D. 142, 491

HI observations of galaxies in nearby groups Huchtmeier, W.K., Seiradakis, J.H. 143, 216 Separations of HII regions in galaxies

Braunsfurth, E., Feitzinger, J.V. 144, 215

Large-scale configuration of magnetic fields in spiral galaxies Sofue, Y., Klein, U., Beck, R., Wielebinski, R. 144, 257

Distribution and kinematics of CO in the spiral galaxy M51 Rydbeck, G., Hjalmarson, Å., Rydbeck, O.E.H. 144, 282

Mass-luminosity ratio in edge-on spirals

Meisels, A. 145, 135

Radio observations of H_I in UGC 2885, the largest identified Sc galaxy

Roelfsema, P.R., Allen, R.J. 146, 213

Near-infrared mapping of spiral galaxies. I. The Sb galaxy NGC 2841: annular structure in the young disc component

Prieto, M., Battaner, E., Sanchez, C., Beckman, J. 146, 297 Radio continuum and far-infrared emission from spiral galaxies: a close correlation

de Jong, T., Klein, U., Wielebinski, R., Wunderlich, E. 147, L6

Morphology of spiral galaxies. I. General properties Grosbøl, P.J. 147, 188; 60, 261

A radio continuum survey of Sbc spiral galaxies at 1.465 GHz Hummel, E., Pedlar, A., van der Hulst, J.M., Davies, R.D. 147, 189; 60, 293

Hydrodynamics of a highly flattened galaxy, based on the collisionless Boltzmann equation

Aoki, S. 148, 1

Magnetic field distribution in spiral galaxies

Ruzmaikin, A.A., Sokoloff, D.D., Shukurov, A.M. 148, 335

Inner rings of barred spiral galaxies Oldershaw, R.L. 149, 221

Second-order calculation of entropy changes induced by spiral density waves in galaxies

Fuchs, B. 149, 321

The evolution of galaxies in small groups Schmutzler, T., Biermann, P. 149, 383

The first detection of a radio continuum bridge between interacting galaxies

van der Hulst, J.M., Hummel, E. 150, L7

Detection of extragalactic CS

Henkel, C., Bally, J. 150, L25

Spiral structure of molecular clouds in response to bar forcing: a particle simulation

Combes, F., Gerin, M. 150, 327

Evolution of spiral galaxies in the Virgo Cluster. I. Statistical analysis of H_I deficiency and colors

Guiderdoni, B., Rocca-Volmerange, B. 151, 108

M81 at high radio frequencies

Beck, R., Klein, U., Krause, M. 152, 237

A survey of the distribution of $\lambda 2.8$ cm radio continuum in nearby galaxies. VI. A small sample of interacting galaxies

Urbanik, M., Gräve, R., Klein, U. 152, 291

Age determination of extragalactic H II regions

Copetti, M.V.F., Pastoriza, M.G., Dottori, H.A. 152, 427

An apparent increase of the Hubble constant with velocities of the determining galaxies

Giraud, E. 153, 125

The "thick" radio disk of NGC 4565 Broeils, A.H., Sancisi, R. 153, 281

Galaxies: stellar content of

Wolf-Rayet stars in "lazy" galaxies: a statistical approach Kunth, D., Joubert, M. 142, 411

The ultraviolet spectra of normal elliptical galaxies: a population synthesis approach

Nesci, R., Perola, G.C. 145, 296

Star formation and chemical abundances in the blue compact galaxy ESO 338-IG04

Bergvall, N. 146, 269

The optical detection of very low surface brightness regions *Phillipps, S., Disney, M.J.* 148, 234

The active centre of the galaxy merger ESO 148-IG02

Bergvall, N., Johansson, L. 149, 475

Color-magnitude diagrams for the clusters and the field of the Fornax dwarf spheroidal galaxy

Buonanno, R., Corsi, C.E., Fusi Pecci, F., Hardy, E., Zinn, R. 152, 65

The 30 Doradus nebula. I. Spectral classification of $69 \, \mathrm{stars}$ in the central cluster

Melnick, J. 153, 235

Galaxies: structure of

H1 synthesis observations of the peculiar galaxy NGC 3718 and its companion NGC 3729

Schwarz, U.J. 142, 273

Optical spectroscopy of the oval distortion in NGC 4151 Schulz, H. 143, 29

Anisotropic models of elliptical galaxies. II. The case of flattened isophotes

Bacon, R. 143, 84

Beams in head-tail galaxies

Baan, W.A., McKee, M.R. 143, 136

The flattening distribution of lenticular galaxies De Souza, R.E., Vettolani, G., Chincarini, G. 143, 143

Distribution and motions of atomic hydrogen in lenticular galaxies. IV. A ring of H1 around NGC 4262

Krumm, N., van Driel, W., van Woerden, H. 144, 202

Erratum: Some evolutionary consequences of shock-induced star formation

Nepveu, M., Robnik, M. 145, 482

Near-infrared mapping of spiral galaxies. I. The Sb galaxy NGC 2841: annular structure in the young disc component

Prieto, M., Battaner, E., Sanchez, C., Beckman, J. 146, 297

Morphology of spiral galaxies. I. General properties

Grosbøl, P.J. 147, 188; 60, 261

Hydrodynamics of a highly flattened galaxy, based on the collisionless Boltzmann equation

Aoki, S. 148, 1

The optical detection of very low surface brightness regions *Phillipps, S., Disney, M.J.* **148**, 234

H I-observations of isolated spiral galaxies Huchtmeier, W.K., Richter, O.-G. 149, 118

Inner rings of barred spiral galaxies Oldershaw, R.L. 149, 221

Entropy and angular momentum transport in spiral density waves

Kegel, W.H. 149, 315

Structure of SO galaxies in the central regions of the Fornax cluster

de Carvalho, R.R., da Costa, L.N., Pellegrini, P.S. 149, 449 Are galaxy diameters dependent on their environment?

Bosma, A. 149, 482

Numerical study of complex instability. II. Barred galaxy bulges Pfenniger, D. 150, 112

Stochastic stellar orbits in perturbed integrable galaxy potentials Gerhard, O.E. 151, 279

Comparison between *UBV*- and *RGU*-photometrically determined density functions for the photometric disk and halo and between the corresponding mean isodensity behaviour in the halo close to the galactic north-pole (SA 57)

Fenkart, R., Esin-Yilmaz, F. 152, 443; 62, 39

A search for environmental effects on the optical properties of galaxies in groups

Giuricin, G., Mardirossian, F., Mezzetti, M. 152, 445; 62, 157 The nature of Hoag's object: the perfect ringed galaxy

Brosch, N. 153, 199

Galaxy (the): bulge of

The Basel high-latitude survey of the Galaxy. I. Star count analysis from galaxy models

Buser, R., Kaeser, U. 145, 1

Discovery of carbon stars in the galactic bulge

Azzopardi, M., Lequeux, J., Rebeirot, E. 145, L4 Stars in the bulge of our galaxy detected by IRAS

Habing, H.J., Olnon, F.M., Chester, T., Gillet, F., Rowan-Robinson, M., Neugebauer, G. 152, L1

Galaxy (the): center of

Associations between neutral and ionized gas in Sgr A Liszt, H.S., Burton, W.B., van der Hulst, J.M. 142, 237

A high resolution HI absorption spectrum of Sgr A

Liszt, H.S., Burton, W.B., van der Hulst, J.M. 142, 245
Temperature determinations in molecular clouds of the galactic center

Güsten, R., Walmsley, C.M., Ungerechts, H., Churchwell, E. 142, 381

The gamma-ray deficit toward the galactic center

Blitz, L., Bloemen, J.B.G.M., Hermsen, W., Bania, T.M. 143, 267

Observational search for polarized emission from space vehicles/ communication relays near the galactic centre

Vallée, J.P., Simard-Normandin, M. 143, 274

Constraints on the sites of nitrogen nucleosynthesis from $^{15}{\rm NH_{3^{-}}}$ observations

Güsten, R., Ungerechts, H. 145, 241

Distribution of HCO⁺ (J=3-2) in the inner 5 pc of the Galaxy Sandqvist, A., Wootten, A., Loren, R.B. 152, L25

Galaxy (the): corona of

The nature of the IGM

Kundt, W., Krause, M. 142, 150

Parametrization of the flow of halo high-velocity clouds Kaelble, A., de Boer, K.S., Grewing, M. 143, 408

High resolution observations of interstellar Na I absorption towards Large Magellanic Cloud stars. I. R 116, R 127 and R 128 with the ESO Coudé Echelle Spectrometer

Ferlet, R., Dennefeld, M., Maurice, E. 152, 151

Radio structure of the Galaxy: thick disk and thin disk at 408 MHz

Beuermann, K., Kanbach, G., Berkhuijsen, E.M. 153, 17

Galaxy (the): disk of

The Basel high-latitude survey of the Galaxy. I. Star count analysis from galaxy models

Buser, R., Kaeser, U. 145, 1

Effects of encounters between disk stars and a Galactic-halo population of heavy objects

Ipser, J.R., Semenzato, R. 149, 408

Valinhos 2.2 micron survey of the southern galactic plane. Positions and infrared photometry of 338 sources

Epchtein, N., Matsuura, O.T., Braz, M.A., Lépine, J.R.D., Picazzio, E., Marques Dos Santos, P., Boscolo, P., Le Bertre, T., Roussel, A. 149, 489; 61, 203

High resolution observations of interstellar Na I absorption towards Large Magellanic Cloud stars. I. R 116, R 127 and R 128 with the ESO Coudé Echelle Spectrometer

Ferlet, R., Dennefeld, M., Maurice, E. 152, 151

Radio structure of the Galaxy: thick disk and thin disk at 408 MHz

Beuermann, K., Kanbach, G., Berkhuijsen, E.M. 153, 17 Leiden-Green Bank survey of atomic hydrogen in the galactic disk. I. l,v and b,v maps

Burton, W.B. 153, 285; 62, 365

Leiden-Green Bank survey of atomic hydrogen in the galactic disk. II. Integrated properties in *l,b* maps

Burton, W.B., te Lintel Hekkert, P. 153, 285; 62, 643

Galaxy (the): evolution of

Carbon deflagrating supernovae and the chemical history of the solar neighbourhood

Matteucci, F., Tornambé, A. 142, 13

[12C]/[13C] ratios from formaldehyde in the inner galactic disk Henkel, C., Güsten, R., Gardner, F.F. 143, 148

Analysis of three field halo stars and the chemical evolution of the Galaxy

Barbuy, B., Spite, F., Spite, M. 144, 343

Constraints on the sites of nitrogen nucleosynthesis from $^{15}{\rm NH_{3^{-}}}$ observations

Güsten, R., Ungerechts, H. 145, 241

Metallicities and distances of galactic clusters as determined from UBV-data. III. Ages and abundance gradients of open clusters Cameron, L.M. 147, 47

Deep photometry of globular clusters. V. Age derivations and their implications for galactic evolution

Gratton, R.G. 147, 169

Effects of nuclear uncertainties and chemical evolution on the standard big bang nucleosynthesis

Delbourgo-Salvador, P., Gry, C., Malinie, G., Audouze, J. 150, 53

Mass limit for e-capture supernovae and chemical evolution of galaxies

Tornambé, A., Matteucci, F. 151, 447

Stars in the bulge of our galaxy detected by IRAS

Habing, H.J., Olnon, F.M., Chester, T., Gillet, F., Rowan-Robinson, M., Neugebauer, G. 152, L1

Galaxy (the): general

The Milky Way in the ultraviolet spectral region

Winkler, C., Pfleiderer, J., Schmidt-Kaler, T. 142, 218; 58,

The Basel high-latitude survey of the Galaxy. I. Star count analysis from galaxy models

Buser, R., Kaeser, U. 145, 1

Observations of carbon monoxide toward VLA H1 absorption sources

Despois, D., Baudry, A. 148, 83

Stars in the bulge of our galaxy detected by IRAS

Habing, H.J., Olnon, F.M., Chester, T., Gillet, F., Rowan-Robinson, M., Neugebauer, G. 152, L1

Galaxy (the): halo of; see also Galaxy (the): corona of

The nature of the IGM

Kundt, W., Krause, M. 142, 150

Parametrization of the flow of halo high-velocity clouds Kaelble, A., de Boer, K.S., Grewing, M. 143, 408

The Basel high-latitude survey of the Galaxy. I. Star count analysis from galaxy models

Buser, R., Kaeser, U. 145, 1

M62: an RR Lyrae-rich, UV-bright galactic globular cluster Caloi, V., Castellani, V., Tarenghi, M. 145, 286

Four-colour and H β photometry of blue stars selected from a balloon-ultraviolet survey and other sources

Tobin, W. 147, 337; 60, 459

Effects of encounters between disk stars and a Galactic-halo population of heavy objects

Ipser, J.R., Semenzato, R. 149, 408

A search for faint blue stars in high galactic latitudes. IV. Star and quasar distribution as a function of the magnitude in the PHL and PB surveys near the South Galactic Pole

Berger, J., Fringant, A.-M. 149, 489; 61, 191

Galaxy (the): kinematics and dynamics of

The velocity-age relation for B and A stars Palouš, J., Piskunov, A.E. 143, 102

Radial velocities of southern stars obtained with the photoelectric scanner CORAVEL. III. 790 late-type bright stars

Andersen, J., Nordström, B., Ardeberg, A., Benz, W., Imbert, M., Lindgren, H., Martin, N., Maurice, E., Mayor, M., Prévot, L. 143, 245; 59, 15

Anomalous motions of HI clouds

Bash, F.N., Leisawitz, D. 145, 127

Radial velocities of bright southern stars. IV. 551 A- and F-type HR and FK stars

Nordström, B., Andersen, J. 148, 448; 61, 53

Effects of encounters between disk stars and a Galactic-halo population of heavy objects

Ipser, J.R., Semenzato, R. 149, 408

Spiral structure of molecular clouds in response to bar forcing: a particle simulation

Combes, F., Gerin, M. 150, 327

High order hydrodynamical equations

Sala, F., Torra, J., Cortés, P. 152, 448; 62, 321

Radial velocities of bright southern stars. V. 146 Population II F stars and related stars

Andersen, J., Nordström, B. 152, 448; 62, 355

Leiden-Green Bank survey of atomic hydrogen in the galactic disk. I. l,v and b,v maps

Burton, W.B. 153, 285; 62, 365

Leiden-Green Bank survey of atomic hydrogen in the galactic disk. II. Integrated properties in l,b maps

Burton, W.B., te Lintel Hekkert, P. 153, 285; 62, 643

Galaxy (the): solar neighbourhood

The velocity-age relation for B and A stars Palouš, J., Piskunov, A.E. 143, 102

Warm dust in the neutral interstellar medium

Boulanger, F., Baud, B., van Albada, G.D. 144, L9

The distribution of the local interstellar medium derived from MgII column densities towards seven cool stars

Vladilo, G., Beckman, J.E., Crivellari, L., Franco, M.L., Molaro, P. 144, 81

Gamma-ray emission from atomic and molecular gas at intermediate galactic latitudes

Strong, A.W. 145, 81

Velocity ellipses in the galactic plane : regional variations and spectral distributions

Menge de Freitas, S. 145, 484; 60, 63

Metallicities and distances of galactic clusters as determined from UBV-data. III. Ages and abundance gradients of open clusters Cameron, L.M. 147, 47

On cloud shadows in wide beam scans of the diffuse soft X-ray sky

Knude, J. 147, 155

Radial velocities of bright southern stars. IV. 551 A- and F-type HR and FK stars

Nordström, B., Andersen, J. 148, 448; 61, 53

Photoelectric photometry of stars near the North Galactic Pole.

Oja, T. 149, 492; 61, 331

¹³CO observations of cool giant molecular clouds

Pérault, M., Falgarone, E., Puget, J.L. 152, 371

Distances, reddenings and distribution of emission B-stars in the galactic centre region $|I| \le 45^{\circ}$

Kozok, J.R. 152, 442; 62, 7

Radial velocities of bright southern stars. V. 146 Population II F stars and related stars

Andersen, J., Nordström, B. 152, 448; 62, 355

Galaxy (the): stellar content of

The Basel high-latitude survey of the Galaxy. I. Star count analysis from galaxy models

Buser, R., Kaeser, U. 145, 1

Distribution of stellar radiation in the Galaxy

Oda, N. 145, 45

The local system of early type stars. Spatial extent and kinematics

Westin, T.N.G. 145, 485; 60, 99

Photographic *UBV* photometry of a field in Puppis at (l,b)= $(253^{\circ}, -7^{\circ})$

Cameron Reed, B. 152, 443; 62, 49

Galaxy (the): structure of

The galactic plane: A source of 1000 GeV gamma rays

Dowthwaite, J.C., Harrison, A.B., Kirkman, I.W., Macrae, H.J., Orford, K.J., Turver, K.E., Walmsley, M. 142, 55

Survey of the 21 cm line of neutral hydrogen in the Cas-Per region $120^{\circ} \le l \le 142^{\circ}$ and $-5^{\circ} \le b \le +5^{\circ}$ with the 100 m telescope at Effelsberg

Braunsfurth, E., Reif, K. 142, 215; 58, 503

The Milky Way in the ultraviolet spectral region

Winkler, C., Pfleiderer, J., Schmidt-Kaler, T. 142, 218; 58, 705

RGU three-colour photometry of a starfield in anticentre-direction (A 6)

Fenkart, R.P., Topaktas, L., Kandemir, G., Boydağ, S. 143, 246; 59, 73

Parametrization of the flow of halo high-velocity clouds Kaelble, A., de Boer, K.S., Grewing, M. 143, 408

Far-infrared survey of the galactic disc. II. The sources

Caux, E., Puget, J.L., Serra, G., Gispert, R., Ryter, C. 144, 37 Field giants: selection efficiency from photometry and metallicity gradient in the galactic bulge

Spaenhauer, A.M., Thevenin, F. 144, 327

The Basel high-latitude survey of the Galaxy. I. Star count analysis from galaxy models

Buser, R., Kaeser, U. 145, 1

Anomalous motions of HI clouds

Bash, F.N., Leisawitz, D. 145, 127

RGU-photometry of a starfield in the direction to Scutum (S1') Karaali, S., Becker, W., Fenkart, R.P. 145, 484; 60, 75

The local system of early type stars. Spatial extent and kinematics

Westin, T.N.G. 145, 485; 60, 99

Metallicities and distances of galactic clusters as determined from UBV-data. III. Ages and abundance gradients of open clusters Cameron, L.M. 147, 47

Galactic structure photoelectric standards

Stobie, R.S., Gilmore, G., Reid, N. 147, 338; 60, 495

CCD stellar sequences in galactic structure fields Stobie, R.S., Sagar, R., Gilmore, G. 147, 338; 60, 503

Molecular clouds in the Perseus arm

Wouterloot, J.G.A., Habing, H.J. 151, 297

|Z| distribution and age of pulsars

Huang, K.L., Huang, J.H., Peng, Q.H. 152, 89

Photographic *UBV* photometry of a field in Puppis at (l,b)= $(253^{\circ}, -7^{\circ})$

Cameron Reed, B. 152, 443; 62, 49

A 2.3 GHz radio continuum map of the southern sky Jonas, J.L., de Jager, G., Baart, E.E. 152, 444; 62, 105

Radio structure of the Galaxy: thick disk and thin disk at 408 MHz

Beuermann, K., Kanbach, G., Berkhuijsen, E.M. 153, 17

Gamma rays: bursts

A viable mechanism to establish relativistic thermal particle distribution functions in cosmic sources

Schlickeiser, R. 143, 431

The optical content of the 1979 April 6 gamma ray burst error

Motch, C., Pedersen, H., Ilovaisky, S.A., Chevalier, C., Hurley, K., Pizzichini, G. 145, 201

Thermonuclear reactions in cool accreting neutron stars and burst phenomena

Miyaji, S., Nomoto, K. 152, 33

Archival searches for optical counterparts to gamma ray bursters

Atteia, J.-L., Barat, C., Hurley, K., Niel, M., Vedrenne, G., Wenzel, W., Fenimore, E.E., Klebesadel, R., Laros, J., Cline, T., Desai, U., Kuznetsov, A., Zenchenko, V. 152, 174

Gamma rays: general

The galactic plane: A source of 1000 GeV gamma rays

Dowthwaite, J.C., Harrison, A.B., Kirkman, I.W., Macrae,

H.J., Orford, K.J., Turver, K.E., Walmsley, M. 142, 55

High energy X-ray observations of COS-B gamma-ray sources from OSO-8

Dolan, J.F., Caraveo, P.A., Crannell, C.J., Dennis, B.R., Frost, K.J., Orwig, L.E. 143, 1

The gamma-ray deficit toward the galactic center

Blitz, L., Bloemen, J.B.G.M., Hermsen, W., Bania, T.M. 143, 267

Limits on parallax and proper motion of an optical counterpart of Geminga

Sol, H., Tarenghi, M., Vanderriest, C., Vigroux, L., Lelièvre, G. 144, 109

Radiative formation of positronium in a vacuum

Erdas, A., Mezzorani, G., Quarati, P., Puddu, G. 144, 295

Gamma-ray emission from atomic and molecular gas at intermediate galactic latitudes

Strong, A.W. 145, 81

The interstellar radiation field and the production of inverse-Compton gamma rays in the Galaxy

Bloemen, J.B.G.M. 145, 391

COS-B gamma-ray sources and interstellar gas in the first galactic quadrant.

Pollock, A.M.T., Bennett, K., Bignami, G.F., Bloemen, J.B.G.M., Buccheri, R., Caraveo, P.A., Hermsen, W., Kanbach, G., Lebrun, F., Mayer-Hasselwander, H.A., Strong, A.W. 146, 352

Antiprotons from thick cosmic-ray sources

Lagage, P.O., Cesarsky, C.J. 147, 127

Data analysis in gamma-ray astronomy: multivariate likelihood method for correlation studies

Strong, A.W. 150, 273

SS 433 revisited

Kundt, W. 150, 276

The probable identification of two COS-B γ-ray sources with molecular clouds compressed by supernova remnants Pollock, A.M.T. 150, 339

4U 0115+63: an energetic gamma ray binary pulsar

Chadwick, P.M., Dowthwaite, J.C., Harrison, A.B., Kirkman, I.W., McComb, T.J.L., Orford, K.J., Turver, K.E. 151, L1

Relativistic photon-Maxwellian electron cross sections Wienke, B.R. 152, 336

Radio measurements in the fields of γ -ray sources. II. Anticenter sources 2CG218-00, 2CG135+01, 2CG121+04, and 2CG095+04

Özel, M.E., Schlickeiser, R., Sieber, W. 152, 393

Gas dynamics; see Hydrodynamics and hydromagnetics

Grains; see Interstellar medium: dust; Interplanetary medium

Gravitation

Black holes or compact stars?

Harpaz, A., Rosen, N. 143, L5

Relations for a Kaluza-Klein cosmology with variable rest mass Wesson, P.S. 143, 233

A new formulation of gravitational lens theory, time-delay, and Fermat's principle

Schneider, P. 143, 413

Mutual coherence of gravitationally lensed images Schneider, P., Schmid-Burgk, J. 148, 369

The multiple QSO PG1115+08: A fifth component? Foy, R., Bonneau, D., Blazit, A. 149, L13

Gravitational amplification of light: general solution in the vacuole model

Hammer, F. 152, 262

Herbig-Haro objects

Herbig-Haro objects and FU Orionis eruptions. The case of HH 57

Reipurth, B. 143, 435

Two-dimensional models of stellar wind bubbles. II. Variable mass-loss rates and the possibility of outer-shell fragmentation in relation to the origin of interstellar bullets

Ròżyczka, M., Tenorio-Tagle, G. 147, 202

Two-dimensional models of stellar wind bubbles. III. Self-confining flows in media with strong density gradients

Ròżyczka, M., Tenorio-Tagle, G. 147, 209

Two-dimensional models of stellar wind bubbles, IV. Properties of bow shocks around dense clumps in free wind regions Ròżyczka, M., Tenorio-Tagle, G. 147, 220

Small nebulae and Herbig-Haro Objects. II. The Orion region Reipurth, Bo 149, 492; 61, 319

The shock region around the T Tauri star V 571 Orionis Reipurth, B., Sandell, G. 150, 307

HII regions; see Interstellar medium: HII regions

Hydrodynamics

The number of critical points in polytropic accretion onto black holes

Chang, K.M. 142, 212

Fission sequences of self-gravitating and rotating fluid with internal motion

Eriguchi, Y., Hachisu, I. 142, 256

Effects of CO molecules on the outer solar atmosphere: a time-dependent approach

Muchmore, D., Ulmschneider, P. 142, 393

Numerical models of planetary nebulae evolution

Okorokov, V.A., Shustov, B.M., Tutukov, A.V., Yorke, H.W. 142, 441

Application of a new gasdynamics code to gas flow problems in disk galaxies

van Albada, G.D. 142, 491

Two-dimensional models of stellar wind bubbles. I. Numerical methods and their application to the investigation of outer shell instabilities

Różyczka, M. 143, 59

Beams in head-tail galaxies

Baan, W.A., McKee, M.R. 143, 136

Equilibrium structures of rotating isothermal gas clouds. I Hachisu, I., Eriguchi, Y. 143, 355

Distant encounters between disk galaxies and the origin of S0 spirals

Icke, V. 144, 115

Non-spherical supernova remnants. II. The interaction of remnants with molecular clouds

Tenorio-Tagle, G., Bodenheimer, P., Yorke, H.W. 145, 70 Gas dynamics in the impulsive phase of solar flares. III. Energy transport in a flaring loop

Nagai, F., Jordan, C. 146, 25

A general computational method for obtaining equilibria of selfgravitating and rotating gases

Eriguchi, Y., Müller, E. 146, 260

Two-dimensional models of stellar wind bubbles. II. Variable mass-loss rates and the possibility of outer-shell fragmentation in relation to the origin of interstellar bullets

Ròżyczka, M., Tenorio-Tagle, G. 147, 202

Two-dimensional models of stellar wind bubbles. III. Self-confining flows in media with strong density gradients

Ròżyczka, M., Tenorio-Tagle, G. 147, 209

Two-dimensional models of stellar wind bubbles. IV. Properties of bow shocks around dense clumps in free wind regions

Ròżyczka, M., Tenorio-Tagle, G. 147, 220

A radiation driven stellar wind model atmosphere for the Wolf-Rayet binary V 444 Cygni

Pauldrach, A., Puls, J., Hummer, D.G., Kudritzki, R.P. 148, L1

Hydrodynamics of a highly flattened galaxy, based on the collisionless Boltzmann equation

Aoki, S. 148, 1

The Cygnus loop: A supernova breaking out of a molecular cloud?

Tenorio-Tagle, G., Rózyczka, M., Yorke, H.W. 148, 52

Acoustic waves in the solar atmosphere. VII. Non-grey, non-LTE \mathbf{H}^- models

Schmitz, F., Ulmschneider, P., Kalkofen, W. 148, 217

Maclaurin hamburger sequence

Eriguchi, Y., Hachisu, I. 148, 289

Eccentric disks in binary systems. I. The stability Hensler, G. 148, 423

A refined particle method for astrophysical problems

Monaghan, J.J., Lattanzio, J.C. 149, 135
Second-order calculation of entropy changes induced by spiral density waves in galaxies

Fuchs, B. 149, 321

Turbulence in clusters of galaxies

Nepveu, M. 149, 459

More on momentum deposition by electron beams in solar flares

Reale, F., Peres, G., Serio, S. 152, L5

Condensation of ice particles in the vicinity of a cometary nucleus

Yamamoto, T., Ashihara, O. 152, L17

Fluid satellite

Hachisu, I., Eriguchi, Y. 152, 51

Hydromagnetics

Star Formation and the galactic magnetic field. The B- ϱ relation, flux freezing, and magnetic braking

Mouschovias, T.C. 142, 41

Magnetized viscous jets

Nepveu, M. 142, 375

Quasi-static evolution of sheared force-free fields and the solar flare problem

Aly, J.J. 143, 19

Convective instability in a solar flux tube. II. Nonlinear calculations with horizontal radiative heat transport and finite viscosity *Hasan, S.S.* 143, 39

The scaling of the shear stress in an accretion disk

Burm, H. 143, 389

Magnetic vortex tubes, jets and nonthermal sources Browne, P.F. 144, 298

Magnetohydrostatics in the polar caps of accreting magnetized white dwarfs

Hameury, J.M., Lasota, J.P. 145, L10

Propagation of nonlinear, radiatively damped longitudinal waves along magnetic flux tubes in the solar atmosphere

Herbold, G., Ulmschneider, P., Spruit, H.C., Rosner, R. 145, 157

Erratum: Acoustic waves in early-type stars. I. An efficient method for the computation of thermodynamic quantities in time-dependent stellar atmosphere calculation

Wolf, B.E. 145, 278

Turbulence and angular momentum in extragalactic radio jets. I. Linear stability analysis

Londrillo, P. 145, 353

Hydrodynamics of a highly flattened galaxy, based on the collisionless Boltzmann equation

Aoki, S. 148, 1

Relativistic short wavelength instabilities in astrophysical jets. I. Fluidodynamical case

Zaninetti, L. 148, 79

Buoyant magnetic flux tubes. II. Three-dimensional behaviour in granules and supergranules

Schmidt, H.U., Simon, G.W., Weiss, N.O. 148, 191

Magnetic field distribution in spiral galaxies

Ruzmaikin, A.A., Sokoloff, D.D., Shukurov, A.M. 148, 335

Axisymmetric force-free stellar magnetospheres

Goossens, M., Hereygers, G. 149, 253

Basic geometrical properties of the velocity and magnetic field in sunspots

Berton, R. 149, 291

Stellar evolution with turbulent diffusion mixing. V. Lithium abundance on the lower main sequence

Baglin, A., Morel, P.J., Schatzman, E. 149, 309

The character of the normal mode equations for rotating perfect fluids

Balbinski, E. 149, 487

The continuous spectrum of an axisymmetric self-gravitating and static equilibrium with a mixed poloidal and toroidal magnetic field

Poedts, S., Hermans, D., Goossens, M. 151, 16

Heating of solar magnetic elements by downflows

Hasan, S.S., Schüssler, M. 151, 69

Cosmic gas dynamics. I. Basic equations and the dynamics of hot interstellar matter

Schlickeiser, R., Lerche, I. 151, 151

"Propeller" action by rotating neutron stars

Wang, Y.-M., Robertson, J.A. 151, 361

Magnetic stellar winds: a 2-D generalization of the Weber-Davis model

Sakurai, T. 152, 121

Solar X-ray spectrum simulations for flaring loop models with emphasis on transient ionization effects during the impulsive

Mewe, R., Lemen, J.R., Peres, G., Schrijver, J., Serio, S. 152, 229

Dynamics of solar filaments. IV. Structure and mass flow of an active region filament

Schmieder, B., Malherbe, J.M., Poland, A.I., Simon, G. 153, 64

Image processing

A high accuracy algorithm for maximum entropy image restoration in the case of small data sets

Wilczek, R., Drapatz, S. 142, 9

Observations of selected sources in the 2 cm line of H₂CO

Martin-Pintado, J., Wilson, T.L., Gardner, F.F., Henkel, C.

142 131

A simple maximum entropy deconvolution algorithm Cornwell, T.J., Evans, K.F. 143, 77

A solution to the short spacing problem in radio interferometry Braun, R., Walterbos, R.A.M. 143, 307

The International Ultraviolet Explorer (IUE) point spread function at low resolution

Cassatella, A., Barbero, J., Benvenuti, P. 144, 335

General structure of regularization procedures in image reconstruction

Titterington, D.M. 144, 381

Surface photometry from the ESO/SRC atlas Schindler, R., Isserstedt, J. 145, 281; 59, 497

Multiplex imagery of the infrared core of Eta Carinae

Bensammar, S., Letourneur, N., Perrier, F., Friedjung, M., Viotti, R. 146, L1

Stellar populations in a faint star field in the Large Magellanic Cloud

Ardeberg, A., Linde, P., Lindgren, H., Lyngå, G. 148, 263

Infrared multiplex diameters of the inner part of VY CMa Bensammar, S., Friedjung, M., Letourneur, N., Perrier, F. 149,

The numerical inversion of synchrotron spectra and the Crab nebula as a synchrotron source

Craig, I.J.D., McClements, K.G., Thompson, A.M., Brown, J.C. 149, 171

CTB80: probable changes in the central nebulosity, 1953–1981 Strom, R.G., Blair, W.P. 149, 259

The speckle masking transfer function von der Lühe, O. 150, 229

Optical and radio imaging of the supernova remnant VRO $42.05.01 (G\ 166.0+4.3)$

Pineault, S., Pritchet, C.J., Landecker, T.L., Routledge, D., Vaneldik, J.F. 151, 52

Surface photometry of galaxies extended to z = 0.59

Johansen, K.T., Florentin-Nielsen, R., Teuber, J. 152, L21

Stellar diameter measurements with optical interferometer at CERGA. Recent developments and results (Text in French) Koechlin, L., Rabbia, Y. 153, 91

Some clues to Hubble Space Telescope image analysis

Bendinelli, O., Di Iorio, A., Parmeggiani, G., Zavatti, F. 153,
265

Speckle interferometry of T Tauri stars and related objects Baier, G., Bastian, U., Keller, E., Mundt, R., Weigelt, G. 153, 278

Infrared radiation

Contribution of large polycyclic aromatic molecules to the infrared emission of the interstellar medium

Puget, J.L., Léger, A., Boulanger, F. 142, L19

Radio source counts below 100 $\mu\mathrm{Jy}$ predicted from IRAS 60 μ counts

Biermann, P., Eckart, A., Witzel, A. 142, L23

Comment on the IRAS infrared spectrum of Zeta Puppis (O4 If) Wolfire, M.G., Waldron, W.L., Cassinelli, J.P. 142, L25

Infrared variability of the reflection nebulosity around RS Puppis

Mayes, A.J., Evans, A., Bode, M.F. 142, 48

Time-variable, excess radio emission from Cyg OB2 No. 5

Persi, P., Ferrari-Toniolo, M., Tapia, M., Roth, M., Rodríguez,
L.F. 142, 263

Highly ionized neon in the planetary nebula NGC 6302

Pottasch, S.R., Preite-Martinez, A., Olnon, F.M., Raimond, E.,
Beintema, D.A., Habing, H.J. 143, L11

The stellar content of the A 496 cD galaxy Valentijn, E.A., Moorwood, A.F.M. 143, 46

Galactic dust: infrared spectrum and temperature distribution of the different components

de Muizon, M., Rouan, D. 143, 160

Erratum: One-millimeter continuum observations of IRAS and FIRSSE sources

Chini, R., Mezger, P.G., Kreysa, E., Gemünd, H.-P. 143, 244 Infrared emission from dust in the Seyfert galaxy NGC 4151 Mayes, A.J., Pearce, G., Evans, A. 143, 327

Warm dust in the neutral interstellar medium

Boulanger, F., Baud, B., van Albada, G.D. 144, L9

Far-infrared survey of the galactic disc. II. The sources

Caux, E., Puget, J.L., Serra, G., Gispert, R., Ryter, C. 144, 37 Early-type stars in OB associations in the infrared. II. A discussion of density and temperature distributions in stellar winds Bertout, C., Leitherer, C., Stahl, O., Wolf, B. 144, 87

An infrared study of the giant H II region NGC 3603

Persi, P., Tapia, M., Roth, M., Ferrari-Toniolo, M. 144, 275 The RS CVn-type binary SV Camelopardalis: evidence of dark spots from UBV observations and IR fluxes

Cellino, A., Scaltriti, F., Busso, M. 144, 315

A classification of miras from their visual and near-infrared light curves: an attempt to correlate them with their evolution

Mennessier, M.O. 144, 463

Comparison of optical appearance and infrared emission of some high latitude extended dust clouds

de Vries, C.P., Le Poole, R.S. 145, L7

IRAS observations of Sand.3 and M1-67: two new planetary nebulae with Wolf-Rayet nuclei

van der Hucht, K.A., Jurriens, T.A., Olnon, F.M., Thé, P.S., Wesselius, P.R., Williams, P.M. 145, L13

Distribution of stellar radiation in the Galaxy Oda, N. 145, 45

A search for H2 emission in bipolar nebulae and regions of inter-

Phillips, J.P., White, G.J., Harten, R. 145, 118

Laboratory identification of the emission features near 3.5 µm in the pre-main-sequence star HD 97048

van der Zwet, G.P., Allamandola, L.J., Baas, F., Greenberg, J.M. 145, 262

The circumstellar envelope of S 106-IRS 4

Felli, M., Simon, M., Fischer, J., Hamann, F. 145, 305

Multiplex imagery of the infrared core of Eta Carinae

Bensammar, S., Letourneur, N., Perrier, F., Friedjung, M., Viotti, R. 146, L1

New infrared absorption features due to solid phase molecules containing sulfur in W33A

Geballe, T.R., Baas, F., Greenberg, J.M., Schutte, W. 146, L6 The 14N/15N ratio in the Jovian atmosphere

Drossart, P., Encrenaz, T., Combes, M. 146, 181

Near-infrared mapping of spiral galaxies. I. The Sb galaxy NGC 2841: annular structure in the young disc component

Prieto, M., Battaner, E., Sanchez, C., Beckman, J. 146, 297 Infrared observations of a compact HII region in Monoceros (GGD 12-15)

Olofsson, G., Koornneef, J. 146, 337

Radio continuum and far-infrared emission from spiral galaxies: a close correlation

de Jong, T., Klein, U., Wielebinski, R., Wunderlich, E. 147, L6

The compact radio source near G357.7-0.1

Shaver, P.A., Pottasch, S.R., Salter, C.J., Patnaik, A.R., van Gorkom, J.H., Hunt, G.C. 147, L23

Erratum: Early-type stars in OB associations in the infrared. II. A discussion of density and temperature distributions in stellar

Bertout, C., Leitherer, C., Stahl, O., Wolf, B. 147, 186

Dynamics of the dust material surrounding Vega

Buitrago, J., Mediavilla, E. 148, L8

Properties of IRAS galaxies with $B_T^0 \lesssim 14.5$

Iyengar, K.V.K., Rengarajan, T.N., Verma, R.P. 148, 43

Infrared light curves of the contact binary 44 i Bootis and evidence for a new period change

Lunel, M., Bergeat, J., Garnier, R. 148, 447; 61, 27

An investigation of iron in the infrared solar spectrum based on FTS laboratory measurements

Biémont, E., Brault, J.W., Delbouille, L., Roland, G. 148, 449; 61, 107

Infrared multiplex diameters of the inner part of VY CMa Bensammar, S., Friedjung, M., Letourneur, N., Perrier, F. 149,

Detection of ¹³C¹²CH₂ on Jupiter at 13 μm

Drossart, P., Lacy, J., Serabyn, E., Tokunaga, A., Bézard, B., Encrenaz, T. 149, L10

Rotation-inversion transition of interstellar ammonia Zeng, Q. 149, 305

Near infrared and radio observations of active galactic nuclei Lépine, J.R.D., Braz, M.A., Epchtein, N. 149, 351

Valinhos 2.2 micron survey of the southern galactic plane. Positions and infrared photometry of 338 sources

Epchtein, N., Matsuura, O.T., Braz, M.A., Lépine, J.R.D., Picazzio, E., Marques Dos Santos, P., Boscolo, P., Le Bertre, T., Roussel, A. 149, 489; 61, 203

A warm dust cloud associated with α Cam

de Vries, C.P. 150, L15

Evaluation of the 1 µm-5 µm windows at observatory altitudes in the Canary Islands

Mountain, C.M., Leggett, S.K., Selby, M.J., Zadrozny, A. 150,

NGC 6611-W 409: a remarkable Be star with a strong variable near-infrared excess

Thé, P.S., Cuypers, H., Tjin A Djie, H.R.E., Feinstein, A., Westerlund, B.E. 150, 345

Possible parents for the cometary CN radical: photochemistry and excitation conditions

Bockelée-Morvan, D., Crovisier, J. 151, 90

The spectral energy distribution of stars above the ZAMS in the central part of the open cluster NGC 6383

Thé, P.S., Hageman, T., Westerlund, B.E., Tjin A Djie, H.R.E.

Measurement of the absolute flux from Vega at 4.92 µm Mountain, C.M., Leggett, S.K., Selby, M.J., Blackwell, D.E., Petford, A.D. 151, 399

A dust excess in Nova Cygni 1975?

Bode, M.F., Evans, A. 151, 452

Condensation of ice particles in the vicinity of a cometary nu-

Yamamoto, T., Ashihara, O. 152, L17

The star exciting the H_{II} region G 333.6-0.2 Natta, A., Oliva, E. 152, 300

IRAS and near-infrared observations of the Seyfert galaxies MCG 8-11-11, Mkn 79 and Mkn 279

Spinoglio, L., Persi, P., Ferrari-Toniolo, M., Giovannelli, F., Bassani, L., Di Cocco, G., Clement, R.M., Coe, M.J., Dean, A.J., Sembay, S., Roth, M., Tapia, M., Macdougall, J.R., Elsmore, B. 153, 55

The flux distribution of Vega for 10 μ m $\leq \lambda \leq$ 100 μ m, and the calibration of IRAS at 12 μ m and 25 μ m

Leggett, S.K. 153, 273

Instruments; see also: Interferometry; Radiotelescopes; Space vehicles

Comparative performances of an objective grating concept in UV spectroscopic observations of solar system objects. I. Imaging capabilities

Bruston, P., Choucq-Bruston, M. 142, 59

Calibration of the instrumental polarization of radio telescopes Turlo, Z., Forkert, T., Sieber, W., Wilson, W. 142, 181

Photometric calibrations of an MCP space qualified photographic-camera

Koutchmy, S., Verlhac, A. 142, 355

FODS: a system for faint object detection and classification in astronomy

Malagnini, M.L., Pasian, F., Pucillo, M., Santin, P. 144, 49
The International Ultraviolet Explorer (IUE) point spread function at low resolution

Cassatella, A., Barbero, J., Benvenuti, P. 144, 335

Laboratory photometry of asteroids and atmosphereless bodies. The S. A. M. apparatus

D'Ambrosio, V., Burchi, R., Di Paolantonio, A., Giuliani, C. 144, 427

Wide-field kinematic $H\alpha$ observations of the Milky Way with a scanning and imaging Fabry-Perot: preliminary results

Caplan, J., Perrin, J.-M., Sivan, J.-P. 145, 221

High dispersion spectroscopy trials using an echelle spectrograph with CCD camera

Bates, B., McKeith, C.D., Jorden, P.R., van Breda, I.G. 145, 321

The division corrections of a graduated circle. A comparison between Hog's, Benevides-Soares' and Boczko's methods Rapaport, M. 145, 377

Astrometric and photometric estimators for TYCHO photon counts

Yoshizawa, M., Andreasen, G.K., Hog, E. 147, 227

A simple method to calibrate intensities of photographic slit spectrograms

Vogt, N., Barrera, L.H. 148, 237

Double grating prisms: A novel device for measuring absolute radial velocities with slitless field spectrographs

Geyer, E.H., Nelles, B. 148, 312

The ESA photon counting detector: a scientific model for the Faint Object Camera

di Serego Alighieri, S., Perryman, M.A.C., Macchetto, F. 149, 179

The 4 m millimeter wave telescope at Nagoya

Kawabata, K., Ogawa, H., Fukui, Y., Takano, T., Fujimoto, Y., Kawabe, R., Sugitani, K., Takaba, H. **151**, 1

A monochromator for solar quantitative imagery: the instrument FPSS

Dollfus, A., Colson, F., Crussaire, D., Launay, F. 151, 235

Feasibility of adaptive telescope with laser probe

Foy, R., Labeyrie, A. 152, L29

Absolute H α and H β photometry of LMC H II regions Caplan, J., Deharveng, L. 152, 444; 62, 63

Spectroscopy to the atmospheric transmission limit with a coated GEC CCD

Cullum, M., Deiries, S., D'Odorico, S., Reiß, R. 153, L1

Measurements of distributed polarized radio sources from spinning spacecraft; effect of a tilted axial antenna. ISEE-3 application and results

Fainberg, J., Hoang, S., Manning, R. 153, 145

Some clues to Hubble Space Telescope image analysis

Bendinelli, O., Di Iorio, A., Parmeggiani, G., Zavatti, F. 153, 265

Interferometry

The quasars 1038+528 A and B

Marcaide, J.M., Shapiro, I.I., Corey B.E., Cotton, W.D., Gorenstein, M.V., Rogers A.E.E., Romney, J.D., Schild, R., Bååth, L., Bartel, N., Cohen, N.L., Clark, T.A., Preston, R.A., Ratner, M.I., Whitney, A.R. 142, 71

Observations of binary stars by speckle interferometry at the Pic du Midi T2m (Text in French)

Bonneau, D., Carquillat, J.M., Vidal, J.L. 142, 218; 58, 729

A simple maximum entropy deconvolution algorithm

Cornwell, T.J., Evans, K.F. 143, 77

Compact steep spectrum 3CR radio sources. VLBI observations at $18\ \mathrm{cm}$

Fanti, C., Fanti, R., Parma, P., Schilizzi, R.T., van Breugel, W.J.M. 143, 292

A solution to the short spacing problem in radio interferometry Braun, R., Walterbos, R.A.M. 143, 307

General structure of regularization procedures in image reconstruction

Titterington, D.M. 144, 381

Wide-field kinematic $H\alpha$ observations of the Milky Way with a scanning and imaging Fabry-Perot: preliminary results

Caplan, J., Perrin, J.-M., Sivan, J.-P. 145, 221

Observation of neutral hydrogen 21-cm absorption toward double sources

Crovisier, J., Dickey, J.M., Kazès, I. 146, 223

VLA continuum observations of compact H II regions Woodward, C.E., Helfer, H.L., Pipher, J.L. 147, 84

A radio continuum survey of Sbc spiral galaxies at 1.465 GHz Hummel, E., Pedlar, A., van der Hulst, J.M., Davies, R.D. 147, 189: 60. 293

Long baseline Michelson stellar interferometry in the near infrared

Di Benedetto, G.P. 148, 169

The large and small scale radio structure of 3 C 236

Barthel, P.D., Schilizzi, R.T., Miley, G.K., Jägers, W.J.,

Strom, R.G. 148, 243

Mutual coherence of gravitationally lensed images Schneider, P., Schmid-Burgk, J. 148, 369

Detection of ¹³C¹²CH₂ on Jupiter at 13 μm

Drossart, P., Lacy, J., Serabyn, E., Tokunaga, A., Bézard, B., Encrenaz, T. 149, L10

The multiple QSO PG1115+08: A fifth component? Foy, R., Bonneau, D., Blazit, A. 149, L13

R 136a in the 30 Doradus nebula resolved by holographic speckle interferometry

Weigelt, G., Baier, G. 150, L18

The speckle masking transfer function von der Lühe, O. 150, 229

Interferometric observations of double stars in 1983 and 1984 *Tokovinin, A.A.* **150**, 351; *61*, 483

Speckle interferometry of the central object in the giant $H\,\textsc{ii}$ region NGC 3603

Baier, G., Ladebeck, R., Weigelt, G. 151, 61

Two-epoch observations of the core radio structure in extended quasars

Barthel, P.D., Miley, G.K., Schilizzi, R.T., Preuss, E. 151, 131

Stellar diameter measurements with optical interferometer at CERGA. Recent developments and results (Text in French)

Koechlin, L., Rabbia, Y. 153, 91

Hydrogen cyanide in the bipolar source Cep A

Weliachew, L., Emerson, D.T., Forveille, T., Bieging, J.H., Wright, M.C.H., Ellder, J. 153, 139

High resolution maps of the ${}^2\Pi_{1/2} J = 1/2$ OH lines in W3 (OH)

Guilloteau, S., Baudry, A., Walmsley, C.M. 153, 179

Intergalactic medium

The nature of the IGM

Kundt, W., Krause, M. 142, 150

Extragalactic dust. I. NGC 7070 A

Brosch, N., Greenberg, J.M., Grosbøl, P.J. 143, 399

Iron abundance in galaxy clusters

Rothenflug, R., Arnaud, M. 144, 431

Constraints on the sites of nitrogen nucleosynthesis from $^{15}{\rm NH_{3^{-}}}$ observations

Güsten, R., Ungerechts, H. 145, 241

Polarization maps at 49 cm of 27 3C sources

Strom, R.G., Conway, R.G. 150, 352; 61, 537

Interstellar and intracluster tunnels: acceleration of cosmic rays above $10^{15} \, \text{eV}$

Ferrari, A., Masani, A. 152, 205

Interplanetary medium

Formation environment of cometary nuclei in the primordial solar nebula

Yamamoto, T. 142, 31

Alfvén wave dissipation in the solar wind

Dobrowolny, M., Torricelli-Ciamponi, G. 142, 404

The plane of symmetry of the zodiacal light and the structure of the Gegenschein (Text in German)

Winkler, C., Schmidt-Kaler, T., Schlosser, W. 143, 194

Measurements of the solar wind velocity with EISCAT

Bourgois, G., Coles, W.A., Daigne, G., Silen, J., Turunen, T., Williams, P.J. 144, 452

The fate of sunward streaming protons associated with coronal mass ejections

Simnett, G.M. 145, 139

Henyey-Greenstein representation of the mean volume scattering phase function for zodiacal dust

Hong, S.S. 146, 67

Solar wind momentum flux density: Pioneer 10 and Pioneer 11 observations

Klemens, Y. 148, L5

The effect of surface roughness on the spectral reflectance of dielectric particles. Application to the zodiacal light

Schiffer, R. 148, 347

Characteristics of the Local Interstellar Hydrogen determined from PROGNOZ 5 and 6 interplanetary Lyman α line profile measurements with a hydrogen absorption cell

Bertaux, J.L., Lallement, R., Kurt, V.G., Mironova, E.N. 150,

Interplanetary Lyman α spectral profiles and intensities for both repulsive and attractive solar force fields: predicted absorption pattern by a hydrogen cell

Lallement, R., Bertaux, J.L., Dalaudier, F. 150, 21

The visibility of type III radio bursts originating behind the Sun Dulk, G.A., Steinberg, J.L., Lecacheux, A., Hoang, S., MacDowall, R.J. 150, L28

Evidence of scattering effects on the sizes of interplanetary Type III radio bursts

Steinberg, J.L., Hoang, S., Dulk, G.A. 150, 205

Interplanetary scintillation and the structure of the solar wind transonic region

Lotova, N.A., Blums, D.F., Vladimirskii, K.V. 150, 266

Fundamental and harmonic emission in interplanetary Type II radio bursts

Lengyel-Frey, D., Stone, R.G., Bougeret, J.L. 151, 215

Stochastic diffusion of interplanetary dust grains orbiting under Poynting-Robertson forces

Wallis, M.K., Hassan, M.H.A. 151, 435

Some solar cycle phenomena related to the geomagnetic activity from 1868 to 1980. I. The shock events, or the interplanetary expansion of the toroidal field

Legrand, J.-P., Simon, P.A. 152, 199

Small grains from comets

Mukai, T. 153, 213

Interstellar medium: abundances

A new search for and discovery of deuterated ammonia in three molecular clouds

Olberg, M., Bester, M., Rau, G., Pauls, T., Winnewisser, G. 142, L1

A potential extraterrestrial species: the SH + molecular ion *Horani*, M., Rostas, J., Roueff, E. 142, 346

Wolf-Rayet stars in "lazy" galaxies: a statistical approach Kunth, D., Joubert, M. 142, 411

[12C]/[13C] ratios from formaldehyde in the inner galactic disk Henkel, C., Güsten, R., Gardner, F.F. 143, 148

Photoionization models for Liners: gas distribution and abundances

Binette, L. 143, 334

IDS and CCD study of the LMC excited blobs Heydari-Malayeri, M., Testor, G. 144, 98

Desorption from interstellar grains

Léger, A., Jura, M., Omont, A. 144, 147

Discovery of a very bright compact object N 88 A in the Small Magellanic Cloud

Testor, G., Pakull, M. 145, 170

Constraints on the sites of nitrogen nucleosynthesis from $^{15}\mathrm{NH_{3^{-}}}$ observations

Güsten, R., Ungerechts, H. 145, 241

Polycyclic aromatic hydrocarbons and the diffuse interstellar

van der Zwet, G.P., Allamandola, L.J. 146, 76

Formaldehyde observations of OMC-1

Henkel, C. 146, 168

Bastien, P., Batrla, W., Henkel, C., Pauls, T., Walmsley, C.M., Wilson, T.L. 146, 86

The Taurus dark cloud around the position of 3C 111: an optical and C ¹⁸O line study

Ungerer, V., Mauron, N., Brillet, J., Nguyen-Quang-Rieu 146,

¹⁵NH₃ in Orion-KL: The hot core is not so hot

Hermsen, W., Wilson, T.L., Walmsley, C.M., Batrla, W. 146, 134

Newly discovered sources of non-metastable ammonia Mauersberger, R., Wilson, T.L., Batrla, W., Walmsley, C.M., Observations of ortho- and para-thioformaldehyde

Gardner, F.F., Höglund, B., Shukre, C., Stark, A.A., Wilson, T.L. 146, 303

The abundance of oxygen in the interstellar medium Keenan, F.P., Hibbert, A., Dufton, P.L. 147, 89

The accuracy of molecular cloud abundances and isotopic ratios Stenholm, L.G. 149, 90

CIV and SiIV in the interstellar medium de Kool, M., de Jong, T. 149, 151

[H212CO]/[H213CO] ratios from molecular clouds near the galactic center

Güsten, R., Henkel, C., Batrla, W. 149, 195

Galactic electron temperature gradient from planetary nebulae Maciel, W.J., Faundez-Abans, M. 149, 365

Detection of extragalactic CS

Henkel, C., Bally, J. 150, L25

Molecular abundances in shocked diffuse clouds: results from time-dependent modelling and comparison with diffuse cloud abundances

Mitchell, G.F., Watt, G.D. 151, 121

High resolution observations of interstellar Na I absorption towards Large Magellanic Cloud stars. I. R 116, R 127 and R 128 with the ESO Coudé Echelle Spectrometer

Ferlet, R., Dennefeld, M., Maurice, E. 152, 151

On the effect of recent atomic parameter values in the Blue Compact Galaxies abundance

Zamorano, J., Rego, M. 152, 445; 62, 173

Interstellar medium: bubbles

Two-dimensional models of stellar wind bubbles. I. Numerical methods and their application to the investigation of outer shell instabilities

Różyczka, M. 143, 59

Cosmic ray propagation in the local superbubble

Streitmatter, R.E., Balasubrahmanyan, V.K., Protheroe, R.J., Ormes, J.F. 143, 249

Two-dimensional models of stellar wind bubbles. II. Variable mass-loss rates and the possibility of outer-shell fragmentation in relation to the origin of interstellar bullets

Ròżyczka, M., Tenorio-Tagle, G. 147, 202

Two-dimensional models of stellar wind bubbles. III. Self-confining flows in media with strong density gradients

Ròżyczka, M., Tenorio-Tagle, G. 147, 209

Two-dimensional models of stellar wind bubbles. IV. Properties of bow shocks around dense clumps in free wind regions Ròżyczka, M., Tenorio-Tagle, G. 147, 220

Buoyant magnetic flux tubes. II. Three-dimensional behaviour in granules and supergranules

Schmidt, H.U., Simon, G.W., Weiss, N.O. 148, 191

CIV and SiIV in the interstellar medium de Kool, M., de Jong, T. 149, 151

The Horseshoe nebula of the northern sky. The dark clouds of

Heske, A., Wendker, H.J. 149, 199

A warm dust cloud associated with α Cam de Vries, C.P. 150, L15

Optical and radio imaging of the supernova remnant VRO 42.05.01 (G 166.0+4.3)

Pineault, S., Pritchet, C.J., Landecker, T.L., Routledge, D., Vaneldik, J.F. 151, 52

Interstellar medium: clouds: general

Star Formation and the galactic magnetic field. The $B-\rho$ relation, flux freezing, and magnetic braking

Mouschovias, T.C. 142, 41

A model of clumped molecular clouds. I. Hydrostatic structure of dense cores

Falgarone, E., Puget, J.L. 142, 157

Associations between neutral and ionized gas in Sgr A Liszt, H.S., Burton, W.B., van der Hulst, J.M. 142, 237

A high resolution H I absorption spectrum of Sgr A Liszt, H.S., Burton, W.B., van der Hulst, J.M. 142, 245

Oscillations in star formation and contents of a molecular cloud

Bodifée, G., de Loore, C. 142, 297

CO (J=4-3) spectroscopy in M 17 SW and OMC 1 Schulz, A., Gillespie, A.R., Krügel, E. 142, 363

Temperature determinations in molecular clouds of the galactic

Güsten, R., Walmsley, C.M., Ungerechts, H., Churchwell, E. 142, 381

The gamma-ray deficit toward the galactic center

Blitz, L., Bloemen, J.B.G.M., Hermsen, W., Bania, T.M. 143,

Photoionization models for Liners: gas distribution and abundances

Binette, L. 143, 334

Equilibrium structures of rotating isothermal gas clouds. I Hachisu, I., Eriguchi, Y. 143, 355

Warm dust in the neutral interstellar medium

Boulanger, F., Baud, B., van Albada, G.D. 144, L9

On the interpretation of hyperfine-structure intensity anomalies in the NH₃ (J, K) = (1,1) inversion transition

Stutzki, J., Winnewisser, G. 144, 13

High resolution mapping of galactic HI in the direction of 3C147

Kalberla, P.M.W., Schwarz, U.J., Goss, W.M. 144, 27 Far-infrared survey of the galactic disc. II. The sources

Caux, E., Puget, J.L., Serra, G., Gispert, R., Ryter, C. 144, 37 Non-spherical supernova remnants. II. The interaction of remnants with molecular clouds

Tenorio-Tagle, G., Bodenheimer, P., Yorke, H.W. 145, 70 A search for H₂ emission in bipolar nebulae and regions of inter-

Phillips, J.P., White, G.J., Harten, R. 145, 118

Anomalous motions of HI clouds

Bash, F.N., Leisawitz, D. 145, 127

OH emission from Mira variables, infrared stars and molecular clouds

Slootmaker, A., Herman, J., Habing, H.J. 145, 281; 59, 465 A treatment of opacity suitable for media of low density and temperature. I

Capuzzo-Dolcetta, R., Di Fazio, A., Palla, F. 145, 290 Westerbork observations of 6 cm H₂CO in W 51 A

Arnal, E.M., Goss, W.M. 145, 369

Polycyclic aromatic hydrocarbons and the diffuse interstellar

van der Zwet, G.P., Allamandola, L.J. 146, 76

Newly discovered sources of non-metastable ammonia

Mauersberger, R., Wilson, T.L., Batrla, W., Walmsley, C.M., Henkel, C. 146, 168

Observation of neutral hydrogen 21-cm absorption toward dou-

Crovisier, J., Dickey, J.M., Kazès, I. 146, 223

Equilibrium structures of rotating isothermal gas clouds. II. Dependence on the angular momentum distribution

Hachisu, I., Eriguchi, Y. 147, 13

Detection of interstellar CCD

Combes, F., Boulanger, F., Encrenaz, P.J., Gerin, M., Bogey, M., Demuynck, C., Destombes, J.L. 147, L25

The Cygnus loop: A supernova breaking out of a molecular cloud?

Tenorio-Tagle, G., Rózyczka, M., Yorke, H.W. 148, 52

A critical discussion of the standard interpretation of NH_3 observations

Stutzki, J., Winnewisser, G. 148, 254

The accuracy of molecular cloud abundances and isotopic ratios Stenholm, L.G. 149, 90

H_I-observations of isolated spiral galaxies

Huchtmeier, W.K., Richter, O.-G. 149, 118

The Horseshoe nebula of the northern sky. The dark clouds of IC 1396

Heske, A., Wendker, H.J. 149, 199

21-cm absorption observations towards a cold diffuse cloud Crovisier, J., Dickey, J.M., Kazès, I. 149, 209

The Taurus-Auriga-Perseus complex of dark clouds. I. Density structure

Cernicharo, J., Bachiller, R., Duvert, G. 149, 273

Rotation-inversion transition of interstellar ammonia Zeng, Q. 149, 305

Characteristics of the Local Interstellar Hydrogen determined from PROGNOZ 5 and 6 interplanetary Lyman α line profile measurements with a hydrogen absorption cell

Bertaux, J.L., Lallement, R., Kurt, V.G., Mironova, E.N. 150,

Interplanetary Lyman α spectral profiles and intensities for both repulsive and attractive solar force fields: predicted absorption pattern by a hydrogen cell

Lallement, R., Bertaux, J.L., Dalaudier, F. 150, 21

Spiral structure of molecular clouds in response to bar forcing: a particle simulation

Combes, F., Gerin, M. 150, 327

The probable identification of two COS-B γ -ray sources with molecular clouds compressed by supernova remnants

Pollock, A.M.T. 150, 339

Molecular clouds in the Perseus arm

Wouterloot, J.G.A., Habing, H.J. 151, 297

CO in 30 Doradus

Melnick, J., Rubió, M. 151, 455

Distribution of HCO⁺ (J=3-2) in the inner 5 pc of the Galaxy Sandqvist, A., Wootten, A., Loren, R.B. 152, L25

¹³CO observations of cool giant molecular clouds Pérault, M., Falgarone, E., Puget, J.L. 152, 371

Spectroscopy to the atmospheric transmission limit with a coated GEC CCD

Cullum, M., Deiries, S., D'Odorico, S., Reiß, R. 153, L1

Interstellar medium: clouds: high velocity

Parametrization of the flow of halo high-velocity clouds Kaelble, A., de Boer, K.S., Grewing, M. 143, 408

High resolution observations of interstellar Na I absorption towards Large Magellanic Cloud stars. I. R 116, R 127 and R 128 with the ESO Coudé Echelle Spectrometer

Ferlet, R., Dennefeld, M., Maurice, E. 152, 151

HI-high velocity features in Draco and their X-ray counterparts Hirth, W., Mebold, U., Müller, P. 153, 249

Interstellar medium: clouds: individual

B5

The physical structure of the dark cloud B5 Stenholm, L.G. 144, 179

Cep A

Hydrogen cyanide in the bipolar source Cep A Weliachew, L., Emerson, D.T., Forveille, T., Bieging, J.H., Wright, M.C.H., Ellder, J. 153, 139

DR 21 (OH)

A new search for and discovery of deuterated ammonia in three molecular clouds

Olberg, M., Bester, M., Rau, G., Pauls, T., Winnewisser, G. 142, L1

Draco

The Draco nebula: A molecular cloud in the galactic halo? Mebold, U., Cernicharo, J., Velden, L., Reif, K., Crezelius, C., Goerigk, W. 151, 427

Heiles' Cloud 2

Kinematics of the extended CO envelope of Heiles' Cloud 2 Takano, T., Fukui, Y., Ogawa, H. 144, 363

HH 24-27

HCO⁺ observations of the molecular cloud HH 24-27 Little, L.T., Davies, S.R., Vizard, D.R., Ellison, B.N., Riley, P.W., Matthews, N., Macdonald, G.H., Nyman, L.-A. 142, 378

L 183

A new search for and discovery of deuterated ammonia in three molecular clouds

Olberg, M., Bester, M., Rau, G., Pauls, T., Winnewisser, G. 142, L1

L 810

Star formation in the large globule L 810
Neckel, T., Chini, R., Güsten, R., Wink, J.E. 153, 253

OMC-1

Formaldehyde observations of OMC-1

Bastien, P., Batrla, W., Henkel, C., Pauls, T., Walmsley, C.M.,

Wilson, T.L. 146, 86

Orion

¹⁵NH₃ in Orion-KL: The hot core is not so hot Hermsen, W., Wilson, T.L., Walmsley, C.M., Batrla, W. 146, 134

S 140

A new search for and discovery of deuterated ammonia in three molecular clouds

Olberg, M., Bester, M., Rau, G., Pauls, T., Winnewisser, G. 142, L1

S 147/S 153

A multiline study of a typical giant molecular cloud: S 147/S 153 Kahane, C., Guilloteau, S., Lucas, R. 146, 325

Taurus

OH observations of cloud complexes in Taurus

Wouterloot, J.G.A., Habing, H.J. 145, 484; 60, 43

The Taurus dark cloud around the position of 3C 111: an optical and C ¹⁸O line study

Ungerer, V., Mauron, N., Brillet, J., Nguyen-Quang-Rieu 146, 123

TMC 1

A new search for and discovery of deuterated ammonia in three molecular clouds

Olberg, M., Bester, M., Rau, G., Pauls, T., Winnewisser, G. 142, L1

Interstellar medium: dust

Contribution of large polycyclic aromatic molecules to the infrared emission of the interstellar medium

Puget, J.L., Léger, A., Boulanger, F. 142, L19

Formation environment of cometary nuclei in the primordial solar nebula

Yamamoto, T. 142, 31

A model of clumped molecular clouds. I. Hydrostatic structure of dense cores

Falgarone, E., Puget, J.L. 142, 157

Amorphous carbon grains: laboratory measurements in the 2000 Å – 40 μm range

Borghesi, A., Bussoletti, E., Colangeli, L. 142, 225

The optical properties of dust in the mid-IR silicate bands Pégourié, B., Papoular, R. 142, 451

The central star of NGC 2346: a dephasing light curve

Acker, A., Jasniewicz, G. 143, L1 Properties of dust in the Orion nebula

Patriarchi, P., Perinotio, M. 143, 35

Galactic dust: infrared spectrum and temperature distribution of the different components

de Muizon, M., Rouan, D. 143, 160

Erratum: One-millimeter continuum observations of IRAS and FIRSSE sources

Chini, R., Mezger, P.G., Kreysa, E., Gemünd, H.-P. 143, 244 The gamma-ray deficit toward the galactic center

Blitz, L., Bloemen, J.B.G.M., Hermsen, W., Bania, T.M. 143,

Extragalactic dust. I. NGC 7070 A

Brosch, N., Greenberg, J.M., Grosbøl, P.J. 143, 399

Warm dust in the neutral interstellar medium

Boulanger, F., Baud, B., van Albada, G.D. 144, L9

Desorption from interstellar grains

Léger, A., Jura, M., Omont, A. 144, 147

Laboratory identification of the emission features near 3.5 μm in the pre-main-sequence star HD 97048

van der Zwet, G.P., Allamandola, L.J., Baas, F., Greenberg, J.M. 145, 262

[OIII] and [NIII] far-infrared line emission in dusty HII blisters Annestad, P.A., Emery, R.J. 145, 347

New infrared absorption features due to solid phase molecules containing sulfur in W33A

Geballe, T.R., Baas, F., Greenberg, J.M., Schutte, W. 146, L6
Are polycyclic aromatic hydrocarbons the carriers of the diffuse interstellar bands in the visible?

Léger, A., d'Hendecourt, L. 146, 81

Infrared observations of a compact H_{II} region in Monoceros (GGD 12-15)

Olofsson, G., Koornneef, J. 146, 337

Orientation effects and the reddening of the lines and continua of Seyfert galaxies

De Zotti, G., Gaskell, C.M. 147, 1

Total synthesis of interstellar chemical compounds by high energy molecular beam bombardment on pure graphite

Devienne, F.M., Teisseire, M. 147, 54

Resonance lines in dusty gaseous nebulae Wehrse, R., Kalkofen, W. 147, 71

Dust formation in stellar winds, II. Carbon condensation in stationary, spherically expanding winds

Gail, H.-P., Sedlmayr, E. 148, 183

The visible and infrared extinction law and the gas-to-dust ratio in the Small Magellanic Cloud

Bouchet, P., Lequeux, J., Maurice, E., Prévot, L., Prévot-Burnichon, M.L. 149, 330

Line transfer with complete frequency redistribution in an absorbing medium. Scaling laws and approximations

Faurobert, M., Frisch, H. 149, 372

A warm dust cloud associated with α Cam

de Vries, C.P. 150, L15

The Draco nebula: A molecular cloud in the galactic halo?

Mebold, U., Cernicharo, J., Velden, L., Reif, K., Crezelius, C.,
Goerigk, W. 151, 427

A dust excess in Nova Cygni 1975? *Bode, M.F., Evans, A.* **151**, 452

Some considerations on the theory of the magnetic alignment of dust grains

Cugnon, P. 152, 1

Time dependent chemistry in dense molecular clouds. I. Grain surface reactions, gas/grain interactions and infrared spectroscopy

d'Hendecourt, L.B., Allamandola, L.J., Greenberg, J.M. 152, 130

Laboratory study of SiC submicron particles at IR wavelengths: a comparative analysis

Borghesi, A., Bussoletti, E., Colangeli, L., De Blasi, C. 153, 1

Interstellar medium: extinction

The galactic reddening law: the evidence from $uvby\beta$ photometry of B stars

Tobin, W. 142, 189

The spectra of late-type dwarfs and sub-dwarfs in the near ultraviolet. III. An atlas of $Mg\,\textsc{ii}$ h and k profiles

Franco, M.L., Crivellari, L., Molaro, P., Vladilo, G., Ramella, M., Morossi, C., Allocchio, C., Beckman, J.E. 142, 218; 58, 693

Amorphous carbon grains: laboratory measurements in the 2000 $\rm \mathring{A}-40~\mu m$ range

Borghesi, A., Bussoletti, E., Colangeli, L. 142, 225

Associations between neutral and ionized gas in Sgr A Liszt, H.S., Burton, W.B., van der Hulst, J.M. 142, 237

A high resolution H1 absorption spectrum of Sgr A

Liszt, H.S., Burton, W.B., van der Hulst, J.M. 142, 245

Galactic dust: infrared spectrum and temperature distribution of the different components

de Muizon, M., Rouan, D. 143, 160

Warm dust in the neutral interstellar medium Boulanger, F., Baud, B., van Albada, G.D. 144, L9

IDS and CCD study of the LMC excited blobs Heydari-Malayeri, M., Testor, G. 144, 98

The reddening (and distance?) of P Cygni

Turner, D.G. 144, 241

Erratum: UBV photometry of the southern galactic cluster NGC 4755 = x Crucis

Dachs, J., Kaiser, D. 144, 256; 59, 368

Reddening of globular clusters in M 31

Iye, M., Richter, O.-G. 144, 471

Comparison of optical appearance and infrared emission of some high latitude extended dust clouds

de Vries, C.P., Le Poole, R.S. 145, L7

The application of three-colour photometry on galactic starfields with strong interstellar extinction (Aquila II)

Becker, W., Steppe, H. 145, 486; 60, 169

Polycyclic aromatic hydrocarbons and the diffuse interstellar bands

van der Zwet, G.P., Allamandola, L.J. 146, 76

Are polycyclic aromatic hydrocarbons the carriers of the diffuse interstellar bands in the visible?

Léger, A., d'Hendecourt, L. 146, 81

Orientation effects and the reddening of the lines and continua of Seyfert galaxies

De Zotti, G., Gaskell, C.M. 147, 1

Interstellar reddening law towards the nucleus of h Per Franco, M.L., Magazzù, A., Stalio, R. 147, 191

Radio recombination lines from the galactic plane in Cygnus Barcia, A., Gómez-González, J., Lockman, F.J., Planesas, P. 147, 237

The optical detection of very low surface brightness regions *Phillipps, S., Disney, M.J.* **148**, 234

 $\ensuremath{\textit{VBLUW}}$ photometry of the stars and nebulosity of N 70 in the LMC

Greve, A., van Genderen, A.M. 148, 397

The Taurus-Auriga-Perseus complex of dark clouds. I. Density structure

Cernicharo, J., Bachiller, R., Duvert, G. 149, 273

The visible and infrared extinction law and the gas-to-dust ratio in the Small Magellanic Cloud

Bouchet, P., Lequeux, J., Maurice, E., Prévot, L., Prévot-Burnichon, M.L. 149, 330

High resolution spectroscopic and photometric study of the possibility that HD 76534 and HD 163296 are Herbig Ae/Be-type stars

Thé, P.S., Felenbok, P., Cuypers, H., Tjin A Djie, H.R.E. 149, 429

Age and process of star formation in very young LMC associations

Tarrab, I. 150, 151

The Draco nebula: A molecular cloud in the galactic halo?

Mebold, U., Cernicharo, J., Velden, L., Reif, K., Crezelius, C.,
Goerigk, W. 151, 427

Distances, reddenings and distribution of emission B-stars in the galactic centre region $|l| \le 45^\circ$

Kozok, J.R. 152, 442; 62, 7

Laboratory study of SiC submicron particles at IR wavelengths: a comparative analysis

Borghesi, A., Bussoletti, E., Colangeli, L., De Blasi, C. 153, 1

Comparison of formaldehyde and hydroxyl parameters in the ϵ Chamaeleonis I dark cloud with the distribution of optical extinction and young stars

Toriseva, M., Mattila, K. 153, 207

Star formation in the large globule L 810

Neckel, T., Chini, R., Güsten, R., Wink, J.E. 153, 253

Interstellar medium: general

A model of clumped molecular clouds. I. Hydrostatic structure of dense cores

Falgarone, E., Puget, J.L. 142, 157

Drag-like effects on heliospheric neutrals due to elastic collisions with solar wind ions

Fahr, H.J., Nass, H.U., Rucinski, D. 142, 476

HI observations of galaxies in nearby groups

Huchtmeier, W.K., Seiradakis, J.H. 143, 216

The distribution of the local interstellar medium derived from Mg II column densities towards seven cool stars

Vladilo, G., Beckman, J.E., Crivellari, L., Franco, M.L., Molaro, P. 144, 81

Separations of HII regions in galaxies

Braunsfurth, E., Feitzinger, J.V. 144, 215

Gamma-ray emission from atomic and molecular gas at intermediate galactic latitudes

Strong, A.W. 145, 81

Polycyclic aromatic hydrocarbons and the diffuse interstellar bands

van der Zwet, G.P., Allamandola, L.J. 146, 76

Observation of neutral hydrogen 21-cm absorption toward double sources

Crovisier, J., Dickey, J.M., Kazès, I. 146, 223

COS-B gamma-ray sources and interstellar gas in the first galactic quadrant.

Pollock, A.M.T., Bennett, K., Bignami, G.F., Bloemen, J.B.G.M., Buccheri, R., Caraveo, P.A., Hermsen, W., Kanbach, G., Lebrun, F., Mayer-Hasselwander, H.A., Strong, A.W. 146, 352

On cloud shadows in wide beam scans of the diffuse soft X-ray sky

Knude, J. 147, 155

Observations of carbon monoxide toward VLA H1 absorption

Despois, D., Baudry, A. 148, 83

21-cm absorption observations towards a cold diffuse cloud Crovisier, J., Dickey, J.M., Kazès, I. 149, 209

Characteristics of the Local Interstellar Hydrogen determined from PROGNOZ 5 and 6 interplanetary Lyman α line profile measurements with a hydrogen absorption cell

Bertaux, J.L., Lallement, R., Kurt, V.G., Mironova, E.N. 150,

Interplanetary Lyman α spectral profiles and intensities for both repulsive and attractive solar force fields: predicted absorption pattern by a hydrogen cell

Lallement, R., Bertaux, J.L., Dalaudier, F. 150, 21

Interstellar medium: HII regions: general

Erratum: One-millimeter continuum observations of IRAS and FIRSSE sources

Chini, R., Mezger, P.G., Kreysa, E., Gemünd, H.-P. 143, 244 Gas and star content and spatial distribution in the giant extragalactic H II region Tol 89

Durret, F., Bergeron, J., Boksenberg, A. 143, 347

H II regions and the value of H_0

Teerikorpi, P. 143, 469

IDS and CCD study of the LMC excited blobs

Heydari-Malayeri, M., Testor, G. 144, 98

Separations of HII regions in galaxies

Braunsfurth, E., Feitzinger, J.V. 144, 215

[O III] and [N III] far-infrared line emission in dusty H II blisters Annestad, P.A., Emery, R.J. 145, 347 A multiline study of a typical giant molecular cloud: S 147/S 153 Kahane, C., Guilloteau, S., Lucas, R. 146, 325

Infrared observations of a compact HII region in Monoceros (GGD 12-15)

Olofsson, G., Koornneef, J. 146, 337

The discovery of a new masering transition of interstellar methanol

Wilson, T.L., Walmsley, C.M., Menten, K.M., Hermsen, W. 147, L19

Resonance lines in dusty gaseous nebulae Wehrse, R., Kalkofen, W. 147, 71

VLA continuum observations of compact H II regions Woodward, C.E., Helfer, H.L., Pipher, J.L. 147, 84

K3-35: planetary nebula or compact H II region?

Engels, D., Schmid-Burgk, J., Walmsley, C.M., Winnberg, A. 148, 344

The Cygnus X region. XVI. The ionized gas behind the dark cloud between the North America and Pelican Nebulae *Heske*, A., Wendker, H.J. 148, 439

CIV and SiIV in the interstellar medium de Kool, M., de Jong, T. 149, 151

UBVRI photometry of stars in several H II regions Lahulla, J.F. 150, 352; 61, 517

Age determination of extragalactic H II regions Copetti, M.V.F., Pastoriza, M.G., Dottori, H.A. 152, 427

Absolute Hα and Hβ photometry of LMC H II regions Caplan, J., Deharveng, L. 152, 444; 62, 63

Interstellar medium: HII regions: individual

Cep A

Hydrogen cyanide in the bipolar source Cep A

Weliachew, L., Emerson, D.T., Forveille, T., Bieging, J.H.,
Wright, M.C.H., Ellder, J. 153, 139

G 333.6-0.2

The star exciting the HII region G 333.6-0.2 Natta, A., Oliva, E. 152, 300

G 357.7-0.1

The compact radio source near G357.7-0.1 Shaver, P.A., Pottasch, S.R., Salter, C.J., Patnaik, A.R., van Gorkom, J.H., Hunt, G.C. 147, L23

Horsehead nebula

Spectroscopic observations of the Horsehead Nebula Neckel, T., Sarcander, M. 147, L1

IC 1396

The Horseshoe nebula of the northern sky. The dark clouds of IC 1396

Heske, A., Wendker, H.J. 149, 199

M 17

CO (J=4-3) spectroscopy in M17SW and OMC1 Schulz, A., Gillespie, A.R., Krügel, E. 142, 363 Cocoon stars in M17 Chini, R., Krügel, E. 146, 175

Mon R2

Radio continuum observations of the blister type $H\,\rm II$ region in Mon R 2

Massi, M., Felli, M., Simon, M. 152, 387

NGC 3603

An infrared study of the giant HII region NGC 3603

Persi, P., Tapia, M., Roth, M., Ferrari-Toniolo, M. 144, 275 Speckle interferometry of the central object in the giant H II region NGC 3603

Baier, G., Ladebeck, R., Weigelt, G. 151, 61

N 88 A

Discovery of a very bright compact object N88A in the Small Magellanic Cloud

Testor, G., Pakull, M. 145, 170

OMC-1

Formaldehyde observations of OMC-1

Bastien, P., Batrla, W., Henkel, C., Pauls, T., Walmsley, C.M.,

Wilson, T.L. 146, 86

Orion

Properties of dust in the Orion nebula Patriarchi, P., Perinotto, M. 143, 35

The spectra of Orion A and IRC+10216 between 72.2 and 91.1 GHz

Johansson, L.E.B., Andersson, C., Elldér, J., Friberg, P., Hjalmarson, A., Höglund, B., Irvine, W.M., Olofsson, H., Rydbeck, G. 145, 485; 60, 135

Observations of radio recombination lines in the millimeter-wave spectrum of Orion A

Hoang-Binh, D., Encrenaz, P., Linke, R.A. 146, L19

Rosette nebula

The Rosette nebula. II. Radio continuum and recombination line observations

Celnik, W.E. 144, 171

Sh 2-156

The kinematical structure of the H II region Sh 2-156 Carsenty, U., Solf, J. 152, 254

W 3 (OH)

High resolution maps of the $^2\Pi_{1/2}~J=1/2$ OH lines in W3 (OH)

Guilloteau, S., Baudry, A., Walmsley, C.M. 153, 179

W 51

Newly discovered sources of non-metastable ammonia Mauersberger, R., Wilson, T.L., Batrla, W., Walmsley, C.M., Henkel, C. 146, 168

W 51 A

Westerbork observations of 6 cm H₂CO in W 51 A Arnal, E.M., Goss, W.M. 145, 369

30 Dor

R 136a in the 30 Doradus nebula resolved by holographic speckle interferometry

Weigelt, G., Baier, G. 150, L18

CO in 30 Doradus

Melnick, J., Rubió, M. 151, 455

The 30 Doradus nebula. I. Spectral classification of 69 stars in the central cluster

Melnick, J. 153, 235

Interstellar medium: kinematics and dynamics of

A model of clumped molecular clouds. I. Hydrostatic structure of dense cores

Falgarone, E., Puget, J.L. 142, 157

Anomalous motions of HI clouds

Bash, F.N., Leisawitz, D. 145, 127

Wide-field kinematic $H\alpha$ observations of the Milky Way with a scanning and imaging Fabry-Perot: preliminary results

Caplan, J., Perrin, J.-M., Sivan, J.-P. 145, 221

Two-dimensional models of stellar wind bubbles. II. Variable mass-loss rates and the possibility of outer-shell fragmentation in relation to the origin of interstellar bullets

Ròżyczka, M., Tenorio-Tagle, G. 147, 202

Two-dimensional models of stellar wind bubbles. III. Self-confining flows in media with strong density gradients

Ròżyczka, M., Tenorio-Tagle, G. 147, 209

Two-dimensional models of stellar wind bubbles. IV. Properties of bow shocks around dense clumps in free wind regions

Ròżyczka, M., Tenorio-Tagle, G. 147, 220

The Cygnus X region. XVI. The ionized gas behind the dark cloud between the North America and Pelican Nebulae

Heske, A., Wendker, H.J. 148, 439

The first detection of a radio continuum bridge between interacting galaxies

van der Hulst, J.M., Hummel, E. 150, L7

Optical and radio imaging of the supernova remnant VRO 42.05.01 (G 166.0+4.3)

Pineault, S., Pritchet, C.J., Landecker, T.L., Routledge, D., Vaneldik, J.F. 151, 52

Cosmic gas dynamics. I. Basic equations and the dynamics of hot interstellar matter

Schlickeiser, R., Lerche, I. 151, 151

The kinematical structure of the H II region Sh 2-156

Carsenty, U., Solf, J. 152, 254

Dynamical evolution of planetary nebulae

Volk, K., Kwok, S. 153, 79

Leiden-Green Bank survey of atomic hydrogen in the galactic disk. I. l,v and b,v maps

Burton, W.B. 153, 285; 62, 365

Leiden-Green Bank survey of atomic hydrogen in the galactic disk. II. Integrated properties in l,b maps

Burton, W.B., te Lintel Hekkert, P. 153, 285; 62, 643

Interstellar medium: magnetic field

Star Formation and the galactic magnetic field. The $B-\varrho$ relation, flux freezing, and magnetic braking

Mouschovias, T.C. 142, 41

The first detection of a radio continuum bridge between interacting galaxies

van der Hulst, J.M., Hummel, E. 150, L7

Cosmic gas dynamics. I. Basic equations and the dynamics of hot interstellar matter

Schlickeiser, R., Lerche, I. 151, 151

Some considerations on the theory of the magnetic alignment of dust grains

Cugnon, P. 152, 1

Interstellar medium: molecules

A new search for and discovery of deuterated ammonia in three molecular clouds

Olberg, M., Bester, M., Rau, G., Pauls, T., Winnewisser, G. 142, L1

Contribution of large polycyclic aromatic molecules to the infrared emission of the interstellar medium

Puget, J.L., Léger, A., Boulanger, F. 142, L19

Formation environment of cometary nuclei in the primordial solar nebula

Yamamoto, T. 142, 31

Observations of selected sources in the 2 cm line of H₂CO

Martin-Pintado, J., Wilson, T.L., Gardner, F.F., Henkel, C.

142, 131

A model of clumped molecular clouds. I. Hydrostatic structure of dense cores

Falgarone, E., Puget, J.L. 142, 157

Einstein A-values for purely rotational transitions in the HDO-molecule

Chandra, S., Kegel, W.H., Warshalovich, D.A. 142, 217; 58, 687

A potential extraterrestrial species: the SH⁺ molecular ion *Horani*, M., Rostas, J., Roueff, E. 142, 346

CO (J=4-3) spectroscopy in M 17 SW and OMC 1 Schulz, A., Gillespie, A.R., Krügel, E. 142, 363

HCO+ observations of the molecular cloud HH 24-27

Little, L.T., Davies, S.R., Vizard, D.R., Ellison, B.N., Riley, P.W., Matthews, N., Macdonald, G.H., Nyman, L.-A. 142, 378

Temperature determinations in molecular clouds of the galactic center

Güsten, R., Walmsley, C.M., Ungerechts, H., Churchwell, E. 142, 381

Einstein A-coefficients for pure rotational transitions in the ${\rm H_2}^{18}{\rm O\text{-}molecule}$

Chandra, S. 143, 246; 59, 59

Hyperfine selective collisional excitation of interstellar molecules Stutzki, J., Winnewisser, G. 144, 1

On the interpretation of hyperfine-structure intensity anomalies in the NH₃ (J, K) = (1,1) inversion transition

Stutzki, J., Winnewisser, G. 144, 13

Millimeter and submillimeter wave spectroscopy of the deuterated ethynyl radical

Bogey, M., Demuynck, C., Destombes, J.L. 144, L15

Detection of high velocity emission in NH₃ (1,1) and (2,2) spectra towards NGC 2071

Takano, T., Stutzki, J., Winnewisser, G., Fukui, Y. 144, L20

Desorption from interstellar grains

Léger, A., Jura, M., Omont, A. 144, 147

The physical structure of the dark cloud B5 Stenholm, L.G. 144, 179

Kinematics of the extended CO envelope of Heiles' Cloud 2 Takano, T., Fukui, Y., Ogawa, H. 144, 363

Gamma-ray emission from atomic and molecular gas at intermediate galactic latitudes

Strong, A.W. 145, 81

Rapid outbursts in the water maser Cepheus A

Mattila, K., Holsti, N., Toriseva, M., Anttila, R., Malkamäki, L. 145, 192

Constraints on the sites of nitrogen nucleosynthesis from $^{15}{\rm NH_{3^-}}$ observations

Güsten, R., Ungerechts, H. 145, 241

Laboratory identification of the emission features near 3.5 μm in the pre-main-sequence star HD 97048

van der Zwei, G.P., Allamandola, L.J., Baas, F., Greenberg, J.M. 145, 262

New infrared absorption features due to solid phase molecules containing sulfur in W33A

Geballe, T.R., Baas, F., Greenberg, J.M., Schutte, W. 146, L6 Polycyclic aromatic hydrocarbons and the diffuse interstellar bands

van der Zwet, G.P., Allamandola, L.J. 146, 76

Are polycyclic aromatic hydrocarbons the carriers of the diffuse interstellar bands in the visible?

Léger, A., d'Hendecourt, L. 146, 81

Formaldehyde observations of OMC-1

Bastien, P., Batrla, W., Henkel, C., Pauls, T., Walmsley, C.M., Wilson, T.L. 146, 86

The Taurus dark cloud around the position of 3C 111: an optical and C ¹⁸O line study

Ungerer, V., Mauron, N., Brillet, J., Nguyen-Quang-Rieu 146, 123

¹⁵NH₃ in Orion-KL: The hot core is not so hot

Hermsen, W., Wilson, T.L., Walmsley, C.M., Batrla, W. 146, 134

Newly discovered sources of non-metastable ammonia Mauersberger, R., Wilson, T.L., Batrla, W., Walmsley, C.M.,

Henkel, C. 146, 168

Observations of ortho- and para-thioformaldehyde

Gardner, F.F., Höglund, B., Shukre, C., Stark, A.A., Wilson,

T.L. 146, 303
A plan view of the bipolar molecular outflow source G 35.2 N
Dent, W.R.F., Little, L.T., Kaifu, N., Ohishi, M., Suzuki, S.
146, 375

The discovery of a new masering transition of interstellar methanol

Wilson, T.L., Walmsley, C.M., Menten, K.M., Hermsen, W. 147, L19

The compact radio source near G357.7-0.1

Shaver, P.A., Pottasch, S.R., Salter, C.J., Patnaik, A.R., van Gorkom, J.H., Hunt, G.C. 147, L23

Detection of interstellar CCD

Combes, F., Boulanger, F., Encrenaz, P.J., Gerin, M., Bogey, M., Demuynck, C., Destombes, J.L. 147, L25

Total synthesis of interstellar chemical compounds by high energy molecular beam bombardment on pure graphite

Devienne, F.M., Teisseire, M. 147, 54

CRESU study of the reaction N $^++H_2\!\to\! NH^++H$ between 8 and 70 K and interstellar chemistry implications

Marquette, J.B., Rowe, B.R., Dupeyrat, G., Roueff, E. 147, 115

Molecular lines in IRC+10°210 and CIT 6

Henkel, C., Matthews, H.E., Morris, M., Terebey, S., Fich, M. 147, 143

Laboratory measurements of the submillimeter wave spectrum of $\mathrm{H_{3}O^{+}}$

Bogey, M., Demuynck, C., Denis, M., Destombes, J.L. 148, L11

Partition functions and related quantities of astrophysically significant molecules

Rossi, S.C.F., Maciel, W.J., Benevides-Soares, P. 148, 93

A critical discussion of the standard interpretation of NH_3 observations

Stutzki, J., Winnewisser, G. 148, 254

The accuracy of molecular cloud abundances and isotopic ratios Stenholm, L.G. 149, 90

[H₂¹²CO]/[H₂¹³CO] ratios from molecular clouds near the galactic center

Güsten, R., Henkel, C., Batrla, W. 149, 195

The Horseshoe nebula of the northern sky. The dark clouds of IC 1396

Heske, A., Wendker, H.J. 149, 199

H₂O sources near the galactic plane: a pilot systematic survey Matthews, H.E., Olnon, F.M., Winnberg, A., Baud, B. 149, 227

Rotation-inversion transition of interstellar ammonia Zeng, Q. 149, 305

Detection of extragalactic CS

Henkel, C., Bally, J. 150, L25

The 4 m millimeter wave telescope at Nagoya Kawabata, K., Ogawa, H., Fukui, Y., Takano, T., Fujimoto, Y., Kawabe, R., Sugitani, K., Takaba, H. 151, 1

Mrk 273: a new OH megamaser

Bottinelli, L., Fraix-Burnet, D., Gouguenheim, L., Kazes, I., Le Squeren, A.M., Patey, I., Rickard, L.J., Turner, B.E. 151, L7

Molecular abundances in shocked diffuse clouds: results from time-dependent modelling and comparison with diffuse cloud abundances

Mitchell, G.F., Watt, G.D. 151, 121

The Draco nebula: A molecular cloud in the galactic halo? Mebold, U., Cernicharo, J., Velden, L., Reif, K., Crezelius, C., Goerigk, W. 151, 427

Distribution of HCO⁺ (J=3-2) in the inner 5 pc of the Galaxy Sandqvist, A., Wootten, A., Loren, R.B. 152, L25

Time dependent chemistry in dense molecular clouds. I. Grain surface reactions, gas/grain interactions and infrared spectroscopy

d'Hendecourt, L.B., Allamandola, L.J., Greenberg, J.M. 152, 130

¹³CO observations of cool giant molecular clouds Pérault, M., Falgarone, E., Puget, J.L. 152, 371

Erratum: Rapid outbursts in the water maser Cepheus A Mattila, K., Holsti, N., Toriseva, M., Anttila, R., Malkamäki, L. 152, 441

Radiative association rate coefficients under shocked conditions in interstellar clouds. The case of $CH_3^+\,+\,H_2$

Herbst, E. 153, 151

Comparison of formaldehyde and hydroxyl parameters in the ϵ Chamaeleonis I dark cloud with the distribution of optical extinction and young stars

Toriseva, M., Mattila, K. 153, 207 Star formation in the large globule L 810

Neckel, T., Chini, R., Güsten, R., Wink, J.E. 153, 253

Interstellar medium: planetary nebulae; see Planetary nebulae

Interstellar medium: radiation field

Photoionization models for Liners: gas distribution and abundances

Binette, L. 143, 334

The interstellar radiation field and the production of inverse-Compton gamma rays in the Galaxy Bloemen, J.B.G.M. 145, 391

The accuracy of molecular cloud abundances and isotopic ratios Stenholm, L.G. 149, 90

Interstellar medium: reflexion nebulae: general

The optical properties of dust in the mid-IR silicate bands Pégourié, B., Papoular, R. 142, 451 CCD observations of bipolar nebulae. II. Lk H a 233

Aspin, C., McLean, I.S., McCaughrean, M.J. 144, 220

Comparison of optical appearance and infrared emission of some high latitude extended dust clouds

de Vries, C.P., Le Poole, R.S. 145, L7

CCD observations of bipolar nebulae. III. R Mon/NGC 2261 Aspin, C., McLean, I.S., Coyne, G.V. 149, 158

Small nebulae and Herbig-Haro Objects. II. The Orion region Reipurth, Bo 149, 492; 61, 319

A warm dust cloud associated with α Cam de Vries, C.P. 150, L15

Interstellar medium: reflexion nebulae: individual

NGC 2071

Detection of high velocity emission in NH₃ (1,1) and (2,2) spectra towards NGC 2071

Takano, T., Stutzki, J., Winnewisser, G., Fukui, Y. 144, L20

Interstellar medium: shells; see Interstellar medium: bubbles

Interstellar medium: supernova remnants; see Supernovae and supernova remnants

Lines: formation; see also: Radiation transfer

Molecular emission from expanding circumstellar envelopes: polarization and profile asymmetries

Morris, M., Lucas, R., Omont, A. 142, 107

Redistribution functions for astrophysical problems Magnan, C. 142, 117

Photoionization models for Liners: gas distribution and abundances

Binette, L. 143, 334

On the interpretation of hyperfine-structure intensity anomalies in the NH₃ (J, K) = (1,1) inversion transition

Stutzki, J., Winnewisser, G. 144, 13

Line formation in the presence of turbulence

Magnan, C. 144, 186

Rapid non-LTE calculations of Balmer lines and hydrogen ionization: the solar case

Dumont, S., Collin-Souffrin, S. 144, 245

Radiative formation of positronium in a vacuum

Erdas, A., Mezzorani, G., Quarati, P., Puddu, G. 144, 295

Cyclotron line profiles and photon diffusion in a hot plasma Ventura, J., Soffel, M., Herold, H., Ruder, H. 144, 479

Computed He II spectra for Wolf-Rayet stars

Hamann, W.-R. 145, 443

A modified Rybicki method and the partial coherent scattering approximation

Hubený, I. 145, 461

Newly discovered sources of non-metastable ammonia Mauersberger, R., Wilson, T.L., Batrla, W., Walmsley, C.M., Henkel, C. 146, 168

Resonance lines in dusty gaseous nebulae

Wehrse, R., Kalkofen, W. 147, 71

Magnetic structure in cool stars. VIII. The Mg II h and k surface fluxes in relation to the Mt. Wilson photometric Ca II H and K measurements

Oranje, B.J., Zwaan, C. 147, 265

Line formation in expanding atmospheres: Accurate solution using approximate lambda operators

Hamann, W.-R. 148, 364

Study of the Sobolev approximation in turbulent expanding enve-

Schönberg, K. 148, 405

Multi-level non-LTE line formation calculations using approximate A-operators

Werner, K., Husfeld, D. 148, 417

Statistical equilibrium of neutral calcium in the Sun and Procyon

Watanabe, T., Steenbock, W. 149, 21

Composite models for the narrow emission line region of active galactic nuclei. III. The ejected filament

Aldrovandi, S.M.V., Contini, M. 149, 109

Terrestrial O2 lines used as wavelength references: experimental profiles and asymmetries vs. model computations

Caccin, B., Cavallini, F., Ceppatelli, G., Righini, A., Sambuco,

Analysis of P Cygni line profiles: generalization of the nth order moment W,

Surdej, J. 152, 361

Optical region elemental abundance analyses of B and A stars. IV. Re-evaluation with new critically compiled Fe II oscillator strengths and improved estimates of the damping constants

Adelman, S.J., Fuhr, J.R. 152, 434

SKYLAB observations of the solar O1 resonance triplet Roussel-Dupré, D. 153, 116

Lines: identification

Review of solar observations of the n=2-2 transitions in fourth period elements

Lawson, K.D., Peacock, N.J. 142, 214; 58, 475

Millimeter and submillimeter wave spectroscopy of the deuterated ethynyl radical

Bogey, M., Demuynck, C., Destombes, J.L. 144, L15

Laboratory identification of the emission features near 3.5 µm in the pre-main-sequence star HD 97048

van der Zwet, G.P., Allamandola, L.J., Baas, F., Greenberg, J.M. 145, 262

Polycyclic aromatic hydrocarbons and the diffuse interstellar

van der Zwet, G.P., Allamandola, L.J. 146, 76

Are polycyclic aromatic hydrocarbons the carriers of the diffuse interstellar bands in the visible?

Léger, A., d'Hendecourt, L. 146, 81

Detection of interstellar CCD

Combes, F., Boulanger, F., Encrenaz, P.J., Gerin, M., Bogey, M., Demuynck, C., Destombes, J.L. 147, L25

The ultraviolet spectrum of the Be star HD 50138

Hutsemékers, D. 147, 336; 60, 373

Laboratory measurements of the submillimeter wave spectrum of H_3O^+

Bogey, M., Demuynck, C., Denis, M., Destombes, J.L. 148, LII

Stationary hydrogen lines in white dwarf magnetic fields and the spectrum of the magnetic degenerate Grw + 70°8247

Wunner, G., Rösner, W., Herold, H., Ruder, H. 149, 102

The Be II $\lambda 3130$ Å region in the spectra of Vega and Sirius Griffin, R. & R. 149, 437

Identification of chromium lines in the infrared solar spectrum based on new interferometric measurements

Biémont, E., Brault, J.W., Delbouille, L., Roland, G. 149, 489; 61, 185

SS 433 revisited

Kundt, W. 150, 276

Spectroscopic variations of the central star of LoTr 5

Acker, A., Jasniewicz, G., Gleizes, F. 151, L13

Observation of \$\lambda 1600\$ and 3040 features in the spectra of field horizontal branch stars

Jaschek, M., Baschek, B., Jaschek, C., Heck, A. 152, 439

The structure and spectral characteristics of the low-excitation planetary nebula HD 316248

Hutsemékers, D., Surdej, J. 153, 245

Lines: profile

Asymmetry and shift of three Fe1 photospheric lines in solar ac-

Cavallini, F., Ceppatelli, G., Righini, A. 143, 116

FU Orionis star winds

Bastian, U., Mundt, R. 144, 57

The distribution of the local interstellar medium derived from Mg II column densities towards seven cool stars

Vladilo, G., Beckman, J.E., Crivellari, L., Franco, M.L., Molaro, P. 144, 81

Hydrogen lines Stark broadening tables in the presence of a magnetic field

Mathys, G. 144, 255; 59, 229

Cyclotron line profiles and photon diffusion in a hot plasma Ventura, J., Soffel, M., Herold, H., Ruder, H. 144, 479

Dependence of Stark widths and shifts on the ionization potential: $np^{k-1} (n+1)s - np^k$ resonance transitions

Dimitrijević, M.S. 145, 439

Observations of emission line galaxies. III. The broad Balmer line profiles of 12 Seyfert-1 galaxies

Rafanelli, P. 146, 17

The shock-induced variability of emission profiles in S Car Gillet, D., Maurice, E., Bouchet, P., Ferlet, R. 148, 155

Study of the Sobolev approximation in turbulent expanding envelopes

Schönberg, K. 148, 405

An interpretation of the spectral variations of Theta Coronae Bo-

Underhill, A.B. 148, 431

The effects of episodic mass-loss enhancements on theoretical P Cygni profiles

Prinja, R.K., Howarth, I.D. 149, 73

Atlas of high-dispersion spectra of peculiar emission-line stars in the Magellanic Clouds

Stahl, O., Wolf, B., de Groot, M., Leitherer, C. 149, 490; 61,

The shock-induced variability of the Ha emission profile in Mira.

Gillet, D., Ferlet, R., Maurice, E., Bouchet, P. 150, 89 Meridional and equatorial center-to-limb variation of the asymmetry and shift of three Fe I solar photospheric lines around 6300 Å

Cavallini, F., Ceppatelli, G., Righini, A. 150, 256

Rotational velocities, spectral types, and forbidden lines of Herbig Ae/Be stars

Finkenzeller, U. 151, 340

Estimated Stark widths and shifts of some singly charged ion spectral lines

Lakićević, I.S. 151, 457

Analysis of the optical spectra of solar flares. IV. The "blue" continuum of white light flares

Donati-Falchi, A., Falciani, R., Smaldone, L.A. 152, 165

The nature of halos around planetary nebulae

Hippelein, H.H., Baessgen, M., Grewing, M. 152, 213

Statistical study of AGN's. I. Line widths of C IV and H β versus optical luminosity

Joly, M., Collin-Souffrin, S., Masnou, J.L., Nottale, L. 152,

Analysis of P Cygni line profiles: generalization of the nth order moment W,

Surdej, J. 152, 361

An atlas of theoretical P-Cygni-profiles in early stars Schönberg, K. 152, 448; 62, 339

Absolute transition probabilities in vanadium I and the solar abundance of vanadium

Whaling, W., Hannaford, P., Lowe, R.M., Biémont, E., Grevesse, N. 153, 109

SKYLAB observations of the solar O1 resonance triplet Roussel-Dupré, D. 153, 116

Influence of rotational broadening on the width of emission reversals of Ca II and Mg II resonant lines

Bielicz, E., Glebocki, R., Sikorski, J. 153, 269

Luminosity function, mass function

Uniformity of quasars in the chronometric cosmology

Segal, I.E., Nicoll, J.F. 144, L23

Erratum: UBV photometry of the southern galactic cluster NGC 4755 = ≈ Crucis

Dachs, J., Kaiser, D. 144, 256; 59, 368

Stellar populations in a faint star field in the Large Magellanic

Ardeberg, A., Linde, P., Lindgren, H., Lyngå, G. 148, 263 Age determination of extragalactic H II regions

Copetti, M.V.F., Pastoriza, M.G., Dottori, H.A. 152, 427

Magellanic Clouds: see Galaxies: Magellanic Clouds

Magnetic field

The physical structure of the dark cloud B5 Stenholm, L.G. 144, 179

Hydrogen lines Stark broadening tables in the presence of a mag-

Mathys, G. 144, 255; 59, 229

Large-scale configuration of magnetic fields in spiral galaxies Sofue, Y., Klein, U., Beck, R., Wielebinski, R. 144, 257

Cyclotron line profiles and photon diffusion in a hot plasma Ventura, J., Soffel, M., Herold, H., Ruder, H. 144, 479

Radiative transfer in the accretion column of X-ray pulsars: effects from the hot spot

Soffel, M., Herold, H., Ruder, H., Ventura, J. 144, 485 An estimate of the magnetic field strength in the OH coma of comet Austin (1982 VI)

Gérard, E. 146, 1

On the existence and role of magnetic fields in planetary nebulae (Text in French)

Pascoli, G. 147, 257

Magnetic structure in cool stars. VIII. The Mg II h and k surface fluxes in relation to the Mt. Wilson photometric Ca II H and K

Oranje, B.J., Zwaan, C. 147, 265

Erratum: A tentative interpretation of the cyclotron line energy variation in Her X-1

Prantzos, N., Durouchoux, P. 147, 335

Buoyant magnetic flux tubes. II. Three-dimensional behaviour in granules and supergranules

Schmidt, H.U., Simon, G.W., Weiss, N.O. 148, 191

Magnetic field distribution in spiral galaxies

Ruzmaikin, A.A., Sokoloff, D.D., Shukurov, A.M. 148, 335

Photometric variations and period determination of eight southern CP stars

Waelkens, C. 148, 449; 61, 127

Stationary hydrogen lines in white dwarf magnetic fields and the spectrum of the magnetic degenerate ${\rm Grw}+70^{\circ}8247$

Wunner, G., Rösner, W., Herold, H., Ruder, H. 149, 102 Axisymmetric force-free stellar magnetospheres

Goossens, M., Hereygers, G. 149, 253

Magneto-ionic content of compact extragalatic radio sources Carvalho, J.C. 150, 129

The continuous spectrum of an axisymmetric self-gravitating and static equilibrium with a mixed poloidal and toroidal magnetic field

Poedts, S., Hermans, D., Goossens, M. 151, 16

Supernova-induced collapse of magnetic interstellar clouds Oettl, R., Hillebrandt, W., Müller, E. 151, 33

Electron capture in the presence of strong magnetic fields in astrophysical sites

Marage, P. 151, 198

M81 at high radio frequencies

Beck, R., Klein, U., Krause, M. 152, 237

Magnetohydrodynamics; see Hydromagnetics, plasmas

Masers

First spectroscopic observations with the 14-m radio telescope at the Centro Astronomico de Yebes: SiO masers in evolved stars Barcia, A., Bujarrabal, V., Gómez-González, J., Martín-Pintado, J., Planesas, P. 142, L9

Observations of selected sources in the 2 cm line of H₂CO Martin-Pintado, J., Wilson, T.L., Gardner, F.F., Henkel, C. 142, 131

VLA line observations of OH/IR stars

Herman, J., Baud, B., Habing, H.J., Winnberg, A. 143, 122

VLA 6 cm continuum observations of OH/IR stars Herman, J., Baud, B., Habing, H.J. 144, 514

Rapid outbursts in the water maser Cepheus A

Mattila, K., Holsti, N., Toriseva, M., Anttila, R., Malkamäki, L. 145, 192

OH emission from Mira variables, infrared stars and molecular clouds

Slootmaker, A., Herman, J., Habing, H.J. 145, 281; 59, 465 Time variations and shell sizes of OH masers in late-type stars

Herman, J., Habing, H.J. 145, 282; 59, 523

Ammonia observations of L 1551

Menten, K.M., Walmsley, C.M. 146, 369

The discovery of a new masering transition of interstellar methanol

Wilson, T.L., Walmsley, C.M., Menten, K.M., Hermsen, W. 147, L19

Time variations of the SiO (v=0, J=2-1) emission from circumstellar shells

Nyman, L.-A., Olofsson, H. 147, 309

Prediction of maser emission from para-H₂O at 1.635 mm and 922 u

Chandra, S., Kegel, W.H., Varshalovich, D.A. 148, 145

K3-35: planetary nebula or compact HII region?

Engels, D., Schmid-Burgk, J., Walmsley, C.M., Winnberg, A. 148, 344

The peculiar SiO (v=2, J=2-1) maser in χ Cygni

Olofsson, H., Rydbeck, O.E.H., Nyman, L.-Å. 150, 169

Interplanetary scintillation and the structure of the solar wind transonic region

Lotova, N.A., Blums, D.F., Vladimirskii, K.V. 150, 266

Mrk 273: a new OH megamaser

Bottinelli, L., Fraix-Burnet, D., Gouguenheim, L., Kazes, I., Le Squeren, A.M., Patey, I., Rickard, L.J., Turner, B.E. 151, L7

Peculiar OH variation of R Leo

Le Squeren, A.M., Sivagnanam, P. 152, 85

Erratum: Rapid outbursts in the water maser Cepheus A Mattila, K., Holsti, N., Toriseva, M., Anttila, R., Malkamäki, L. 152, 441

High resolution maps of the ${}^2\Pi_{1/2} J = 1/2$ OH lines in W3 (OH)

Guilloteau, S., Baudry, A., Walmsley, C.M. 153, 179 Star formation in the large globule L 810

Neckel, T., Chini, R., Güsten, R., Wink, J.E. 153, 253

Mass function; see Luminosity function, mass function

Meteors, meteorites

The production and survival of ²⁰⁵Pb in stars, and the ²⁰⁵Pb-²⁰⁵Tl s-process chronometry

Yokoi, K., Takahashi, K., Arnould, M. 145, 339

Microwave background; see Cosmic background radiation

Millimeter lines

Millimeter and submillimeter wave spectroscopy of the deuterated ethynyl radical

Bogey, M., Demuynck, C., Destombes, J.L. 144, L15

The spectra of Orion A and IRC+10216 between 72.2 and 91.1 GHz

Johansson, L.E.B., Andersson, C., Elldér, J., Friberg, P., Hjalmarson, A., Höglund, B., Irvine, W.M., Olofsson, H., Rydbeck, G. 145, 485; 60, 135

The Taurus dark cloud around the position of 3C 111: an optical and C $^{18}{\rm O}$ line study

Ungerer, V., Mauron, N., Brillet, J., Nguyen-Quang-Rieu 146, 123

The compact radio source near G357.7-0.1

Shaver, P.A., Pottasch, S.R., Salter, C.J., Patnaik, A.R., van Gorkom, J.H., Hunt, G.C. 147, L23

Detection of interstellar CCD

Combes, F., Boulanger, F., Encrenaz, P.J., Gerin, M., Bogey, M., Demuynck, C., Destombes, J.L. 147, L25

Laboratory measurements of the submillimeter wave spectrum of H_3O^+

Bogey, M., Demuynck, C., Denis, M., Destombes, J.L. 148, L11

Prediction of maser emission from para-H₂O at 1.635 mm and 922 u

Chandra, S., Kegel, W.H., Varshalovich, D.A. 148, 145

Possible parents for the cometary CN radical: photochemistry and excitation conditions

Bockelée-Morvan, D., Crovisier, J. 151, 90

Millimeter wave spectrum of tricarbon monoxide, CCCO

Klebsch, W., Bester, M., Yamada, K.M.T., Winnewisser, G., Joentgen, W., Altenbach, H.-J., Vogel, E. 152, L12

Search for minor atmospheric species in the millimeter range of Jupiter and Saturn

Lellouch, E., Destombes, J.L. 152, 405

Molecules; see Atomic and molecular data; Interstellar medium: molecules; Radio lines: molecular

Nebulae; see Interstellar medium: HII regions; Planetary nebulae; Interstellar medium: reflexion nebulae; Supernovae and supernova remnants

Neutrinos; see Elementary particles

Nuclear reactions

Measurement of neutron capture cross sections of s-only isotopes: 70 Ge, 86 Sr, and 87 Sr

Walter, G., Beer, H. 142, 268

The production and survival of $^{205}{\rm Pb}$ in stars, and the $^{205}{\rm Pb}-^{205}{\rm Tl}$ s-process chronometry

Yokoi, K., Takahashi, K., Arnould, M. 145, 339

The triple alpha reaction at low temperatures in accreting white dwarfs and neutron stars

Nomoto, K., Thielemann, F.K., Miyaji, S. 149, 239

Effects of nuclear uncertainties and chemical evolution on the standard big bang nucleosynthesis

Delbourgo-Salvador, P., Gry, C., Malinie, G., Audouze, J. 150, 53

A detailed analysis of five barium stars

Kovacs, N. 150, 232

Electron capture in the presence of strong magnetic fields in astrophysical sites

Marage, P. 151, 198

The production of neutron-rich isotopes during He burning in massive stars

Busso, M., Gallino, R. 151, 205

Thermonuclear reactions in cool accreting neutron stars and burst phenomena

Miyaji, S., Nomoto, K. 152, 33

Nucleosynthesis

Measurement of neutron capture cross sections of s-only isotopes: ⁷⁰Ge. ⁸⁶Sr, and ⁸⁷Sr

Walter, G., Beer, H. 142, 268

The initial mass limit for neutron star and black hole formation Schild, H., Maeder, A. 143, L7

The production and survival of ²⁰⁵Pb in stars, and the ²⁰⁵Pb-²⁰⁵Tl s-process chronometry

Yokoi, K., Takahashi, K., Arnould, M. 145, 339

Helium detonation in pancake stars

Pichon, B. 145, 387

Studies on the spectra of K-giants. III. Carbon, nitrogen, and oxygen abundances

Gratton, R.G. 148, 105

The fate of rotating pair-unstable carbon-oxygen cores Glatzel, W., El Eid, M.F., Fricke, K.J. 149, 413

Effects of nuclear uncertainties and chemical evolution on the standard big bang nucleosynthesis

Delbourgo-Salvador, P., Gry, C., Malinie, G., Audouze, J. 150, 53

Magnesium isotopes in moderately metal-poor stars Barbuy, B. 151, 189 The production of neutron-rich isotopes during He burning in massive stars

Busso, M., Gallino, R. 151, 205

Numerical methods

Effects of CO molecules on the outer solar atmosphere: a time-dependent approach

Muchmore, D., Ulmschneider, P. 142, 393

Application of a new gasdynamics code to gas flow problems in disk galaxies

van Albada, G.D. 142, 491

Two-dimensional models of stellar wind bubbles. I. Numerical methods and their application to the investigation of outer shell instabilities

Różyczka, M. 143, 59

A working model of the solar S-component radio emission

Krüger, A., Hildebrandt, J., Fürstenberg, F. 143, 72 A simple maximum entropy deconvolution algorithm

Cornwell, T.J., Evans, K.F. 143, 77

The role of initial binaries in cluster evolution: direct *N*-body calculations

Giannone, G., Molteni, D. 143, 321

IUE data analysis: radial velocities from line coincidence statistics

Bord, D.J., Davidson, J.P. 143, 461

Rapid non-LTE calculations of Balmer lines and hydrogen ionization: the solar case

Dumont, S., Collin-Souffrin, S. 144, 245

The depletion of the outer asteroid belt

Milani, A., Nobili, A.M. 144, 261

On the way of understanding Particle-In-Cell simulations of gravitational clustering

Bouchet, F.R., Adam, J.-C., Pellat, R. 144, 413

Non-spherical supernova remnants. II. The interaction of remnants with molecular clouds

Tenorio-Tagle, G., Bodenheimer, P., Yorke, H.W. 145, 70

EW Scuti: a double-mode cepheid

Cuypers, J. 145, 283

Gas dynamics in the impulsive phase of solar flares. III. Energy transport in a flaring loop

Nagai, F., Jordan, C. 146, 25

Multi-level non-LTE line formation calculations using approximate Λ -operators

Werner, K., Husfeld, D. 148, 417

A refined particle method for astrophysical problems Monaghan, J.J., Lattanzio, J.C. 149, 135

The numerical inversion of synchrotron spectra and the Crab nebula as a synchrotron source

Craig, I.J.D., McClements, K.G., Thompson, A.M., Brown, J.C. 149, 171

Numerical study of complex instability. I. Mappings Pfenniger, D. 150, 97

The direct use of spherical coordinates in focal plane astrometry Eichhorn, H. 150, 251

Analysis of relative proper motion: an improved method to assign membership probabilities in open clusters

Cabrera-Caño, J., Alfaro, E.J. 150, 298

Magnetic stellar winds: a 2-D generalization of the Weber-Davis model

Sakurai, T. 152, 121

Relativistic photon-Maxwellian electron cross sections Wienke, B.R. 152, 336

Ellipticity and shell structure in galaxies Huang, S., Stewart, P. 153, 189

Observational methods

A high accuracy algorithm for maximum entropy image restoration in the case of small data sets

Wilczek, R., Drapatz, S. 142, 9

Observations and comparison with theory of Saturn's satellites, 1981-1982 (Text in French)

Dourneau, G., Dulou, M.R., Le Campion, J.F. 142, 91

Photometric calibrations of an MCP space qualified photographic-camera

Koutchmy, S., Verlhac, A. 142, 355

On period determination methods

Heck, A., Manfroid, J., Mersch, G. 143, 246; 59, 63

FODS: a system for faint object detection and classification in astronomy

Malagnini, M.L., Pasian, F., Pucillo, M., Santin, P. 144, 49 High dispersion spectroscopy trials using an echelle spectrograph with CCD camera

Bates, B., McKeith, C.D., Jorden, P.K., van Breda, I.G. 145, 321

Measurement of stellar integrated flux in the wavelength range 370 nm - 950 nm

Petford, A.D., Leggett, S.K., Blackwell, D.E., Booth, A.J., Mountain, C.M., Selby, M.J. 146, 195

Results from a pilot program for determining precise optical positions of radio sources with the 1.5 m L. Figl-telescope of the Vienna Observatory

de Vegt, C., Prochazka, F. 148, 226

A simple method to calibrate intensities of photographic slit spectrograms

Vogt, N., Barrera, L.H. 148, 237

The speckle masking transfer function

von der Lühe, O. 150, 229

A monochromator for solar quantitative imagery: the instrument FPSS

Dollfus, A., Colson, F., Crussaire, D., Launay, F. 151, 235

Absolute H α and H β photometry of LMC H II regions Caplan, J., Deharveng, L. 152, 444; 62, 63

Some clues to Hubble Space Telescope image analysis

Bendinelli, O., Di Iorio, A., Parmeggiani, G., Zavatti, F. 153, 265

 $\it Erratum:$ Measurement of stellar integrated flux in the wavelength range 370 nm–950 nm

Petford, A.D., Leggett, S.K., Blackwell, D.E., Booth, A.J., Mountain, C.M., Selby, M.J. 153, 284

Occultations

The April 22 occultation of Hyd $-20^{\circ}51699$ by Uranus and its rings

Jablonski, F.J., Barroso, J., Jr. 144, 249

Parallaxes; see Distances, distance scale

Particle acceleration; see Acceleration mechanisms

Photometry

HM Sagittae and V 1016 Cygni in 1982–83: unforeseen variations in the IR spectrum of 1016 Cyg

Ipatov, A.P., Taranova, O.G., Yudin, B.F. 142, 85

The galactic reddening law: the evidence from $uvby\beta$ photometry of B stars

Tobin, W. 142, 189

Search for variable stars in the young open cluster NGC 6871 Delgado, A.J., Alfaro, E.J., Garcia-Pelayo, J.M., Garrido, R., Vidal, S. 142, 214; 58, 447

Magnitudes and colours for stars in the central part of the globular cluster NGC 7099 (M30)

Cordoni, J.-P., Aurière, M. 142, 216; 58, 559

uvby photometry of Sigma Scorpii

Sterken, C. 142, 217; 58, 657

Study of a complete sample of galaxies. I. UBV aperture photometry

Véron-Cetty, M.P. 142, 217; 58, 665

Photoelectric observations and minima times for RZ Comae Berenices

Rovithis, P., Rovithis-Livaniou, E. 142, 217; 58, 679

Variations in the variability of RR Tel

Heck, A., Manfroid, J. 142, 341

Photometric calibrations of an MCP space qualified photographic-camera

Koutchmy, S., Verlhac, A. 142, 355

The orbit of periodic comet Crommelin between the years 1000 and 2100

Festou, M.C., Morando, B., Rocher, P. 142, 421

On period determination methods

Heck, A., Manfroid, J., Mersch, G. 143, 246; 59, 63

RGU three-colour photometry of a starfield in anticentre-direction (A 6)

Fenkart, R.P., Topaktas, L., Kandemir, G., Boydağ, S. 143, 246; 59, 73

 $\it UBV$ three-colour photometric parameters of four galactic clusters near Cassiopeia

Fenkart, R., Schröder, A. 143, 247; 59, 83

A catalogue of [Fe/H] determinations, 1984 edition

Cayrel de Strobel, G., Bentolila, C., Hauck, B., Duquennoy, A. 143, 248; 59, 145

Limits on parallax and proper motion of an optical counterpart of Geminga

Sol, H., Tarenghi, M., Vanderriest, C., Vigroux, L., Lelièvre, G. 144, 109

Effective temperature of Ap stars: a comparison between several photometric estimators

Lanz, T. 144, 191

CCD observations of bipolar nebulae. II. Lk Hα233
Aspin, C., McLean, I.S., McCaughrean, M.J. 144, 220

The reddening (and distance?) of P Cygni

Turner, D.G. 144, 241

Photometric variations of HD 25267

Manfroid, J., Mathys, G., Heck, A. 144, 251

Photoelectric measurements of BY Draconis carried out at the Catania Astrophysical Observatory from 1967 to 1970

Cristaldi, S. 144, 254; 59, 187

Membership and photometric abundances of red evolved stars in open clusters

Clarià, J.J. 144, 254; 59, 195

Detailed surface photometry of 36 E-SO galaxies *Michard, R.* 144, 254; 59, 205

Four-colour photometry of eclipsing binaries. XXIII. Light curves of GZ Canis Majoris

Andersen, J., Clausen, J.V., Nordström, B. 144, 255; 59, 349

Photoelectric H β photometry for A and F stars brighter than V = 14^m in four areas in directions towards the South Galactic Pole Andersen, T.B., Jensen, K.S. 144, 256; 59, 361

Erratum: UBV photometry of the southern galactic cluster NGC 4755=x Crucis

Dachs, J., Kaiser, D. 144, 256; 59, 368

The RS CVn-type binary SV Camelopardalis: evidence of dark spots from UBV observations and IR fluxes

Cellino, A., Scaltriti, F., Busso, M. 144, 315

Field giants: selection efficiency from photometry and metallicity gradient in the galactic bulge

Spaenhauer, A.M., Thevenin, F. 144, 327

Laboratory photometry of asteroids and atmosphereless bodies. The S. A. M. apparatus

D'Ambrosio, V., Burchi, R., Di Paolantonio, A., Giuliani, C. 144, 427

Spectrophotometry of peculiar B and A stars. XVII. 63 Andromedae, HD 34452, Epsilon Ursae Majoris, CQ Ursae Majoris, CU Virginis, CS Virginis and Beta Coronae Borealis

Pyper, D.M., Adelman, S.J. 145, 279; 59, 369

UBVRI photoelectric photometry of nearby stars Rossello, G., Calafat, R., Figueras, F., Jordi, C., Nunez, J., Paredes, J.M., Sala, F., Torra, J. 145, 279; 59, 399

New period determinations for variable CP stars Manfroid, J., Mathys, G. 145, 280; 59, 429

wby and H β photometry of the open cluster IC 4996

Alfaro, E.J., Delgado, A.J., García-Pelayo, J.M., Garrido, R., Sáez, M. 145, 280; 59, 441

UBV photometry of stars whose positions are accurately known. II

Oja, T. 145, 280; 59, 461

A search for short periodic variations of the Ap Si star HD 92664

Mégessier, C., North, P., Burnet, M., Duquennoy, A. 145, 281; 59, 485

Surface photometry from the ESO/SRC atlas Schindler, R., Isserstedt, J. 145, 281; 59, 497

EW Scuti: a double-mode cepheid Cuypers, J. 145, 283

The old nova V 603 Aql: An intermediate polar?

Haefner, R., Metz, K. 145, 311 The eclipsing variable HR 2800

Sterken, C., Duerbeck, H.W., Hensberge, H., Manfroid, J., Stahl, O., van der Linden, D. 145, 483; 60, 1

Rotational properties of asteroids 2, 12, 80, 145, and 354 obtained by photoelectric photometry

Burchi, R., D'Ambrosio, V., Tempesti, P., Lanciano, N. 145, 483; 60, 9

On the shape of the *wby* lightcurves of CP stars *Mathys*, G., *Manfroid*, J. 145, 483; 60, 17

RGU-photometry of a starfield in the direction to Scutum (S1') Karaali, S., Becker, W., Fenkart, R.P. 145, 484; 60, 75

The application of three-colour photometry on galactic starfields with strong interstellar extinction (Aquila II)

Becker, W., Steppe, H. 145, 486; 60, 169

The Taurus dark cloud around the position of 3C 111: an optical and C ¹⁸O line study

Ungerer, V., Mauron, N., Brillet, J., Nguyen-Quang-Rieu 146, 123

Frequency of Bp-Ap stars among spectroscopic binaries Gerbaldi, M., Floquet, M., Hauck, B. 146, 341

A UBVRI photoelectric sequence in 47 Tuc Alcaino, G., Liller, W. 146, 389

147, 35

New cases of ambiguity among large asteroids' spin rates Zappalà, V., Di Martino, M., Hanslmeier, A., Schober, H.J.

A study of visual double stars with early type primaries. IV. Astrophysical data

Lindroos, K.P. 147, 187; 60, 183

Systematic errors in Zwicky's magnitudes

Fasano, G. 147, 188; 60, 285

UBV photometric observations of TT Aurigae Wachmann, A.A. 147, 190; 60, 349

Astrometric and photometric estimators for TYCHO photon counts

Yoshizawa, M., Andreasen, G.K., Høg, E. 147, 227

VBLUW-photometry of stars in small fields around 13 planetary nebulae

Gathier, R. 147, 337; 60, 399

Four-colour and H β photometry of blue stars selected from a balloon-ultraviolet survey and other sources

Tobin, W. 147, 337; 60, 459

Galactic structure photoelectric standards

Stobie, R.S., Gilmore, G., Reid, N. 147, 338; 60, 495

CCD stellar sequences in galactic structure fields Stobie, R.S., Sagar, R., Gilmore, G. 147, 338; 60, 503

Supplement to the detailed bibliography on the surface photometry of galaxies

Pence, W.D., Davoust, E. 147, 338; 60, 517

The optical detection of very low surface brightness regions *Phillipps, S., Disney, M.J.* **148**, 234

Stellar populations in a faint star field in the Large Magellanic Cloud

Ardeberg, A., Linde, P., Lindgren, H., Lyngå, G. 148, 263

Light variations of Periodic Comet Halley beyond 7 AU Sekanina, Z. 148, 299

VBLUW photometry of the stars and nebulosity of N 70 in the LMC

Greve, A., van Genderen, A.M. 148, 397

Strömgren photometry of open clusters. I. NGC 6281, NGC 6405

Schneider, H. 148, 448; 61, 45

Photometric variations and period determination of eight southern CP stars

Waelkens, C. 148, 449; 61, 127

Photometry of southern stars. II. Further evidence of spots in the eclipsing binary BH Virginis

Scaltriti, F., Cellino, A., Busso, M. 149, 11

CCD observations of bipolar nebulae. III. R Mon/NGC 2261 Aspin, C., McLean, I.S., Coyne, G.V. 149, 158

Determination of the pole orientation of an asteroid. The amplitude-aspect relation revisited

Pospieszalska-Surdej, A., Surdej, J. 149, 186

CTB80: probable changes in the central nebulosity, 1953–1981 Strom, R.G., Blair, W.P. 149, 259

The periods of rotation of the magnetic peculiar stars in the Scorpio-Centaurus association: no evidence of braking on the main sequence

Borra, E.F., Beaulieu, A., Brousseau, D., Shelton, I. 149, 266 RY Leporis: a bright, high-amplitude δ Scuti star

Diethelm, R. 149, 465

An investigation of the micro-variations of highly luminous OBA type stars. I

van Genderen, A.M., Alphenaar, P., van der Bij, M.D.P., Deul, E.R., van Driel, W., van Heerde, G.M., de Lange, L., van Leeuwen, F., Meys, J.J.M., Oppe, J., Thé, P.S., Wiertz, M.J.J. 149, 490; 61, 213

UBV photometry of quasars and quasar candidates. II Adam, G. 149, 490; 61, 225 Photoelectric photometry of asteroid 69 Hesperia

Poutanen, M., Bowell, E., Martin, L.J., Thompson, D.T. 149, 491; 61, 291

 $\it UBV$ observations and pole determinations of asteroids 15 Eunomia and 354 Eleonora

Piironen, J.O., Poutanen, M., Di Martino, M., Zappalà, V. 149, 491; 61, 299

Photoelectric photometry of stars near the North Galactic Pole. II

Oja, T. 149, 492; 61, 331

Four-colour photometry of eclipsing binaries. XX. Light curves of V 760 Scorpii

Andersen, J., Clausen, J.V., Helt, B.E., Jensen, K.S., Naqvi, S.I.H., Nordström, B. 149, 492; 61, 353

The distance modulus of the Large Magellanic Cloud: evidence from colour-magnitude diagrams of old clusters

Andersen, J., Blecha, A., Walker, M.F. 150, L12 uvby photometry of the β Cephei variable HR 5488

vander Linden, D., Sterken, C. 150, 76

Evaluation of the 1 $\mu m \! - \! 5~\mu m$ windows at observatory altitudes in the Canary Islands

Mountain, C.M., Leggett, S.K., Selby, M.J., Zadrozny, A. 150, 281

Photoelectric UBV colours of supernovae

Younger, P.F., van den Bergh, S. 150, 350; 61, 365

Photometric variations of the irregular variable V 348 Sgr Heck, A., Houziaux, L., Manfroid, J., Jones, D.H.P., Andrews, P.J. 150, 350; 61, 375

Magnitudes, colors and positions for bright stars in the Large Magellanic Cloud bar

Bernazzani, M., Buonanno, R., Corsi, C.E., Hardy, E. 150, 351; 61, 473

UBVRI photometry of stars in several H II regions Lahulla, J.F. 150, 352; 61, 517

Photometric and UV spectroscopic observations of 22 Vul at eclipse: observational evidence for an extended chromosphere of a "solar type" G supergiant

Schröder, K.-P., Che-Bohnenstengel, A. 151, L5

The effect of TiO absorption in late M giants on the Lockwood five-color narrow-band photometric system

Mennessier, M.O. 151, 201
Absolute dimensions of eclipsing binaries. VIII. V760 Scorpii
Andersen, J., Clausen, J.V., Nordström, B., Popper, D.M. 151,

An investigation of the micro-variations of highly luminous OBA type stars. II

van Genderen, A.M. 151, 349

Measurement of the absolute flux from Vega at 4.92 µm Mountain, C.M., Leggett, S.K., Selby, M.J., Blackwell, D.E., Petford, A.D. 151, 399

Observations of the light and colour variations of AI Velorum using an acousto-optic filter photometer

Bates, B., Halliwell, D.R. 151, 403

Photometric variability of mid-B stars Waelkens, C., Rufener, F. 152, 6

Surface photometry of galaxies extended to z = 0.59

Johansen, K.T., Florentin-Nielsen, R., Teuber, J. 152, L21

The 1981 total solar eclipse corona. II. Global absolute photometric analysis

Lebecq, C., Koutchmy, S., Stellmacher, G. 152, 157

The nature of halos around planetary nebulae

Hippelein, H.H., Baessgen, M., Grewing, M. 152, 213

The importance of colour-colour loops in the determination of the physical parameters of pulsating variables

Onnembo, A., Buonaura, B., Caccin, B., Russo, G., Sollazzo, C. 152, 349

Comparison between *UBV*- and *RGU*-photometrically determined density functions for the photometric disk and halo and between the corresponding mean isodensity behaviour in the halo close to the galactic north-pole (SA 57)

Fenkart, R., Esin-Yilmaz, F. 152, 443; 62, 39

Photoelectric search for CP2-stars in open clusters. VI. NGC 5460, NGC 6087 and IC 4725

Maitzen, H.M. 152, 444; 62, 129

An investigation of the micro variations of highly luminous OBA type stars. IV.

van Genderen, A.M., van den Boogart, A.K., Brand, J., de Bruyn, J.W., Burger, J.H., van der Bij, D.P.M., Deul, E.R., van Heerde, G.M., Hooimeyer, J.R.A., Kraakman, H., de Lange, L., Lemstra, G., Oppe, J., Wiertz, M.J.J. 152, 447; 62, 291

A $\it UBVRI$ photoelectric sequence in the globular cluster NGC 6584

Alcaino, G., Liller, W. 152, 447; 62, 317

An investigation of the micro-variations of highly luminous OBA type stars. III. The S Dor type star R 71 = HDE 269006 in the LMC

van Genderen, A.M., Steemers, W.J.G., Feldbrugge, P.T.M., Groot, M., Damen, E., van den Boogaart, A.K. 153, 163

The nature of Hoag's object: the perfect ringed galaxy *Brosch*, N. **153**, 199

The flux distribution of Vega for 10 $\mu m \! \le \! \lambda \! \le \! 100~\mu m,$ and the calibration of IRAS at 12 μm and 25 μm

Leggett, S.K. 153, 273

Planetary nebulae: general

SIT Vidicon and IDS spectra of central stars of planetary nebulae

Méndez, R.H., Kudritzki, R.P., Simon, K.P. 142, 289

Numerical models of planetary nebulae evolution

Okorokov, V.A., Shustov, B.M., Tutukov, A.V., Yorke, H.W. 142, 441

New planetary nebulae of low surface brightness detected on UK-Schmidt plates

Hartl, H., Tritton, S.B. 145, 41

Spectroscopic verification of suspected planetary nebulae. I Kohoutek, L., Pauls, R. 145, 485; 60, 87

Spectroscopic verification of suspected planetary nebulae. II West, R.M., Kohoutek, L. 145, 485; 60, 91

On the progenitors of white dwarfs

Drilling, J.S., Schönberner, D. 146, L23

On the existence and role of magnetic fields in planetary nebulae (Text in French)

Pascoli, G. 147, 257

VBLUW-photometry of stars in small fields around 13 planetary nebulae

Gathier, R. 147, 337; 60, 399

K3-35: planetary nebula or compact H II region?

Engels, D., Schmid-Burgk, J., Walmsley, C.M., Winnberg, A. 148, 344

Galactic electron temperature gradient from planetary nebulae Maciel, W.J., Faúndez-Abans, M. 149, 365

Line transfer with complete frequency redistribution in an absorbing medium. Scaling laws and approximations

Faurobert, M., Frisch, H. 149, 372

The nature of halos around planetary nebulae Hippelein, H.H., Baessgen, M., Grewing, M. 152, 213

High resolution spectra of compact planetary nebulae Ortolani, S., Sabbadin, F. 152, 442; 62, 17

Dynamical evolution of planetary nebulae Volk, K., Kwok, S. 153, 79

Planetary nebulae: individual

HD 316248

The structure and spectral characteristics of the low-excitation planetary nebula HD 316248

Hutsemékers, D., Surdej, J. 153, 245

LoTr 5

Spectroscopic variations of the central star of LoTr 5

Acker, A., Jasniewicz, G., Gleizes, F. 151, L13

M 1-67

IRAS observations of Sand.3 and M1-67: two new planetary nebulae with Wolf-Rayet nuclei

van der Hucht, K.A., Jurriens, T.A., Olnon, F.M., Thé, P.S., Wesselius, P.R., Williams, P.M. 145, L13

M 2-9

Radio synthesis observations of M2-9, the Butterfly nebula Kwok, S., Purton, C.R., Matthews, H.E., Spoelstra, T.A.T. 144, 321

NGC 1535

Models for the planetary nebulae NGC 4361 and NGC 1535: Influence of the stellar wind on the nebular ionization

Adam, J., Köppen, J. 142, 461

Study of three high excitation planetary nebulae in the southern hemisphere (Text in French)

Louise, R., Pascoli, G. 150, 285

NGC 2346

The central star of NGC 2346: a dephasing light curve Acker, A., Jasniewicz, G. 143, L1

NGC 2440

Study of three high excitation planetary nebulae in the southern hemisphere (Text in French)

Louise, R., Pascoli, G. 150, 285

NGC 2452

Study of three high excitation planetary nebulae in the southern hemisphere (Text in French)

Louise, R., Pascoli, G. 150, 285

NGC 4361

Models for the planetary nebulae NGC 4361 and NGC 1535: Influence of the stellar wind on the nebular ionization Adam, J., Köppen, J. 142, 461

NGC 6302

Highly ionized neon in the planetary nebula NGC 6302

Pottasch, S.R., Preite-Martinez, A., Olnon, F.M., Raimond, E.,
Beintema, D.A., Habing, H.J. 143, L11

NGC 7027

CO $J=3\rightarrow 2$ and $J=2\rightarrow 1$ mapping and spectroscopy of NGC 7027

Phillips, J.P., White, G.J., Richardson, K.J. 151, 421

Sand 3

IRAS observations of Sand.3 and M1-67: two new planetary nebulae with Wolf-Rayet nuclei

van der Hucht, K.A., Jurriens, T.A., Olnon, F.M., Thé, P.S., Wesselius, P.R., Williams, P.M. 145, L13

136+5°1

Ultraviolet observations of the central star in the planetary nebula 136+5°1

Heckathorn, J.N., Fesen, R.A. 143, 475

Planets and satellites: abundances

The ¹⁴N/¹⁵N ratio in the Jovian atmosphere Drossart, P., Encrenaz, T., Combes, M. **146**, 181

Detection of ¹³C¹²CH₂ on Jupiter at 13 μm

Drossart, P., Lacy, J., Serabyn, E., Tokunaga, A., Bézard, B., Encrenaz, T. 149, L10

Planets and satellites: atmospheres of

On detection of radio bursts associated with Jovian and Saturnian lightning

Zarka, P. 146, L15

The ¹⁴N/¹⁵N ratio in the Jovian atmosphere

Drossart, P., Encrenaz, T., Combes, M. 146, 181

Polarized light in planetary atmospheres for perpendicular directions

Hovenier, J.W., de Haan, J.F. 146, 185

Ground based observations of synoptic cloud systems in southern equatorial to temperate latitudes of Jupiter from 1975 to 1983

Sanchez-Lavega, A., Rodrigo, R. 148, 67

Detection of ¹³C¹²CH₂ on Jupiter at 13 µm

Drossart, P., Lacy, J., Serabyn, E., Tokunaga, A., Bézard, B., Encrenaz, T. 149, L10

Photopolarimetric analysis of the Martian atmosphere by the Soviet MARS-5 orbiter. I. White clouds and dust veils

Santer, R., Deschamps, M., Ksanfomaliti, L.V., Dollfus, A. 150, 217

Search for minor atmospheric species in the millimeter range of Jupiter and Saturn

Lellouch, E., Destombes, J.L. 152, 405

Planets and satellites: general

Universal time, lunar tidal deceleration and relativistic effects from observations of transits, eclipses and occultations in the XVIII-XX centuries

Krasinsky, G.A., Saramonova, E.Y., Sveshnikov, M.L., Sveshnikova, E.S. 145, 90

A Lie integrator program and test for the elliptic restricted three body problem

Delva, M. 147, 188; 60, 277

Ground based observations of synoptic cloud systems in southern equatorial to temperate latitudes of Jupiter from 1975 to 1983

Sanchez-Lavega, A., Rodrigo, R. 148, 67

Fluid satellite

Hachisu, I., Eriguchi, Y. 152, 51

Planets and satellites: individual

Jupiter

Ground based observations of synoptic cloud systems in southern equatorial to temperate latitudes of Jupiter from 1975 to 1983 Sanchez-Lavega, A., Rodrigo, R. 148, 67

Mars

Photopolarimetric analysis of the Martian atmosphere by the Soviet MARS-5 orbiter. I. White clouds and dust veils Santer, R., Deschamps, M., Ksanfomaliti, L.V., Dollfus, A.

150, 217

Uranus

The April 22 occultation of Hyd $-20^{\circ}51699$ by Uranus and its rines

Jablonski, F.J., Barroso, J., Jr. 144, 249

Planets and satellites: magnetospheres of

A catalogue of the high frequency limit of the jovian decameter emission observed by Voyager

Aubier, M.G., Genova, F. 149, 492; 61, 341

Io-dependent sources of the Jovian decameter emission Genova, F., Aubier, M.G. 150, 139

Planets and satellites: Moon

Universal time, lunar tidal deceleration and relativistic effects from observations of transits, eclipses and occultations in the XVIII-XX centuries

Krasinsky, G.A., Saramonova, E.Y., Sveshnikov, M.L., Sveshnikova, E.S. 145, 90

Lunar impact flux distribution and global asymmetry revisited *Pinet*, P. 151, 222

Planets and satellites: rings

The April 22 occultation of Hyd $-20^{\circ}51699$ by Uranus and its rings

Jablonski, F.J., Barroso, J., Jr. 144, 249

Planets and satellites: satellites

Observations and comparison with theory of Saturn's satellites, 1981-1982 (Text in French)

Dourneau, G., Dulou, M.R., Le Campion, J.F. 142, 91

Visibility of the mutual phenomena of the Galilean Satellites of Jupiter in 1985 and 1986

Arlot, J.E., Rocher, P. 142, 214; 58, 453

Analysis of the orbits of Titan, Hyperion, and Iapetus by numerical integration and by analytical theories

Sinclair, A.T., Taylor, D.B. 147, 241

Positions of the satellites of Saturn in 1978, 1982 and 1983 obtained at the Royal Greenwich Observatory

Taylor, D.B., Sinclair, A.T. 149, 490; 61, 221

Plasmas

Return currents in solar flares: collisionless effects Rowland, H.L., Vlahos, L. 142, 219

Drag-like effects on heliospheric neutrals due to elastic collisions with solar wind ions

Fahr, H.J., Nass, H.U., Rucinski, D. 142, 476

Quasi-linear propagation of a spatially inhomogeneous electron stream

Levin, B.N. 143, 54

Storms of U-bursts and the stability of coronal loops Leblanc, Y., Hoyos, M. 143, 365 Polarization of solar noise storm continuum and plasma wave density in the corona

Benz, A.O., Zolliker, P. 144, 227

Hydrogen lines Stark broadening tables in the presence of a magnetic field

Mathys, G. 144, 255; 59, 229

Cyclotron line profiles and photon diffusion in a hot plasma Ventura, J., Soffel, M., Herold, H., Ruder, H. 144, 479

Radiative transfer in the accretion column of X-ray pulsars: effects from the hot spot

Soffel, M., Herold, H., Ruder, H., Ventura, J. 144, 485

The chromospheric brightness oscillation spectrum from filter observations in the H β -line

Merkulenko, V.E., Mishina, M.N. 146, L9

On detection of radio bursts associated with Jovian and Saturnian lightning

Zarka, P. 146, L15

An updated evaluation of recombination and ionization rates Arnaud, M., Rothenflug, R. 147, 337; 60, 425

Chaotic behaviour of high Mach number flows

Varvoglis, H., Ghosh, S. 148, 35

Electron-positron bremsstrahlung in mildly relativistic thermal plasmas

Haug, E. 148, 386

Fast electron generation in quasiperpendicular shocks and type II solar radiobursts

Krasnosel'skikh, V.V., Kruchina, E.N., Thejappa, G., Volokitin, A.S. 149, 323

Interpretation of unpolarized radio emission from RS CVn stars Kuijpers, J., van der Hulst, J.M. 149, 343

The visibility of type III radio bursts originating behind the Sun Dulk, G.A., Steinberg, J.L., Lecacheux, A., Hoang, S., MacDowall, R.J. 150, L28

Fe XIX transitions within the n=2 complex

Loulergue, M., Mason, H.E., Nussbaumer, H., Storey, P.J. 150, 246

The Type IV burst of 1980 June 29, 0233 UT: Harmonic plasma emission?

Gary, D.E., Dulk, G.A., House, L.L., Illing, R., Wagner, W.J., McLean, D.J. 152, 42

Solar X-ray spectrum simulations for flaring loop models with emphasis on transient ionization effects during the impulsive phase

Mewe, R., Lemen, J.R., Peres, G., Schrijver, J., Serio, S. 152,

Calculated X-radiation from optically thin plasmas. V. Improved atomic data for n=1-2 lines plus satellites from H- and He-like ions, 2l-nl' ($n \ge 2$) and 3l-nl' ($n \ge 3$) transitions from Fe and Ni ions, and lines from Li to Ne isoelectronic sequences of elements C to Ca

Mewe, R., Gronenschild, E.H.B.M., van den Oord, G.H.J. 152, 446; 62, 197

The ion tail of Comet Kohoutek 1973 XII during 17 days of solar wind gusts

Jockers, K. 153, 285; 62, 787

Polarization

Point and interval estimation of the true unbiased degree of linear polarization in the presence of low signal-to-noise ratios

Simmons, J.F.L., Stewart, B.G. 142, 100

Molecular emission from expanding circumstellar envelopes: polarization and profile asymmetries

Morris, M., Lucas, R., Omont, A. 142, 107

Calibration of the instrumental polarization of radio telescopes Turlo, Z., Forkert, T., Sieber, W., Wilson, W. 142, 181

Linear polarization of symbiotic stars

Schulte-Ladbeck, R. 142, 333

The correlation between normalised Stokes parameters in a sinusoidally modulated intensity polarimeter

Stewart, B.G. 143, 235

Observational search for polarized emission from space vehicles/ communication relays near the galactic centre

Vallée, J.P., Simard-Normandin, M. 143, 274

Comptonization of low-frequency radiation in accretion disks: angular distribution and polarization of hard radiation

Sunyaev, R.A., Titarchuk, L.G. 143, 374 CCD observations of bipolar nebulae. II. Lk H α 233

Aspin, C., McLean, I.S., McCaughrean, M.J. 144, 220

Polarization of solar noise storm continuum and plasma wave density in the corona

Benz, A.O., Zolliker, P. 144, 227

Large-scale configuration of magnetic fields in spiral galaxies Sofue, Y., Klein, U., Beck, R., Wielebinski, R. 144, 257

Polarization measurements of late-type stars at H β and Ca II K Clarke, D., Schwarz, H.E., Stewart, B.G. 145, 232

The old nova V 603 Aql: An intermediate polar?

Haefner, R., Metz, K. 145, 311

Henyey-Greenstein representation of the mean volume scattering phase function for zodiacal dust

Hong, S.S. 146, 67

Polarized light in planetary atmospheres for perpendicular direc-

Hovenier, J.W., de Haan, J.F. 146, 185

Linear polarization at λ 49 cm of 27 double radio sources

Conway, R.G., Strom, R.G. 146, 392

Narrow band polarimetry of a sample of cool giants and supergiants

Schwarz, H.E. 147, 111

Depolarization of emission of some pulsars

Gil, J., Rudnicki, W. 147, 184

Effect of electron energy and angular dispersion on hard X-ray polarization during solar flares

Haug, E., Elwert, G., Rausaria, R.R. 148, 115

A spectropolarimeter for low polarization

Östreicher, R., Schulte-Ladbeck, R. 148, 179

Discovery of polarization structure in the optical spectrum of the peculiar symbiotic star R Aquarii

Aspin, C., Schwarz, H.E., McLean, I.S., Boyle, R.P. 149, L21 CCD observations of bipolar nebulae. III. R Mon/NGC 2261

Aspin, C., McLean, I.S., Coyne, G.V. 149, 158 Polarization maps at 49 cm of 27 3C sources

Strom, R.G., Conway, R.G. 150, 352; 61, 537

Polarization structure and variability in the optical spectrum of VY Canis Majoris

Aspin, C., Schwarz, H.E., McLean, I.S. 151, 169

M 81 at high radio frequencies

Beck, R., Klein, U., Krause, M. 152, 237

Polarimetric observations of solar-type stars

Huovelin, J., Linnaluoto, S., Piirola, V., Tuominen, I., Virtanen, H. 152, 357

Measurements of distributed polarized radio sources from spinning spacecraft; effect of a tilted axial antenna. ISEE-3 application and results

Fainberg, J., Hoang, S., Manning, R. 153, 145

Positions; see Astrometry; Fundamental stars and other objects

Proper motions; see Astrometry; Fundamental stars and other obiects

Protostars; see Stars: pre-main-sequence; Interstellar medium: clouds; Interstellar medium: kinematics and dynamics of

Pulsars: general

The initial mass limit for neutron star and black hole formation Schild, H., Maeder, A. 143, L7

The binary X-ray pulsar 1E 2259+59 – a descendant of an AM Her type system?

Lipunov, V.M., Postnov, K.A. 144, L13

Pulsar space charging

Krause-Polstorff, J., Michel, F.C. 144, 72

Stability of mass transfer in a neutron star plus degenerate dwarf binary

Bonsema, P.F.J., van den Heuvel, E.P.J. 146, L3

Depolarization of emission of some pulsars

Gil, J., Rudnicki, W. 147, 184

Two types of pulsars

Huang, J.H., Huang, K.L., Peng, Q.H. 148, 391

Relativistic magnetospheres: corotating and streaming formulations for the charge filled case

Leahy, D.A. 149, 57

Evolution of a merging pair of C+O white dwarfs to form a single neutron star

Saio, H., Nomoto, K. 150, L21

|Z| distribution and age of pulsars

Huang, K.L., Huang, J.H., Peng, Q.H. 152, 89

Inverse Compton scattering in strong magnetic fields and its possible application to pulsar emission

Xia, X.Y., Qiao, G.J., Wu, X.J., Hou, Y.Q. 152, 93

Pulsars: individual

PSR 1937+214

A model of radio emission from the millisecond pulsar PSR 1937 + 214

Gil, J. 143, 443

1E 2259+59

The binary X-ray pulsar 1E 2259+59 – a descendant of an AM Her type system?

Lipunov, V.M., Postnov, K.A. 144, L13

4U 0115+63

4U 0115+63: an energetic gamma ray binary pulsar Chadwick, P.M., Dowthwaite, J.C., Harrison, A.B., Kirkman, I.W., McComb, T.J.L., Orford, K.J., Turver, K.E. 151, L1

Quasars: general

The nature of the IGM

Kundt, W., Krause, M. 142, 150

A search for faint blue stars in high galactic latitudes. III. Twelve PSS fields at declinations -6° and -12° near the South Galactic Pole

Berger, J., Fringant, A.-M. 142, 216; 58, 565

The variable extragalactic object 3C 446

Barbieri, C., Cristiani, S., Omizzolo, S., Romano, G. 142, 316 Optically thin sychrotron emission and Type C_L radio source spectra

Roberts, J.A. 143, 231

Orientation correlation of radio double sources

Fang, L., Chu, Y., Zhu, X. 143, 241

A comparative study of cosmological evolution in the radio, optical and X-ray bands

Danese, L., De Zotti, G., Franceschini, A. 143, 277

Compact steep spectrum 3CR radio sources. VLBI observations at 18 cm

Fanti, C., Fanti, R., Parma, P., Schilizzi, R.T., van Breugel, W.J.M. 143, 292

A new formulation of gravitational lens theory, time-delay, and Fermat's principle

Schneider, P. 143, 413

A study of quasar pairs Shaver, P.A. 143, 451

Are Ly-α clouds detectable in emission at 21 cm? Vietri, M. 144, L17

Uniformity of quasars in the chronometric cosmology Segal, I.E., Nicoll, J.F. 144, L23

High redshift MgII and FeII absorption in QSO spectra from known CIV systems

Boissé, P., Bergeron, J. 145, 59

Photoionization models for QSO absorption-line regions Gruenwald, R.B., Aldrovandi, S.M.V. 145, 324

A search for H1 and OH absorption in high redshift quasars de Waard, G.J., Strom, R.G., Miley, G.K. 145, 479

Linear polarization at λ 49 cm of 27 double radio sources Conway, R.G., Strom, R.G. 146, 392

Orientation effects and the reddening of the lines and continua of Seyfert galaxies

De Zotti, G., Gaskell, C.M. 147, 1

Mutual coherence of gravitationally lensed images Schneider, P., Schmid-Burgk, J. 148, 369

Studies of faint blue objects at high galactic latitudes. IV. Faint blue objects in the field of χ UMa

Barbieri, C., Barbon, R., de Bastiani, L., Romano, G., Pesch, P., Sanduleak, N. 148, 450; 61, 163

Dynamics of energy supply to bright hot spots associated with 10 extragalactic radios sources

Saripalli, L., Gopal-Krishna 149, 205

Near infrared and radio observations of active galactic nuclei Lépine, J.R.D., Braz, M.A., Epchtein, N. 149, 351

A search for faint blue stars in high galactic latitudes. IV. Star and quasar distribution as a function of the magnitude in the PHL and PB surveys near the South Galactic Pole

Berger, J., Fringant, A.-M. 149, 489; 61, 191

UBV photometry of quasars and quasar candidates. II Adam, G. 149, 490; 61, 225

Magneto-ionic content of compact extragalatic radio sources Carvalho, J.C. 150, 129

Polarization maps at 49 cm of 27 3C sources Strom, R.G., Conway, R.G. 150, 352; 61, 537

Two-epoch observations of the core radio structure in extended quasars

Barthel, P.D., Miley, G.K., Schilizzi, R.T., Preuss, E. 151, 131

The statistical significance of a large quasar inhomogeneity in the sky

Narlikar, J.V., Subramanian, K. 151, 264

UBVRI observations of quasars

Moles, M., Garcia-Pelayo, J.M., Masegosa, A., Aparicio, A., Quintana, J.M. 152, 271

Statistical study of AGN's. I. Line widths of C IV and H β versus optical luminosity

Joly, M., Collin-Souffrin, S., Masnou, J.L., Nottale, L. 152, 282

Ouasars: individual

QSO PG 1115+08

The multiple QSO PG1115+08: A fifth component? Foy, R., Bonneau, D., Blazit, A. 149, L13

QSO 0241+622

New evidence for keV X-ray variability of QSO 0241+622 Mereghetti, S., Bignami, G.F., Caraveo, P.A. 142, 37

1038+528 A, B

The quasars 1038 + 528 A and B

Marcaide, J.M., Shapiro, I.I., Corey B.E., Cotton, W.D., Gorenstein, M.V., Rogers A.E.E., Romney, J.D., Schild, R., Bååth, L., Bartel, N., Cohen, N.L., Clark, T.A., Preston, R.A., Ratner, M.I., Whitney, A.R. 142, 71

3C446

The variable extragalactic object 3C 446

Barbieri, C., Cristiani, S., Omizzolo, S., Romano, G. 142, 316

Quasars: jets of

Compact steep spectrum 3CR radio sources. VLBI observations at 18 cm

Fanti, C., Fanti, R., Parma, P., Schilizzi, R.T., van Breugel, W.J.M. 143, 292

Dynamics of energy supply to bright hot spots associated with 10 extragalactic radios sources

Saripalli, L., Gopal-Krishna 149, 205

Two-epoch observations of the core radio structure in extended

Barthel, P.D., Miley, G.K., Schilizzi, R.T., Preuss, E. 151, 131

Quasars: redshifts of

The distribution of emission line redshift of QSOs Basu, D. 152, 63

Radial velocities: see also Galaxy (the): kinematics and dynamics of; Galaxies: redshifts of; Quasars: redshift of

Radial velocities of galaxies: some considerations on the comparison between radio and optical data

Tanzella-Nitti, G. 142, 216; 58, 549

Radial velocities of southern stars obtained with the photoelectric scanner CORAVEL. III. 790 late-type bright stars

Andersen, J., Nordström, B., Ardeberg, A., Benz, W., Imbert, M., Lindgren, H., Martin, N., Maurice, E., Mayor, M., Prévot, L. 143, 245; 59, 15

IUE data analysis: radial velocities from line coincidence statis-

Bord, D.J., Davidson, J.P. 143, 461

On the way of understanding Particle-In-Cell simulations of gravitational clustering

Bouchet, F.R., Adam, J.-C., Pellat, R. 144, 413

Absolute dimensions of eclipsing binaries. VII. V 1647 Sagittarii Andersen, J., Giménez, A. 145, 206

Radial velocities for 28 southern young open clusters

Hron, J., Maitzen, H.M., Moffat, A.F.J., Schmidt-Kaler, Th., Vogt, N. 147, 336; 60, 355

Physical properties of the Cepheids RT Aurigae and SZ Tauri Gieren, W.P. 148, 138

Double grating prisms: A novel device for measuring absolute radial velocities with slitless field spectrographs

Geyer, E.H., Nelles, B. 148, 312

Observations of the southern galaxy clusters STR 0625-540 and STR 0627-544

Hopp, U., Materne, J. 148, 359

Radial velocities of bright southern stars. IV. 551 A- and F-type HR and FK stars

Nordström, B., Andersen, J. 148, 448; 61, 53

The Antlia cluster of galaxies and its environment: the Hydra I-Centaurus supercluster

Hopp, U., Materne, J. 148, 449; 61, 93

Radial velocities of southern stars obtained with the photoelectric scanner Coravel. IV. Radial velocity variations of six cepheids in the Large Magellanic Cloud: HV 879, HV 899, HV 909, HV 2257, HV 2338, HV 2827

Imbert, M., Andersen, J., Ardeberg, A., Bardin, C., Benz, W., Lindgren, H., Martin, N., Maurice, E., Mayor, M., Nordström, B., Prévot, L. 149, 490; 61, 259

Spectroscopic variations of the central star of LoTr 5 Acker, A., Jasniewicz, G., Gleizes, F. 151, L13

Radial velocities of southern stars obtained with the photoelectric scanner CORAVEL. V. 404 F to M supergiant stars in the Large Magellanic Cloud

Prévot, L., Andersen, J., Ardeberg, A., Benz, W., Imbert, M., Lindgren, H., Martin, N., Maurice, E., Mayor, M., Nordström, B., Rebeirot E., Rousseau, J. 152, 442; 62, 23

Galactic cluster star radial velocities obtained with a focal reducer field spectrograph. I. The clusters IC 1805, NGC 2287, NGC 2548, IC 4665, NGC 6633, NGC 6940 and NGC 7092 Geyer, E.H., Nelles, B. 152, 447; 62, 301

Radial velocities of bright southern stars. V. 146 Population II F stars and related stars

Andersen, J., Nordström, B. 152, 448; 62, 355

Radial velocities along the light curve of the peculiar emissionline star GG Carinae

Gosset, E., Hutsemékers, D., Surdej, J., Swings, J.P. 153, 71

Radiation mechanisms: general

Quasi-linear propagation of a spatially inhomogeneous electron stream

Levin, B.N. 143, 54

A model of radio emission from the millisecond pulsar PSR 1937 + 214

Gil. J. 143, 443

Radiative formation of positronium in a vacuum

Erdas, A., Mezzorani, G., Quarati, P., Puddu, G. 144, 295

Inhomogeneous synchrotron-self-Compton models and the problem of relativistic beaming of BL Lac objects

Ghisellini, G., Maraschi, L., Treves, A. 146, 204

Electron-positron bremsstrahlung in mildly relativistic thermal plasmas

Haug, E. 148, 386

Fast electron generation in quasiperpendicular shocks and type II solar radiobursts

Krasnosel'skikh, V.V., Kruchina, E.N., Thejappa, G., Volokitin, A.S. 149, 323

Interpretation of unpolarized radio emission from RS CVn stars Kuijpers, J., van der Hulst, J.M. 149, 343

The Type IV burst of 1980 June 29, 0233 UT: Harmonic plasma emission?

Gary, D.E., Dulk, G.A., House, L.L., Illing, R., Wagner, W.J., McLean, D.J. 152, 42

Inverse Compton scattering in strong magnetic fields and its possible application to pulsar emission

Xia, X.Y., Qiao, G.J., Wu, X.J., Hou, Y.Q. 152, 93

Radiation mechanisms: synchrotron radiation

Optically thin sychrotron emission and Type C_L radio source

Roberts, J.A. 143, 231

WSRT and VLA observations of very steep spectrum radio galaxies in clusters

Roland, J., Hanisch, R.J., Véron, P., Fomalont, E. 148, 323

Near infrared and radio observations of active galactic nuclei Lépine, J.R.D., Braz, M.A., Epchtein, N. 149, 351

Radio continuum emission from the nuclear region of M 31: evidence for a nuclear radio spiral

Walterbos, R.A.M., Gräve, R. 150, L1

UBVRI observations of quasars

Moles, M., García-Pelayo, J.M., Masegosa, A., Aparicio, A., Ouintana, J.M. 152, 271

Radiation transfer; see also Lines, formation

Molecular emission from expanding circumstellar envelopes: polarization and profile asymmetries

Morris, M., Lucas, R., Omont, A. 142, 107

Redistribution functions for astrophysical problems Magnan, C. 142, 117

Effects of CO molecules on the outer solar atmosphere: a time-dependent approach

Muchmore, D., Ulmschneider, P. 142, 393

A working model of the solar S-component radio emission Krüger, A., Hildebrandt, J., Fürstenberg, F. 143, 72

Hyperfine selective collisional excitation of interstellar molecules Stutzki, J., Winnewisser, G. 144, 1

On the interpretation of hyperfine-structure intensity anomalies in the NH₃ (J, K) = (1,1) inversion transition Stutzki, J., Winnewisser, G. 144, 13

The physical structure of the dark cloud B5 Stenholm, L.G. 144, 179

Line formation in the presence of turbulence Magnan, C. 144, 186

Cyclotron line profiles and photon diffusion in a hot plasma Ventura, J., Soffel, M., Herold, H., Ruder, H. 144, 479

Radiative transfer in the accretion column of X-ray pulsars: effects from the hot spot

Soffel, M., Herold, H., Ruder, H., Ventura, J. 144, 485

A treatment of opacity suitable for media of low density and temperature. I

Capuzzo-Dolcetta, R., Di Fazio, A., Palla, F. 145, 290

Photoionization models for QSO absorption-line regions Gruenwald, R.B., Aldrovandi, S.M.V. 145, 324

Computed He II spectra for Wolf-Rayet stars

Hamann, W.-R. 145, 443

A modified Rybicki method and the partial coherent scattering approximation

Hubený, I. 145, 461

On detection of radio bursts associated with Jovian and Saturnian lightning

Zarka, P. 146, L15

Polarized light in planetary atmospheres for perpendicular directions

Hovenier, J.W., de Haan, J.F. 146, 185

Resonance lines in dusty gaseous nebulae

Wehrse, R., Kalkofen, W. 147, 71

A radiation driven stellar wind model atmosphere for the Wolf-Rayet binary V 444 Cygni

Pauldrach, A., Puls, J., Hummer, D.G., Kudritzki, R.P. 148, L1

Prediction of maser emission from para- $H_2\mathrm{O}$ at 1.635 mm and 922 μ

Chandra, S., Kegel, W.H., Varshalovich, D.A. 148, 145

Acoustic waves in the solar atmosphere. VII. Non-grey, non-LTE $\rm H^-$ models

Schmitz, F., Ulmschneider, P., Kalkofen, W. 148, 217

A critical discussion of the standard interpretation of NH_3 observations

Stutzki, J., Winnewisser, G. 148, 254

Line formation in expanding atmospheres: Accurate solution using approximate lambda operators

Hamann, W.-R. 148, 364

Study of the Sobolev approximation in turbulent expanding envelopes

Schönberg, K. 148, 405

Multi-level non-LTE line formation calculations using approximate Λ-operators

Werner, K., Husfeld, D. 148, 417

Rotation-inversion transition of interstellar ammonia Zeng, Q. 149, 305

Line transfer with complete frequency redistribution in an absorbing medium. Scaling laws and approximations

Faurobert, M., Frisch, H. 149, 372

Transient elastic photon diffusion

Schweizer, M.A. 151, 79

Relativistic photon-Maxwellian electron cross sections Wienke, B.R. 152, 336

Analysis of P Cygni line profiles: generalization of the *n*th order moment *W*.

Surdej, J. 152, 361

An atlas of theoretical P-Cygni-profiles in early stars Schönberg, K. 152, 448; 62, 339

Super-Eddington fluxes in a quasi-hydrostatic, optically thick region of a neutron-star outer envelope

Stollman, G.M., van Paradijs, J. 153, 99

Radio continuum

The interpretation of the radio continuum emission from comet IRAS-Araki-Alcock (1983 d)

Walmsley, C.M. 142, 437

Optically thin sychrotron emission and Type C_L radio source spectra

Roberts, J.A. 143, 231

An extended extragalactic radio source behind the Milky Way Seiradakis, J.H., Reich, W., Sieber, W., Kühr, H., Schlickeiser, R. 143, 478 The Rosette nebula. II. Radio continuum and recombination line observations

Celnik, W.E. 144, 171

Polarization of solar noise storm continuum and plasma wave density in the corona

Benz, A.O., Zolliker, P. 144, 227

Large-scale configuration of magnetic fields in spiral galaxies Sofue, Y., Klein, U., Beck, R., Wielebinski, R. 144, 257

A dynamical halo around the edge-on galaxy NGC 4631 Werner, W. 144, 502

VLA 6 cm continuum observations of OH/IR stars Herman, J., Baud, B., Habing, H.J. 144, 514

SO galaxies and the influence of the gas content on the radio continuum emission from a disk component

Hummel, E., Kotanyi, C.G. 145, 475

Radio observations of H_I in UGC 2885, the largest identified Sc galaxy

Roelfsema, P.R., Allen, R.J. 146, 213

VLA continuum observations of compact H II regions Woodward, C.E., Helfer, H.L., Pipher, J.L. 147, 84

Spectral index distributions and optical identifications for a sample of source selected at 408 MHz

Kulkarni, V.K., Mantovani, F. 148, 447; 61, 1

Radio continuum emission from the nuclear region of M 31: evidence for a nuclear radio spiral

Walterbos, R.A.M., Gräve, R. 150, L1

A high resolution radio continuum survey of Messier 31. II. Observations at 1412 MHz, data reduction, and the 37W catalogue of radio sources

Walterbos, R.A.M., Brinks, E., Shane, W.W. 150, 351; 61, 451

Evidence for two young galactic supernova remnants

Reich, W., Fürst, E., Altenhoff, W.J., Reich, P., Junkes, N. 151, L10

Optical and radio imaging of the supernova remnant VRO 42.05.01 (G 166.0+4.3)

Pineault, S., Pritchet, C.J., Landecker, T.L., Routledge, D., Vaneldik, J.F. 151, 52

M 81 at high radio frequencies

Beck, R., Klein, U., Krause, M. 152, 237

A survey of the distribution of $\lambda 2.8$ cm radio continuum in nearby galaxies. VI. A small sample of interacting galaxies

Urbanik, M., Gräve, R., Klein, U. 152, 291

Radio measurements in the fields of γ -ray sources. II. Anticenter sources 2CG218-00, 2CG135+01, 2CG121+04, and 2CG095+04

Özel, M.E., Schlickeiser, R., Sieber, W. 152, 393

The nature of the diffuse radio source near Coma A Hanisch, R.J., Strom, R.G., Jaffe, W.J. 153, 9

Radio structure of the Galaxy: thick disk and thin disk at 408 MHz

Beuermann, K., Kanbach, G., Berkhuijsen, E.M. 153, 17

The "thick" radio disk of NGC 4565 Broeils, A.H, Sancisi, R. 153, 281

Radio galaxies; see Galaxies, radio

Radio lines: molecular

Molecular emission from expanding circumstellar envelopes: polarization and profile asymmetries

Morris, M., Lucas, R., Omont, A. 142, 107

HCO⁺ observations of the molecular cloud HH 24-27

Little, L.T., Davies, S.R., Vizard, D.R., Ellison, B.N., Riley, P.W., Matthews, N., Macdonald, G.H., Nyman, L.-A. 142,

Temperature determinations in molecular clouds of the galactic

Güsten, R., Walmsley, C.M., Ungerechts, H., Churchwell, E. 142, 381

[12C]/[13C] ratios from formaldehyde in the inner galactic disk Henkel, C., Güsten, R., Gardner, F.F. 143, 148

Einstein A-coefficients for pure rotational transitions in the H₂¹⁸O-molecule

Chandra, S. 143, 246; 59, 59

On the interpretation of hyperfine-structure intensity anomalies in the NH₃ (J, K) = (1,1) inversion transition Stutzki, J., Winnewisser, G. 144, 13

Detection of high velocity emission in NH₃ (1,1) and (2,2) spectra towards NGC 2071

Takano, T., Stutzki, J., Winnewisser, G., Fukui, Y. 144, L20 The physical structure of the dark cloud B5 Stenholm, L.G. 144, 179

Distribution and kinematics of CO in the spiral galaxy M51 Rydbeck, G., Hjalmarson, A., Rydbeck, O.E.H. 144, 282

Kinematics of the extended CO envelope of Heiles' Cloud 2 Takano, T., Fukui, Y., Ogawa, H. 144, 363

Rapid outbursts in the water maser Cepheus A

Mattila, K., Holsti, N., Toriseva, M., Anttila, R., Malkamäki,

Constraints on the sites of nitrogen nucleosynthesis from 15NH3-

Güsten, R., Ungerechts, H. 145, 241

Westerbork observations of 6 cm H₂CO in W 51 A Arnal, E.M., Goss, W.M. 145, 369

A search for HI and OH absorption in high redshift quasars de Waard, G.J., Strom, R.G., Miley, G.K. 145, 479

OH observations of cloud complexes in Taurus Wouterloot, J.G.A., Habing, H.J. 145, 484; 60, 43

An estimate of the magnetic field strength in the OH coma of comet Austin (1982 VI)

Gérard, E. 146, 1

Formaldehyde observations of OMC-1 Bastien, P., Batrla, W., Henkel, C., Pauls, T., Walmsley, C.M.,

Wilson, T.L. 146, 86

15NH3 in Orion-KL: The hot core is not so hot Hermsen, W., Wilson, T.L., Walmsley, C.M., Batrla, W. 146,

Newly discovered sources of non-metastable ammonia Mauersberger, R., Wilson, T.L., Batrla, W., Walmsley, C.M., Henkel, C. 146, 168

A multiline study of a typical giant molecular cloud: S 147/S 153 Kahane, C., Guilloteau, S., Lucas, R. 146, 325

Ammonia observations of L 1551

Menten, K.M., Walmsley, C.M. 146, 369

A plan view of the bipolar molecular outflow source G 35.2 N Dent, W.R.F., Little, L.T., Kaifu, N., Ohishi, M., Suzuki, S.

The discovery of a new masering transition of interstellar metha-

Wilson, T.L., Walmsley, C.M., Menten, K.M., Hermsen, W.

Molecular lines in IRC+10°210 and CIT 6

Henkel, C., Matthews, H.E., Morris, M., Terebey, S., Fich, M.

Observations of carbon monoxide toward VLA H_I absorption

Despois, D., Baudry, A. 148, 83

A critical discussion of the standard interpretation of NH3 obser-

Stutzki, J., Winnewisser, G. 148, 254

[H₂¹²CO]/[H₂¹³CO] ratios from molecular clouds near the galactic center

Güsten, R., Henkel, C., Batrla, W. 149, 195

The Horseshoe nebula of the northern sky. The dark clouds of IC 1396

Heske, A., Wendker, H.J. 149, 199

H₂O sources near the galactic plane: a pilot systematic survey Matthews, H.E., Olnon, F.M., Winnberg, A., Baud, B. 149,

Detection of extragalactic CS Henkel, C., Bally, J. 150, L25

The 4 m millimeter wave telescope at Nagoya Kawabata, K., Ogawa, H., Fukui, Y., Takano, T., Fujimoto, Y., Kawabe, R., Sugitani, K., Takaba, H. 151, 1

Mrk 273: a new OH megamaser Bottinelli, L., Fraix-Burnet, D., Gouguenheim, L., Kazes, I., Le Squeren, A.M., Patey, I., Rickard, L.J., Turner, B.E. 151, L7

Molecular clouds in the Perseus arm Wouterloot, J.G.A., Habing, H.J. 151, 297

The Draco nebula: A molecular cloud in the galactic halo? Mebold, U., Cernicharo, J., Velden, L., Reif, K., Crezelius, C., Goerigk, W. 151, 427

CO in 30 Doradus Melnick, J., Rubió, M. 151, 455

Detection of distant extragalactic OH in absorption Kazès, I., Dickey, J.M. 152, L9

Distribution of HCO⁺ (J=3-2) in the inner 5 pc of the Galaxy Sandqvist, A., Wootten, A., Loren, R.B. 152, L25

Erratum: Rapid outbursts in the water maser Cepheus A Mattila, K., Holsti, N., Toriseva, M., Anttila, R., Malkamäki, L. 152, 441

Hydrogen cyanide in the bipolar source Cep A Weliachew, L., Emerson, D.T., Forveille, T., Bieging, J.H., Wright, M.C.H., Ellder, J. 153, 139

High resolution maps of the ${}^{2}\Pi_{1/2} J = 1/2$ OH lines in W3

Guilloteau, S., Baudry, A., Walmsley, C.M. 153, 179

Star formation in the large globule L810 Neckel, T., Chini, R., Güsten, R., Wink, J.E. 153, 253

Radio lines: recombination

The Rosette nebula. II. Radio continuum and recombination line observations

Celnik, W.E. 144, 171

Observations of radio recombination lines in the millimeter-wave spectrum of Orion A

Hoang-Binh, D., Encrenaz, P., Linke, R.A. 146, L19

Radio recombination lines from the galactic plane in Cygnus Barcia, A., Gómez-González, J., Lockman, F.J., Planesas, P.

The Cygnus X region. XVI. The ionized gas behind the dark cloud between the North America and Pelican Nebulae Heske, A., Wendker, H.J. 148, 439

Radio lines: 21-cm

Survey of the 21 cm line of neutral hydrogen in the Cas-Per region $120^{\circ} \le l \le 142^{\circ}$ and $-5^{\circ} \le b \le +5^{\circ}$ with the 100 m telescope at Effelsberg

Braunsfurth, E., Reif, K. 142, 215; 58, 503

HI synthesis observations of the peculiar galaxy NGC 3718 and its companion NGC 3729

Schwarz, U.J. 142, 273

HI observations of galaxies in nearby groups Huchtmeier, W.K., Seiradakis, J.H. 143, 216

H1 line studies of galaxies. IV. Distance moduli of 468 disk galaxies

Bottinelli, L., Gouguenheim, L., Paturel, G., de Vaucouleurs, G. 143, 246; 59, 43

High resolution mapping of galactic H_I in the direction of 3C147

Kalberla, P.M.W., Schwarz, U.J., Goss, W.M. 144, 27

Distribution and motions of atomic hydrogen in lenticular galaxies. IV. A ring of H_I around NGC 4262

Krumm, N., van Driel, W., van Woerden, H. 144, 202
Gamma-ray emission from atomic and molecular gas at inte

Gamma-ray emission from atomic and molecular gas at intermediate galactic latitudes

Strong, A.W. 145, 81

A search for H_I and OH absorption in high redshift quasars de Waard, G.J., Strom, R.G., Miley, G.K. 145, 479

Radio observations of H_I in UGC 2885, the largest identified Sc galaxy

Roelfsema, P.R., Allen, R.J. 146, 213

Observation of neutral hydrogen 21-cm absorption toward double sources

Crovisier, J., Dickey, J.M., Kazès, I. 146, 223

A useful list of redshift calibrators

Tanzella-Nitti, G., Fontanelli, P. 147, 190; 60, 343

Observations of carbon monoxide toward VLA H1 absorption sources

Despois, D., Baudry, A. 148, 83

21-cm absorption observations towards a cold diffuse cloud Crovisier, J., Dickey, J.M., Kazès, I. 149, 209

Evolution of spiral galaxies in the Virgo Cluster. I. Statistical analysis of H1 deficiency and colors

Guiderdoni, B., Rocca-Volmerange, B. 151, 108

The Draco nebula: A molecular cloud in the galactic halo?
Mebold, U., Cernicharo, J., Velden, L., Reif, K., Crezelius, C., Goerigk, W. 151, 427

HI observations of some galaxies and their faint companions van der Burg, G. 152, 445; 62, 147

An apparent increase of the Hubble constant with velocities of the determining galaxies

Giraud, E. 153, 125

The nature of Hoag's object: the perfect ringed galaxy *Brosch*, N. **153**, 199

Leiden-Green Bank survey of atomic hydrogen in the galactic disk. I. l,v and b,v maps

Burton, W.B. 153, 285; 62, 365

Leiden-Green Bank survey of atomic hydrogen in the galactic disk. II. Integrated properties in l,b maps

Burton, W.B., te Lintel Hekkert, P. 153, 285; 62, 643

Radio sources: general; see also individual objects

Radio source counts below 100 μ Jy predicted from IRAS 60 μ counts

Biermann, P., Eckart, A., Witzel, A. 142, L23

Time-variable, excess radio emission from Cyg OB2 No. 5

Persi, P., Ferrari-Toniolo, M., Tapia, M., Roth, M., Rodríguez, L.F. 142, 263

Beams in head-tail galaxies

Baan, W.A., McKee, M.R. 143, 136

The radio structure of 3 C 130 interpreted with a dynamical model

Jägers, W.J., de Grijp, M.H.K. 143, 176

Orientation correlation of radio double sources

Fang, L., Chu, Y., Zhu, X. 143, 241

A comparative study of cosmological evolution in the radio, optical and X-ray bands

Danese, L., De Zotti, G., Franceschini, A. 143, 277

Compact steep spectrum 3CR radio sources. VLBI observations at 18 cm

Fanti, C., Fanti, R., Parma, P., Schilizzi, R.T., van Breugel, W.J.M. 143, 292

An extended extragalactic radio source behind the Milky Way Seiradakis, J.H., Reich, W., Sieber, W., Kühr, H., Schlickeiser, R. 143, 478

A new Bologna sky survey at 408 MHz

Ficarra, A., Grueff, G., Tomassetti, G. 144, 255; 59, 255

Magnetic vortex tubes, jets and nonthermal sources Browne, P.F. 144, 298

Radio synthesis observations of M2-9, the Butterfly nebula Kwok, S., Purton, C.R., Matthews, H.E., Spoelstra, T.A.T. 144, 321

Further observations of radio sources from the BG survey. III. CTB 80

Mantovani, F., Reich, W., Salter, C.J., Tomasi, P. 145, 50 A very deep Westerbork survey of a field previously observed with the VLA

Oort, M.J.A., Windhorst, R.A. 145, 405

A deep Westerbork survey of areas with multicolor Mayall 4 m plates. III. Photometry and spectroscopy of faint source identifications

Kron, R.G., Koo, D.C., Windhorst, R.A. 146, 38

Linear polarization at λ 49 cm of 27 double radio sources Conway, R.G., Strom, R.G. 146, 392

A radio continuum survey of Sbc spiral galaxies at 1.465 GHz Hummel, E., Pedlar, A., van der Hulst, J.M., Davies, R.D. 147, 189; 60, 293

Results from a pilot program for determining precise optical positions of radio sources with the 1.5 m L. Figl-telescope of the Vienna Observatory

de Vegt, C., Prochazka, F. 148, 226

The large and small scale radio structure of 3 C 236

Barthel, P.D., Schilizzi, R.T., Miley, G.K., Jägers, W.J., Strom, R.G. 148, 243

WSRT and VLA observations of very steep spectrum radio galaxies in clusters

Roland, J., Hanisch, R.J., Véron, P., Fomalont, E. 148, 323 Spectral index distributions and optical identifications for a sample of source selected at 408 MHz

Kulkarni, V.K., Mantovani, F. 148, 447; 61, 1

The visibility of type III radio bursts originating behind the Sun Dulk, G.A., Steinberg, J.L., Lecacheux, A., Hoang, S., MacDowall, R.J. 150, L28

Magneto-ionic content of compact extragalatic radio sources Carvalho, J.C. 150, 129

VLA observations of the extended source near

Coma A

Giovannini, G., Feretti, L., Andernach, H. 150, 302

A high resolution radio continuum survey of Messier 31. II. Observations at 1412 MHz, data reduction, and the 37W catalogue of radio sources

Walterbos, R.A.M., Brinks, E., Shane, W.W. 150, 351; 61, 451

Polarization maps at 49 cm of 27 3C sources

Strom, R.G., Conway, R.G. 150, 352; 61, 537

A Westerbork survey of Einstein X-ray Observatory deep survey areas. I. The 0.6 and 1.4 GHz catalogues, sources counts and spectral index distributions

Katgert-Merkelijn, J.K., Robertson, J.G., Windhorst, R.A., Katgert, P. 150, 352; 61, 547

A sample of 25 extragalactic radio sources having a spectrum peaked around 1 GHz (List 2)

Spoelstra, T.A.T., Patnaik, A.R., Gobal-Krishna 152, 38

A 2.3 GHz radio continuum map of the southern sky

Jonas, J.L., de Jager, G., Baart, E.E. 152, 444; 62, 105

The nature of the diffuse radio source near Coma A Hanisch, R.J., Strom, R.G., Jaffe, W.J. 153, 9

Spectral index - flux density relation for extragalatic radio sources selected at low frequency

Kulkarni, V.K., Mantovani, F. 153, 13

Radio telescopes

Calibration of the instrumental polarization of radio telescopes Turlo, Z., Forkert, T., Sieber, W., Wilson, W. 142, 181

A solution to the short spacing problem in radio interferometry Braun, R., Walterbos, R.A.M. 143, 307

A new Bologna sky survey at 408 MHz

Ficarra, A., Grueff, G., Tomassetti, G. 144, 255; 59, 255

A very deep Westerbork survey of a field previously observed with the VLA

Oort, M.J.A., Windhorst, R.A. 145, 405

The 4 m millimeter wave telescope at Nagoya

Kawabata, K., Ogawa, H., Fukui, Y., Takano, T., Fujimoto, Y., Kawabe, R., Sugitani, K., Takaba, H. 151, 1

Relativity

Theoretical interpretation of the nutational effects in SS 433 Cogotti, R., Ruffini, R., Jong, S.D. 142, 124

Black holes or compact stars?

Harpaz, A., Rosen, N. 143, L5

Gravitational amplification of light by a non-static and thick lens

Hammer, F. 144, 408

Universal time, lunar tidal deceleration and relativistic effects from observations of transits, eclipses and occultations in the XVIII-XX centuries

Krasinsky, G.A., Saramonova, E.Y., Sveshnikov, M.L., Sveshnikova, E.S. 145, 90

Non-uniqueness of transonic solution for accretion onto a Schwarzschild black hole

Lu, J.F. 148, 176

Mrk 273: a new OH megamaser

Bottinelli, L., Fraix-Burnet, D., Gouguenheim, L., Kazes, I., Le Squeren, A.M., Patey, I., Rickard, L.J., Turner, B.E. 151, L7 Transient elastic photon diffusion

Schweizer, M.A. 151, 79

Gravitational amplification of light: general solution in the vacuole model

Hammer, F. 152, 262

Satellites; see Planets and satellites

Scintillation

Measurements of the solar wind velocity with EISCAT

Bourgois, G., Coles, W.A., Daigne, G., Silen, J., Turunen, T., Williams, P.J. 144, 452

Interplanetary scintillation and the structure of the solar wind transonic region

Lotova, N.A., Blums, D.F., Vladimirskii, K.V. 150, 266

Shock waves

A search for \boldsymbol{H}_2 emission in bipolar nebulae and regions of interstellar shock

Phillips, J.P., White, G.J., Harten, R. 145, 118

Erratum: Some evolutionary consequences of shock-induced star formation

Nepveu, M., Robnik, M. 145, 482

Gas dynamics in the impulsive phase of solar flares. III. Energy transport in a flaring loop

Nagai, F., Jordan, C. 146, 25

Two-dimensional models of stellar wind bubbles. III. Self-confining flows in media with strong density gradients

Ròżyczka, M., Tenorio-Tagle, G. 147, 209

Two-dimensional models of stellar wind bubbles. IV. Properties of bow shocks around dense clumps in free wind regions Ròżyczka, M., Tenorio-Tagle, G. 147, 220

Chaotic behaviour of high Mach number flows

Varvoglis, H., Ghosh, S. 148, 35

The shock-induced variability of emission profiles in S Car Gillet, D., Maurice, E., Bouchet, P., Ferlet, R. 148, 155

Acoustic waves in the solar atmosphere. VII. Non-grey, non-LTE H^- models

Schmitz, F., Ulmschneider, P., Kalkofen, W. 148, 217

The shock-induced variability of the $H\alpha$ emission profile in Mira. $\ensuremath{\mathrm{II}}$

Gillet, D., Ferlet, R., Maurice, E., Bouchet, P. 150, 89

The probable identification of two COS-B γ -ray sources with molecular clouds compressed by supernova remnants

Pollock, A.M.T. 150, 339

Supernova-induced collapse of magnetic interstellar clouds Oettl, R., Hillebrandt, W., Müller, E. 151, 33

Molecular abundances in shocked diffuse clouds: results from time-dependent modelling and comparison with diffuse cloud abundances

Mitchell, G.F., Watt, G.D. 151, 121

Fundamental and harmonic emission in interplanetary Type II radio bursts

Lengyel-Frey, D., Stone, R.G., Bougeret, J.L. 151, 215

Some solar cycle phenomena related to the geomagnetic activity from 1868 to 1980. I. The shock events, or the interplanetary expansion of the toroidal field

Legrand, J.-P., Simon, P.A. 152, 199

Site testing

Evaluation of the 1 $\mu m-5$ μm windows at observatory altitudes in the Canary Islands

Mountain, C.M., Leggett, S.K., Selby, M.J., Zadrozny, A. 150,

Solar neighbourhood: see Galaxy (the): solar neighbourhood

Solar system: general

Formation environment of cometary nuclei in the primordial solar nebula

Yamamoto, T. 142, 31

Comparative performances of an objective grating concept in UV spectroscopic observations of solar system objects. I. Imaging capabilities

Bruston, P., Choucg-Bruston, M. 142, 59

The orbit of periodic comet Crommelin between the years 1000 and 2100

Festou, M.C., Morando, B., Rocher, P. 142, 421

The plane of symmetry of the zodiacal light and the structure of the Gegenschein (Text in German)

Winkler, C., Schmidt-Kaler, T., Schlosser, W. 143, 194

Accurate methods in general planetary theory

Laskar, J. 144, 133

Determination of the pole orientation of an asteroid. The amplitude-aspect relation revisited

Pospieszalska-Surdej, A., Surdej, J. 149, 186

Characteristics of the Local Interstellar Hydrogen determined from PROGNOZ 5 and 6 interplanetary Lyman α line profile measurements with a hydrogen absorption cell

Bertaux, J.L., Lallement, R., Kurt, V.G., Mironova, E.N. 150,

Interplanetary Lyman α spectral profiles and intensities for both repulsive and attractive solar force fields: predicted absorption pattern by a hydrogen cell

Lallement, R., Bertaux, J.L., Dalaudier, F. 150, 21

Solar wind; see Interplanetary medium

Space vehicles

Photometric calibrations of an MCP space qualified photographic-camera

Koutchmy, S., Verlhac, A. 142, 355

Observational search for polarized emission from space vehicles/communication relays near the galactic centre

Vallée, J.P., Simard-Normandin, M. 143, 274

On detection of radio bursts associated with Jovian and Saturnian lightning

Zarka, P. 146, L15

Spectrophotometry

Magellanic Cloud

HM Sagittae and V 1016 Cygni in 1982–83: unforeseen variations in the IR spectrum of 1016 Cyg

Ipatov, A.P., Taranova, O.G., Yudin, B.F. 142, 85

Highly ionized neon in the planetary nebula NGC 6302

Pottasch, S.R., Preite-Martinez, A., Olnon, F.M., Raimond, E., Beintema, D.A., Habing, H.J. 143, L11

Spectrophotometric observations of comet P/Crommelin (1983n)

Festou, M.C., Dennefeld, M., Maurice, E., Bouvier, J. 144, L5 An analysis of scattered light in low dispersion IUE spectra

Basri, G., Clarke, J.T., Haisch, B.M. 144, 161 Discovery of a very bright compact object N88A in the Small

Testor, G., Pakull, M. 145, 170

Wide-field kinematic $H\alpha$ observations of the Milky Way with a scanning and imaging Fabry-Perot: preliminary results

Caplan, J., Perrin, J.-M., Sivan, J.-P. 145, 221

Spectrophotometry of peculiar B and A stars. XVII. 63 Andromedae, HD 34452, Epsilon Ursae Majoris, CQ Ursae Majoris, CU Virginis, CS Virginis and Beta Coronae Borealis

Pyper, D.M., Adelman, S.J. 145, 279; 59, 369

Observations of emission line galaxies. III. The broad Balmer line profiles of 12 Seyfert-1 galaxies

Rafanelli, P. 146, 17

Measurement of stellar integrated flux in the wavelength range $370\ nm{-}950\ nm$

Petford, A.D., Leggett, S.K., Blackwell, D.E., Booth, A.J., Mountain, C.M., Selby, M.J. 146, 195

Peculiar motions and star formation in the interacting galaxy complex Mk 171 = NGC 3690+IC 694

Augarde, R., Lequeux, J. 147, 273

Observed and computed spectral flux distribution of non-supergiant O9-G8 stars. III. Determination of $T_{\rm eff}$ for the stars in the Breger Catalogue

Morossi, C., Malagnini, M.L. 147, 336; 60, 365

UV and optical observations of Nova Sagittarii 1982

Mazeh, T., Netzer, H., Shaviv, G., Drechsel, H., Rahe, J., Wargau, W., Blades, J.C., Cacciari, C., Wamsteker, W. 149, 83

Spectrophotometric catalogue of southern Wolf-Rayet stars Jeffers, S., Weller, W.G. 149, 489; 61, 173

Evaluation of the 1 $\mu m{-}5~\mu m$ windows at observatory altitudes in the Canary Islands

Mountain, C.M., Leggett, S.K., Selby, M.J., Zadrozny, A. 150, 281

UV fluxes of Population II stars Cacciari, C. 150, 350; 61, 407

Optical and radio imaging of the supernova remnant VRO 42.05.01 (G 166.0+4.3)

Pineault, S., Pritchet, C.J., Landecker, T.L., Routledge, D., Vaneldik, J.F. 151, 52

Measurement of the absolute flux from Vega at 4.92 µm Mountain, C.M., Leggett, S.K., Selby, M.J., Blackwell, D.E., Petford, A.D. 151, 399

IUE observations of comet P/Crommelin (1983 n)
Festou, M.C., Carey, W.C., Evans, A., Wallis, M.K., Keller, H.U. 152, 170

Absolute H α and H β photometry of LMC H II regions Caplan, J., Deharveng, L. 152, 444; 62, 63

Spectrophotometry of peculiar B and A stars. XVIII. The helium rich variable stars HR 1890, Sigma Orionis E, and HD 37776 Adelman, S.J., Pyper, D.M. 152, 447; 62, 279

The nature of Hoag's object: the perfect ringed galaxy *Brosch*, N. **153**, 199

Erratum: Measurement of stellar integrated flux in the wavelength range 370 nm-950 nm

Petford, A.D., Leggett, S.K., Blackwell, D.E., Booth, A.J., Mountain, C.M., Selby, M.J. 153, 284

Spectroscopy

Comparative performances of an objective grating concept in UV spectroscopic observations of solar system objects. I. Imaging capabilities

Bruston, P., Choucq-Bruston, M. 142, 59

Interactive reduction of echelle spectrograms

Rossi, C., Lombardi, R., Gaudenzi, S., De Biase, G.A. 143, 13 A catalogue of [Fe/H] determinations, 1984 edition

Cayrel de Strobel, G., Bentolila, C., Hauck, B., Duquennoy, A. 143, 248: 59, 145

Ultraviolet observations of the central star in the planetary nebula $136+5^{\circ}1$

Heckathorn, J.N., Fesen, R.A. 143, 475

Spectrophotometric observations of comet P/Crommelin (1983n)

Festou, M.C., Dennefeld, M., Maurice, E., Bouvier, J. 144, L5 Millimeter and submillimeter wave spectroscopy of the deuterated ethynyl radical

Bogey, M., Demuynck, C., Destombes, J.L. 144, L15

Field giants: selection efficiency from photometry and metallicity gradient in the galactic bulge

Spaenhauer, A.M., Thevenin, F. 144, 327

Laboratory identification of the emission features near 3.5 µm in the pre-main-sequence star HD 97048

van der Zwet, G.P., Allamandola, L.J., Baas, F., Greenberg, J.M. 145, 262

A model atmosphere analysis of the F5 IV-V subgiant Procyon Steffen, M. 145, 279; 59, 403

High dispersion spectroscopy trials using an echelle spectrograph with CCD camera

Bates, B., McKeith, C.D., Jorden, P.R., van Breda, I.G. 145,

New infrared absorption features due to solid phase molecules containing sulfur in W33A

Geballe, T.R., Baas, F., Greenberg, J.M., Schutte, W. 146, L6 The fading of the Seyfert galaxy F-9

Kollatschny, W., Fricke, K.J. 146, L11

The 14N/15N ratio in the Jovian atmosphere

Drossart, P., Encrenaz, T., Combes, M. 146, 181

The first IUE observations of LMC X-1 (star 32)

Bianchi, L., Pakull, M. 146, 242

Peculiar motions and star formation in the interacting galaxy complex Mk 171 = NGC 3690 + IC 694

Augarde, R., Lequeux, J. 147, 273

Laboratory measurements of the submillimeter wave spectrum of H₃O⁺

Bogey, M., Demuynck, C., Denis, M., Destombes, J.L. 148,

A simple method to calibrate intensities of photographic slit spectrograms

Vogt, N., Barrera, L.H. 148, 237

Double grating prisms: A novel device for measuring absolute radial velocities with slitless field spectrographs

Geyer, E.H., Nelles, B. 148, 312

Detection of 13C12CH2 on Jupiter at 13 µm Drossart, P., Lacy, J., Serabyn, E., Tokunaga, A., Bézard, B., Encrenaz, T. 149, L10

The Be II &3130 Å region in the spectra of Vega and Sirius Griffin, R. & R. 149, 437

The fluorescence spectrum of the CN radical in comets Zucconi, J.M., Festou, M.C. 150, 180

Observational aspects of the P Cygni ionized envelope Felli, M., Stanga, R., Oliva, E., Panagia, N. 151, 27

Rotational velocities, spectral types, and forbidden lines of Herbig Ae/Be stars

Finkenzeller, U. 151, 340

HD 87643: a B [e] star with a cold wind

de Freitas Pacheco, J.A., Faria Lopes, D., Landaberry, S.C., Selvelli, P.L. 152, 101

High resolution observations of interstellar Na I absorption towards Large Magellanic Cloud stars. I. R 116, R 127 and R 128 with the ESO Coudé Echelle Spectrometer

Ferlet, R., Dennefeld, M., Maurice, E. 152, 151

The kinematical structure of the H II region Sh 2-156

Carsenty, U., Solf, J. 152, 254

Search for minor atmospheric species in the millimeter range of Jupiter and Saturn

Lellouch, E., Destombes, J.L. 152, 405

An atlas of theoretical P-Cygni-profiles in early stars Schönberg, K. 152, 448; 62, 339

BX Mon as a long-period eclipsing binary system Iijima, T. 153, 35

SKYLAB observations of the solar O1 resonance triplet Roussel-Dupré, D. 153, 116

The structure and spectral characteristics of the low-excitation planetary nebula HD 316248

Hutsemékers, D., Surdej, J. 153, 245

Spiral structure: see Galaxy (the): kinematics and dynamics of; Galaxy (the): structure of; Galaxies: kinematics and dynamics of; Galaxies: spiral; Galaxies: structure of

Stars: abundances

Optical region elemental abundance analyses of B and A stars. III. The mercury-manganese stars Upsilon Herculis and 38 Draconis

Adelman, S.J. 142, 216; 58, 585

A high dispersion analysis of a giant star in 47 Tucanae D'Odorico, S., Gratton, R.G., Ponz, D. 142, 232

Abundance analysis from the UV spectrum of the He-w star HR

Castelli, F., Cornachin, M., Hack, M., Morossi, C. 143, 245; 59, 1

A catalogue of [Fe/H] determinations, 1984 edition

Cayrel de Strobel, G., Bentolila, C., Hauck, B., Duquennoy, A. 143, 248; 59, 145

Membership and photometric abundances of red evolved stars in open clusters

Clarià, J.J. 144, 254; 59, 195

Field giants: selection efficiency from photometry and metallicity gradient in the galactic bulge

Spaenhauer, A.M., Thevenin, F. 144, 327

Analysis of three field halo stars and the chemical evolution of the Galaxy

Barbuy, B., Spite, F., Spite, M. 144, 343

Evolution of massive stars with semiconvective diffusion Langer, N., El Eid, M.F., Fricke, K.J. 145, 179

A model atmosphere analysis of the F5 IV-V subgiant Procyon Steffen, M. 145, 279; 59, 403

Metallicities and distances of galactic clusters as determined from UBV-data. I. The effects of metallicity and reddening on the colors of main-sequence stars

Cameron, L.M. 146, 59

Spectroscopic analysis of extreme metal-poor "dwarfs". II. Improved model atmospheres and detailed abundances Magain, P. 146, 95

The evolutionary status of OB stars with peculiar nitrogen spec-

Schild, H. 146, 113

Spectrum analysis of the giant Am star HR 178

van 't Veer-Menneret, C., Coupry, M.F., Burkhart, C. 146,

Steps towards the abundance scale. I. The abundance of heavy elements in the Hyades cluster

Cayrel, R., Cayrel de Strobel, G., Campbell, B. 146, 249

CO band strengths for giants in galactic globular clusters. Are they related to the second parameter problem?

Caputo, F. 147, 317

The neon abundance of the Wolf-Rayet star in γ² Velorum van der Hucht, K.A., Olnon, F.M. 149, L17

Statistical equilibrium of neutral calcium in the Sun and Pro-

Watanabe, T., Steenbock, W. 149, 21

Detailed analysis of the δ Del star HD 115604 = 20 CVn Hauck, B., Foy, R., Proust, D. 149, 167

Recent spectra of FG Sge: iron-group weakens, while rare earths strengthen

Cowley, C.R., Jaschek, M., Acker, A. 149, 224

Stellar evolution with turbulent diffusion mixing. V. Lithium abundance on the lower main sequence

Baglin, A., Morel, P.J., Schatzman, E. 149, 309

The Be II $\lambda 3130$ Å region in the spectra of Vega and Sirius Griffin, R. & R. 149, 437

RY Leporis: a bright, high-amplitude δ Scuti star Diethelm, R. 149, 465

A detailed analysis of five barium stars

Kovacs, N. 150, 232

Magnesium isotopes in moderately metal-poor stars Barbuy, B. 151, 189

The production of neutron-rich isotopes during He burning in massive stars

Busso, M., Gallino, R. 151, 205

Optical region elemental abundance analyses of B and A stars. IV. Re-evaluation with new critically compiled Fe II oscillator strengths and improved estimates of the damping constants Adelman, S.J., Fuhr, J.R. 152, 434

Stars: accretion, accretion disks

The optical morphology of the R Aqr jet

Mauron, N., Nieto, J.-L., Picat, J.P., Lelièvre, G., Sol, H. 142, L13

Discovery of a cataclysmic variable type companion of the M 3 III giant 4 Dra with IUE

Reimers, D. 142, L16

Theoretical interpretation of the nutational effects in SS 433 Cogotti, R., Ruffini, R., Jong, S.D. 142, 124

The number of critical points in polytropic accretion onto black holes

Chang, K.M. 142, 212

2-dimensional low luminosity accretion onto neutron stars Kirk, J.G. 142, 430

 H_{α} observations of the enigmatic Of binary BD+40°4220 = Cyg OB2 No. 5 = V 729 Cyg

Vreux, J.M. 143, 209

The continuum variability of the puzzling X-ray three-period cataclysmic variable 2A0526-328 (TV Col)

Bonnet-Bidaud, J.M., Motch, C., Mouchet, M. 143, 313

Comptonization of low-frequency radiation in accretion disks: angular distribution and polarization of hard radiation

Sunyaev, R.A., Titarchuk, L.G. 143, 374

The scaling of the shear stress in an accretion disk Burm, H. 143, 389

Irradiation-induced mass-overflow instability as a possible cause of superoutbursts in SU UMa stars

Osaki, Y. 144, 369

Radiative transfer in the accretion column of X-ray pulsars: effects from the hot spot

Soffel, M., Herold, H., Ruder, H., Ventura, J. 144, 485

The 2-second optical variability in E1405-451: origin and co-

Larsson, S. 145, L1

The ultraviolet spectrum of the symbiotic star HM Sge Mueller, B.E.A., Nussbaumer, H. 145, 144

Stability of mass transfer in a neutron star plus degenerate dwarf binary

Bonsema, P.F.J., van den Heuvel, E.P.J. 146, L3

Accretion disks heated by luminous central stars

Friedjung, M. 146, 366

Optically thick radial accretion onto main sequence stars and degenerate dwarfs

Tylenda, R. 147, 197

An X-ray study of AM Herculis. I. Discovery of a new mode of soft X-ray emission

Heise, J., Brinkman, A.C., Gronenschild, E., Watson, M., King, A.R., Stella, L., Kieboom, K. 148, L14

X-ray burst sources: a model for chaotic behaviour

Livio, M., Regev, O. 148, 133

Non-uniqueness of transonic solution for accretion onto a Schwarzschild black hole

Lu, J.F. 148, 176

Black hole accretion disks. Electrodynamic coupling of accretiondisk coronae and the partitioning of soft and hard X-ray emis-

Kuperus, M., Ionson, J.A. 148, 309

Eccentric disks in binary systems. I. The stability

Hensler, G. 148, 423

The interpretation of X-ray spectra from low-mass X-ray binaries

Lewin, W.H.G., van Paradijs, J. 149, L27

The triple alpha reaction at low temperatures in accreting white dwarfs and neutron stars

Nomoto, K., Thielemann, F.K., Miyaji, S. 149, 239

Acceleration and thermal instabilities in the jets of SS 433

Bodo, G., Ferrari, A., Massaglia, S., Tsinganos, K. 149, 246 High speed photometry of GK Persei during the 1983 outburst

Mazeh, T., Tal, Y., Shaviv, G., Bruch, A., Budell, R. 149, 470 SS 433 revisited

Kundt, W. 150, 276

Spectroscopy and spectrophotometry of the nova-like system V 3885 Sagittarii

Haug, K., Drechsel, H. 151, 157

The optical binary light curve of LMC X-3

van der Klis, M., Clausen, J.V., Jensen, K., Tjemkes, S., van Paradijs, J. 151, 322

"Propeller" action by rotating neutron stars Wang, Y.-M., Robertson, J.A. 151, 361

BX Mon as a long-period eclipsing binary system Iijima, T. 153, 35

Stars: activity of

The spectra of late-type dwarfs and sub-dwarfs in the near ultraviolet. III. An atlas of Mg II h and k profiles

Franco, M.L., Crivellari, L., Molaro, P., Vladilo, G., Ramella, M., Morossi, C., Allocchio, C., Beckman, J.E. 142, 218; 58, 693

The Lyman alpha emission in W Ursae Majoris Rucinski, S.M., Vilhu, O., Whelan, J.A.J. 143, 153

Synchrotron model for a radio burst of HR 1099

Borghi, S., Chiuderi-Drago, F. 143, 226 A possible eruptive event on M-supergiant µ Cephei

Arsenijević, J. 145, 430 Coronal heating and stellar flares

Whitehouse, D.R. 145, 449

IUE observations of the RS CVn systems Z Her, TY Pyx and HD

Fernandez-Figueroá, M.J., de Castro, E., Gimenéz, A. 145, 483;

Steps towards the abundance scale. I. The abundance of heavy elements in the Hyades cluster

Cayrel, R., Cayrel de Strobel, G., Campbell, B. 146, 249

Magnetic structure in cool stars. VIII. The Mg II h and k surface fluxes in relation to the Mt. Wilson photometric Ca II H and K measurements

Oranje, B.J., Zwaan, C. 147, 265

Series merging of hydrogen Balmer lines during a stellar flare Zarro, D.M., Zirin, H. 148, 240

Herbig's Ae and Be star LkHα 198, a flare star candidate *Chavarria-K.*, C. 148, 317

Stars: atmospheres of

Optical region elemental abundance analyses of B and A stars. III. The mercury-manganese stars Upsilon Herculis and 38 Draconis

Adelman, S.J. 142, 216; 58, 585

SIT Vidicon and IDS spectra of central stars of planetary nebulae

Méndez, R.H., Kudritzki, R.P., Simon, K.P. 142, 289

Models for the planetary nebulae NGC 4361 and NGC 1535: Influence of the stellar wind on the nebular ionization

Adam, J., Köppen, J. 142, 461

Properties and spectra of extended static model photospheres of M giants

Scholz, M. 145, 251

Approximate formulae for radiative acceleration in stars Alecian, G. 145, 275

Spectrophotometry of peculiar B and A stars. XVII. 63 Andromedae, HD 34452, Epsilon Ursae Majoris, CQ Ursae Majoris, CU Virginis, CS Virginis and Beta Coronae Borealis

Pyper, D.M., Adelman, S.J. 145, 279; 59, 369

A model atmosphere analysis of the F5 IV-V subgiant Procyon Steffen, M. 145, 279; 59, 403

Computed He II spectra for Wolf-Rayet stars Hamann, W.-R. 145, 443

Coronal heating and stellar flares

Whitehouse, D.R. 145, 449

Spectroscopic analysis of extreme metal-poor "dwarfs". II. Improved model atmospheres and detailed abundances

Magain, P. 146, 95 Spectrum analysis of the giant Am star HR 178

van 't Veer-Menneret, C., Coupry, M.F., Burkhart, C. 146, 139

Steps towards the abundance scale. I. The abundance of heavy elements in the Hyades cluster

Cayrel, R., Cayrel de Strobel, G., Campbell, B. 146, 249

Improved methods of predicting stellar atmospheres from known atmospheres in the presence of convection

Irwin, A.W. 146, 282

The reflection effect in model stellar atmospheres. I. Grey atmospheres with convection

Vaz, L.P.R., Nordlund, A. 147, 281

Linear and quadratic limb-darkening coefficients for a large grid of LTE model atmospheres

Wade, R.A., Rucinski, S.M. 147, 337; 60, 471

A radiation driven stellar wind model atmosphere for the Wolf-Rayet binary V 444 Cygni

Pauldrach, A., Puls, J., Hummer, D.G., Kudritzki, R.P. 148, L1

Differential rotation and activity cycles in RS CVn binaries. II. Model results for short and intermediate period members

Busso, M., Scaltriti, F., Cellino, A. 148, 29 The outer layers of the β Cephei stars BW Vul and σ Sco Blomme, R., Hensberge, H. 148, 97 Studies on the spectra of K-giants. III. Carbon, nitrogen, and oxygen abundances

Gratton, R.G. 148, 105

Series merging of hydrogen Balmer lines during a stellar flare Zarro, D.M., Zirin, H. 148, 240

Line formation in expanding atmospheres: Accurate solution using approximate lambda operators

Hamann, W.-R. 148, 364

Multi-level non-LTE line formation calculations using approximate Λ -operators

Werner, K., Husfeld, D. 148, 417

Photometry of southern stars. II. Further evidence of spots in the eclipsing binary BH Virginis

Scaltriti, F., Cellino, A., Busso, M. 149, 11

Simultaneous ultraviolet and optical observations of FK Comae Bianchi, L., Grewing, M., Kappelmann, N. 149, 41

The effects of episodic mass-loss enhancements on theoretical P Cygni profiles

Prinja, R.K., Howarth, I.D. 149, 73

High resolution spectroscopic and photometric study of the possibility that HD 76534 and HD 163296 are Herbig Ae/Be-type stars

Thé, P.S., Felenbok, P., Cuypers, H., Tjin A Djie, H.R.E. 149, 429

An empirical temperature calibration for F dwarfs Saxner, M., Hammarbäck, G. 151, 372

Spectrophotometry of peculiar B and A stars. XVIII. The helium rich variable stars HR 1890, Sigma Orionis E, and HD 37776 Adelman, S.J., Pyper, D.M. 152, 447; 62, 279

The flux distribution of Vega for 10 $\mu m \leq \lambda \leq$ 100 $\mu m,$ and the calibration of IRAS at 12 μm and 25 μm

Leggett, S.K. 153, 273

Stars: Be

JHK photometry of Be stars

Bhatt, H.C., Ashok, N.M., Chandrasekhar, T., Goraya, P.S. 142, 217; 58, 685

The hybrid spectrum of the LMC hypergiant R 126

Zickgraf, F.-J., Wolf, B., Stahl, O., Leitherer, C., Klare, G. 143, 421

Comet-star close encounters and transient emission line activity of stars

Bhatt, H.C. 146, 363

The ultraviolet spectrum of the Be star HD 50138

Hutsemékers, D. 147, 336; 60, 373

Suggested new observational criteria and a new working hypothesis for the structural modeling of Be-star envelopes

Baade, D. 148, 59

The absorption spectrum of the B[e] star MWC 300

Wolf, B., Stahl, O. 148, 412

An interpretation of the spectral variations of Theta Coronae Borealis

Underhill, A.B. 148, 431

Photometric observations of emission B-Stars in the southern Milky Way

Kozok, J.R. 150, 350; 61, 387

Rotational velocities, spectral types, and forbidden lines of Herbig Ae/Be stars

Finkenzeller, U. 151, 340

HD 87643: a B [e] star with a cold wind

de Freitas Pacheco, J.A., Faria Lopes, D., Landaberry, S.C., Selvelli, P.L. 152, 101

Distances, reddenings and distribution of emission B-stars in the galactic centre region $|l| \le 45^{\circ}$

Kozok, J.R. 152, 442; 62, 7

Stars: binaries: close

The evolution of massive close binary systems with mass loss and overshooting. I. Mass transfer in systems with initial masses of

Sybesma, C.H.B. 142, 171

Photoelectric observations and minima times for RZ Comae Berenices

Rovithis, P., Rovithis-Livaniou, E. 142, 217; 58, 679

The initial parameters of the semidetached binary TV Cas De Grève, J.P., de Landtsheer, A.C., Packet, W. 142, 367

The Lyman alpha emission in W Ursae Majoris Rucinski, S.M., Vilhu, O., Whelan, J.A.J. 143, 153

 H_{α} observations of the enigmatic Of binary BD+40°4220=Cyg OB2 No. 5 = V 729 Cyg

Vreux, J.M. 143, 209

Synchronization in early-type close binaries

Giuricin, G., Mardirossian, F., Mezzetti, M. 143, 245; 59, 37

The eclipsing dwarf nova OY Carinae. III. Photometry during the superoutburst of January 1980

Krzeminski, W., Vogt, N. 144, 124

Four-colour photometry of eclipsing binaries. XXIII. Light curves of GZ Canis Majoris

Andersen, J., Clausen, J.V., Nordström, B. 144, 255; 59, 349 Photoelectric radial velocities of eclipsing binaries. I. Orbital elements of BF Dra

Imbert, M. 144, 255; 59, 357

The RS CVn-type binary SV Camelopardalis: evidence of dark spots from UBV observations and IR fluxes

Cellino, A., Scaltriti, F., Busso, M. 144, 315

Irradiation-induced mass-overflow instability as a possible cause of superoutbursts in SU UMa stars

Osaki, Y. 144, 369

Magnetohydrostatics in the polar caps of accreting magnetized white dwarfs

Hameury, J.M., Lasota, J.P. 145, L10

The dissipation factor in contact binaries Hazlehurst, J. 145, 25

The ultraviolet spectrum of the symbiotic star HM Sge Mueller, B.E.A., Nussbaumer, H. 145, 144

Absolute dimensions of eclipsing binaries. VII. V 1647 Sagittarii Andersen, J., Giménez, A. 145, 206

Magnetic braking and the period gap of cataclysmic binaries Ritter, H. 145, 227

Interpretation of new narrow band light curves of the eclipsing binary u Her

van der Veen, W.E.C.J. 145, 380

IUE observations of the RS CVn systems Z Her, TY Pyx and HD 155555

Fernandez-Figueroá, M.J., de Castro, E., Gimenéz, A. 145, 483; 60. 5

Analysis of light curves of the eclipsing binary u Herculis Rovithis-Livaniou, H., Rovithis, P.E. 145, 484; 60, 71

Stability of mass transfer in a neutron star plus degenerate dwarf

Bonsema, P.F.J., van den Heuvel, E.P.J. 146, L3

CCD based B and V lightcurves for the eclipsing binary NJL 5 in Omega Centauri

Jensen, K.S., Jørgensen, H.E. 147, 187; 60, 229

New double stars (19th series) discovered at Nice Couteau, P. 147, 187; 60, 237

Measurements of double stars at Nice with 74 and 50 cm refrac-

Couteau, P. 147, 188; 60, 241

UBV photometric observations of TT Aurigae

Wachmann, A.A. 147, 190; 60, 349

The reflection effect in model stellar atmospheres. I. Grey atmospheres with convection

Vaz, L.P.R., Nordlund, A. 147, 281

Two-colour photometry and analysis of the eclipsing binary IM

Gülmen, Ö., Sezer, C., Güdür, N. 147, 336; 60, 389

Differential rotation and activity cycles in RS CVn binaries. II. Model results for short and intermediate period members Busso, M., Scaltriti, F., Cellino, A. 148, 29

Eccentric disks in binary systems. I. The stability

Hensler, G. 148, 423

Photometry of southern stars. II. Further evidence of spots in the eclipsing binary BH Virginis

Scaltriti, F., Cellino, A., Busso, M. 149, 11

The interpretation of X-ray spectra from low-mass X-ray

Lewin, W.H.G., van Paradijs, J. 149, L27

Simultaneous ultraviolet and optical observations of FK Comae Bianchi, L., Grewing, M., Kappelmann, N. 149, 41

HD 192163 variability revisited: A very short period WR binary or a pulsating star?

Vreux, J.M., Andrillat, Y., Gosset, E. 149, 337

Interpretation of unpolarized radio emission from RS CVn stars Kuijpers, J., van der Hulst, J.M. 149, 343

High speed photometry of GK Persei during the 1983 outburst Mazeh, T., Tal, Y., Shaviv, G., Bruch, A., Budell, R. 149, 470

Photoelectric light curves and elements of AG Virginis

Niarchos, P.G. 149, 491; 61, 313

Four-colour photometry of eclipsing binaries. XX. Light curves of V 760 Scorpii

Andersen, J., Clausen, J.V., Helt, B.E., Jensen, K.S., Naqvi, S.I.H., Nordström, B. 149, 492; 61, 353

Evolution of a merging pair of C+O white dwarfs to form a single neutron star

Saio, H., Nomoto, K. 150, L21

Remarks on the WUMa systems in NGC 188 Moss, D. 150, 343

4U 0115+63: an energetic gamma ray binary pulsar

Chadwick, P.M., Dowthwaite, J.C., Harrison, A.B., Kirkman, I.W., McComb, T.J.L., Orford, K.J., Turver, K.E. 151, L1

The massive double-lined binary HD 219634. I. Spectroscopic observations

Gulliver, A.F., Hube, D.P., Hill, G. 151, 254

Absolute dimensions of eclipsing binaries. VIII. V760 Scorpii Andersen, J., Clausen, J.V., Nordström, B., Popper, D.M. 151,

A contribution on the problem of empirical masses for contact binaries

Van Hamme, W., Wilson, R.E. 152, 25

IRAS photometry of dust shells around hydrogen-deficient stars Walker, H.J. 152, 58

The problem of the runaway stars and the distribution function of peculiar radial velocities in the Large Magellanic Cloud (Text in German)

Isserstedt, J., Hart, R. 152, 343

Four-colour photometry of eclipsing binaries. XXIIB. Light curves of GL Carinae

Giménez, A., Clausen, J.V., Helt, B.E., Vaz, L.P.R. 152, 445; 62, 179

BX Mon as a long-period eclipsing binary system *Iijima*, T. **153**, 35

Stars: binaries: general

Theoretical interpretation of the nutational effects in SS 433 Cogotti, R., Ruffini, R., Jong, S.D. 142, 124

A study of the open cluster NGC 6475 (M 7) (and two other stellar clusterings)

Lodén, L.O. 142, 216; 58, 595

The role of initial binaries in cluster evolution: direct N-body calculations

Giannone, G., Molteni, D. 143, 321

The eclipsing variable HR 2800

Sterken, C., Duerbeck, H.W., Hensberge, H., Manfroid, J., Stahl, O., van der Linden, D. 145, 483; 60, 1

UV and optical observations of variability in the WR+compact candidate HD 96548 $\,$

Smith, L.J., Lloyd, C., Walker, E.N. 146, 307

Equilibrium structures of rotating isothermal gas clouds. II. Dependence on the angular momentum distribution

Hachisu, I., Eriguchi, Y. 147, 13

CCD based B and V lightcurves for the eclipsing binary NJL 5 in Omega Centauri

Jensen, K.S., Jørgensen, H.E. 147, 187; 60, 229

Speckle interferometry of T Tauri stars and related objects

Baier, G., Bastian, U., Keller, E., Mundt, R., Weigelt, G. 153,
278

Stars: binaries: spectroscopic

Determination of radii of cepheids. III. Radial velocities, spectroscopic orbit and dimension of SU Cyg (Text in French)

Imbert, M. 142, 215; 58, 529

Spectroscopic binaries. 14th complementary catalogue (Text in French)

Pédoussaut, A., Ginestet, N., Carquillat, J.M. 142, 217; 58, 601

Observations of binary stars by speckle interferometry at the Pic du Midi T2m (Text in French)

Bonneau, D., Carquillat, J.M., Vidal, J.L. 142, 218; 58, 729

The central star of NGC 2346: a dephasing light curve Acker, A., Jasniewicz, G. 143, L1

 H_{α} observations of the enigmatic Of binary BD+40°4220=Cyg OB2 No. 5 = V 729 Cyg

Vreux, J.M. 143, 209

Radial velocities of southern stars obtained with the photoelectric scanner CORAVEL. III. 790 late-type bright stars

Andersen, J., Nordström, B., Ardeberg, A., Benz, W., Imbert, M., Lindgren, H., Martin, N., Maurice, E., Mayor, M., Prévot, L. 143, 245; 59, 15

Four-colour photometry of eclipsing binaries. XXIII. Light curves of GZ Canis Majoris

Andersen, J., Clausen, J.V., Nordström, B. 144, 255; 59, 349

High-dispersion spectroscopy of the eclipse of Epsilon Aurigae at visible and ultraviolet wavelengths

Ferluga, S., Hack, M. 144, 395

Contribution to the study of F, G, K, M binaries. III. Orbital elements of the long period spectroscopic binaries HD 102928 and HD 145206 (Text in French)

Ginestet, N., Carquillat, J.M., Pédoussaut, A., Nadal, R. 144, 403

Frequency of Bp-Ap stars among spectroscopic binaries Gerbaldi, M., Floquet, M., Hauck, B. 146, 341

A study of ultraviolet spectra of ζ Aurigae/VV Cephei systems. VII. Chromospheric density distribution and wind acceleration region

Schröder, K.-P. 147, 103

UBV photometric observations of TT Aurigae

Wachmann, A.A. 147, 190; 60, 349

Radial velocities of bright southern stars. IV. 551 A- and F-type HR and FK stars

Nordström, B., Andersen, J. 148, 448; 61, 53

Radial velocities and membership probabilities in the open star cluster NGC 6475 (M 7)

Gieseking, F. 148, 448; 61, 75

HD 192163 variability revisited: A very short period WR binary or a pulsating star?

Vreux, J.M., Andrillat, Y., Gosset, E. 149, 337

Four-colour photometry of eclipsing binaries. XX. Light curves of V 760 Scorpii

Andersen, J., Clausen, J.V., Helt, B.E., Jensen, K.S., Naqvi, S.I.H., Nordström, B. 149, 492; 61, 353

HD 224617 - a spectroscopic binary?

Lee, W.B., Nelles, B., Nicklas, H. 149, 492; 61, 363

Photometric and UV spectroscopic observations of 22 Vul at eclipse: observational evidence for an extended chromosphere of a "solar type" G supergiant

Schröder, K.-P., Che-Bohnenstengel, A. 151, L5

Spectroscopic variations of the central star of LoTr 5

Acker, A., Jasniewicz, G., Gleizes, F. 151, L13

The massive double-lined binary HD 219634. I. Spectroscopic observations

Gulliver, A.F., Hube, D.P., Hill, G. 151, 254

Radial velocities of bright southern stars. V. 146 Population II F stars and related stars

Andersen, J., Nordström, B. 152, 448; 62, 355

Stars: binaries: symbiotic

The optical morphology of the R Aqr jet

Mauron, N., Nieto, J.-L., Picat, J.P., Lelièvre, G., Sol, H. 142, L13

HM Sagittae and V 1016 Cygni in 1982–83: unforeseen variations in the IR spectrum of 1016 Cyg

Ipatov, A.P., Taranova, O.G., Yudin, B.F. 142, 85

Linear polarization of symbiotic stars

Schulte-Ladbeck, R. 142, 333

Accretion disks heated by luminous central stars Friedjung, M. 146, 366

Optically thick radial accretion onto main sequence stars and degenerate dwarfs

Tylenda, R. 147, 197

A spectropolarimeter for low polarization

Östreicher, R., Schulte-Ladbeck, R. 148, 179

The structure of the R Aquarii nebula

Solf, J., Ulrich, H. 148, 274

Infrared light curves of the contact binary 44 i Bootis and evidence for a new period change

Lunel, M., Bergeat, J., Garnier, R. 148, 447; 61, 27

Discovery of polarization structure in the optical spectrum of the peculiar symbiotic star R Aquarii

Aspin, C., Schwarz, H.E., McLean, I.S., Boyle, R.P. 149, L21

BX Mon as a long-period eclipsing binary system *Iijima*, T. **153**, 35

Stars: binaries: visual

Observations of binary stars by speckle interferometry at the Pic du Midi T2m (Text in French)

Bonneau, D., Carquillat, J.M., Vidal, J.L. 142, 218; 58, 729

Visual measurements of southern double stars

Torres, G. 145, 280; 59, 449

Revised orbital elements of the visual binary stars ADS 2616 AB and ADS 4229 AB

Scardia, M. 145, 280; 59, 455

A study of visual double stars with early type primaries. IV. Astrophysical data

Lindroos, K.P. 147, 187; 60, 183

New double stars (19th series) discovered at Nice Couteau, P. 147, 187; 60, 237

Measurements of double stars at Nice with 74 and 50 cm refractors

Couteau, P. 147, 188; 60, 241

Photographic observations of visual double stars van Albada-van Dien, E. 147, 189; 60, 315

Orbital elements for fifteen visual binaries

Baize, P. 147, 189; 60, 333

Micrometric observations of visual double stars Massone, G. 147, 338; 60, 485

Discovery of flare activity on the low luminosity red dwarf system $G9-38\ AB$

Pettersen, B.R. 148, 151

Accurate equatorial coordinates of known or new components in a third series of some 200 double and multiple systems Soulié, G. 148, 447; 61, 17

Photographic measures of visual double stars made at Torino Pannunzio, R., Morbidelli, R. 148, 448; 61, 37

Interferometric observations of double stars in 1983 and 1984 *Tokovinin*, A.A. **150**, 351; 61, 483

Absolute and relative motion of the visual double star JC 19 (IDS 22187S4157)

Torres, G. 152, 446; 62, 191

Stars: blue stragglers

The evolutionary status of OB stars with peculiar nitrogen spectra

Schild, H. 146, 113

Stars: bolometric correction

Effective temperature and bolometric correction for HD 61421, HD 87901, HD 159561, and HD 216956

Malagnini, M.L., Morossi, C., Rossi, L., Kurucz, R.L. 152, 117

Stars: carbon

New carbon stars in spheroidal galaxies. I. Sculptor, Carina, Leo I and Leo II systems

Azzopardi, M., Lequeux, J., Westerlund, B.E. 144, 388

Discovery of carbon stars in the galactic bulge

Azzopardi, M., Lequeux, J., Rebeirot, E. 145, L4

The spectra of Orion A and IRC+10216 between 72.2 and 91.1 GHz

Johansson, L.E.B., Andersson, C., Elldér, J., Friberg, P., Hjalmarson, A., Höglund, B., Irvine, W.M., Olofsson, H., Rydbeck, G. 145, 485; 60, 135

Molecular lines in IRC+10°210 and CIT 6

Henkel, C., Matthews, H.E., Morris, M., Terebey, S., Fich, M. 147 143

Dust formation in stellar winds. II. Carbon condensation in stationary, spherically expanding winds

Gail, H.-P., Sedlmayr, E. 148, 183

Evolution of intermediate mass stars: the role of convective overshooting and stellar wind

Bertelli, G., Bressan, A.G., Chiosi, C. 150, 33

IRAS photometry of dust shells around hydrogen-deficient stars Walker, H.J. 152, 58

Stars: cataclysmic variables; see Stars: novae

Stars: Cepheids

Determination of radii of cepheids. III. Radial velocities, spectroscopic orbit and dimension of SU Cyg (Text in French)

Imbert, M. 142, 215; 58, 529

uvby photometry of Sigma Scorpii Sterken, C. 142, 217; 58, 657

EW Scuti: a double-mode cepheid Cuypers, J. 145, 283

Physical properties of the Cepheids RT Aurigae and SZ Tauri Gieren, W.P. 148, 138

Radial velocities of southern stars obtained with the photoelectric scanner Coravel. IV. Radial velocity variations of six cepheids in the Large Magellanic Cloud: HV 879, HV 899, HV 909, HV 2257, HV 2338, HV 2827

Imbert, M., Andersen, J., Ardeberg, A., Bardin, C., Benz, W., Lindgren, H., Martin, N., Maurice, E., Mayor, M., Nordström, B., Prévot, L. 149, 490; 61, 259

Evolution of intermediate mass stars: the role of convective overshooting and stellar wind

Bertelli, G., Bressan, A.G., Chiosi, C. 150, 33

The importance of colour-colour loops in the determination of the physical parameters of pulsating variables

Onnembo, A., Buonaura, B., Caccin, B., Russo, G., Sollazzo, C. 152, 349

Stars: chromospheres of

The spectra of late-type dwarfs and sub-dwarfs in the near ultraviolet. III. An atlas of Mg II h and k profiles

Franco, M.L., Crivellari, L., Molaro, P., Vladilo, G., Ramella, M., Morossi, C., Allocchio, C., Beckman, J.E. 142, 218; 58, 693

IUE observations of the RS CVn systems Z Her, TY Pyx and HD

Fernandez-Figueroá, M.J., de Castro, E., Gimenéz, A. 145, 483; 60. 5

A study of ultraviolet spectra of ζ Aurigae/VV Cephei systems. VII. Chromospheric density distribution and wind acceleration region

Schröder, K.-P. 147, 103

Temporal variations in UV spectra of the red giant C star, TW

Querci, M., Querci, F. 147, 121

Magnetic structure in cool stars. VIII. The MgIIh and k surface fluxes in relation to the Mt. Wilson photometric CaIIH and K measurements

Oranje, B.J., Zwaan, C. 147, 265

Acoustic waves in the solar atmosphere. VII. Non-grey, non-LTE \mathbf{H}^- models

Schmitz, F., Ulmschneider, P., Kalkofen, W. 148, 217

The chromospheric He I D₃ line in main-sequence stars Danks, A.C., Lambert, D.L. 148, 293

Simultaneous ultraviolet and optical observations of FK Comae Bianchi, L., Grewing, M., Kappelmann, N. 149, 41

Photometric and UV spectroscopic observations of 22 Vul at eclipse: observational evidence for an extended chromosphere of a "solar type" G supergiant

Schröder, K.-P., Che-Bohnenstengel, A. 151, L5

Influence of rotational broadening on the width of emission reversals of Ca II and Mg II resonant lines

Bielicz, E., Glebocki, R., Sikorski, J. 153, 269

Stars: circumstellar matter

First spectroscopic observations with the 14-m radio telescope at the Centro Astronomico de Yebes: SiO masers in evolved stars Barcia, A., Bujarrabal, V., Gómez-González, J., Martín-Pin-

tado, J., Planesas, P. 142, L9

Infrared variability of the reflection nebulosity around RS Pup-

pis

Mayes, A.J., Evans, A., Bode, M.F. 142, 48

Molecular emission from expanding circumstellar envelopes: polarization and profile asymmetries

Morris, M., Lucas, R., Omont, A. 142, 107

The optical properties of dust in the mid-IR silicate bands Pégourié, B., Papoular, R. 142, 451

IRAS observations of Sand.3 and M1-67: two new planetary nebulae with Wolf-Rayet nuclei

van der Hucht, K.A., Jurriens, T.A., Olnon, F.M., Thé, P.S., Wesselius, P.R., Williams, P.M. 145, L13

Laboratory identification of the emission features near 3.5 μm in the pre-main-sequence star HD 97048

van der Zwet, G.P., Allamandola, L.J., Baas, F., Greenberg, J.M. 145, 262

The circumstellar envelope of S 106-IRS4

Felli, M., Simon, M., Fischer, J., Hamann, F. 145, 305

Multiplex imagery of the infrared core of Eta Carinae

Bensammar, S., Letourneur, N., Perrier, F., Friedjung, M., Viotti, R. 146, L1

Cocoon stars in M17

Chini, R., Krügel, E. 146, 175

Molecular lines in IRC+10°210 and CIT 6

Henkel, C., Matthews, H.E., Morris, M., Terebey, S., Fich, M. 147, 143

Optically thick radial accretion onto main sequence stars and degenerate dwarfs

Tylenda, R. 147, 197

Time variations of the SiO (v=0, J=2-1) emission from circumstellar shells

Nyman, L.-A., Olofsson, H. 147, 309

Dynamics of the dust material surrounding Vega Buitrago, J., Mediavilla, E. 148, L8

Suggested new observational criteria and a new working hypothesis for the structural modeling of Be-star envelopes

Baade, D. 148, 59

Dust formation in stellar winds. II. Carbon condensation in stationary, spherically expanding winds

Gail, H.-P., Sedlmayr, E. 148, 183

Study of the Sobolev approximation in turbulent expanding envelopes

Schönberg, K. 148, 405

An interpretation of the spectral variations of Theta Coronae Borealis

Underhill, A.B. 148, 431

Infrared multiplex diameters of the inner part of VY CMa Bensammar, S., Friedjung, M., Letourneur, N., Perrier, F. 149, L1

High resolution spectroscopic and photometric study of the possibility that HD 76534 and HD 163296 are Herbig Ae/Be-type stars

Thé, P.S., Felenbok, P., Cuypers, H., Tjin A Djie, H.R.E. 149, 429

Observational aspects of the P Cygni ionized envelope Felli, M., Stanga, R., Oliva, E., Panagia, N. 151, 27

Stars in the bulge of our galaxy detected by IRAS

Habing, H.J., Olnon, F.M., Chester, T., Gillet, F., Rowan-Robinson, M., Neugebauer, G. 152, L1

IRAS photometry of dust shells around hydrogen-deficient stars Walker, H.J. 152, 58

Peculiar OH variation of R Leo

Le Squeren, A.M., Sivagnanam, P. 152, 85

The massive wind of S Dor

Leitherer, C., Appenzeller, I., Klare, G., Lamers, H.J.G.L.M., Stahl, O., Waters, L.B.F.M., Wolf, B. 153, 168

The flux distribution of Vega for $10 \ \mu m \le \lambda \le 100 \ \mu m$, and the calibration of IRAS at $12 \ \mu m$ and $25 \ \mu m$ Leggett, S.K. **153**, 273

Stars: classification

The absorption spectrum of the B[e] star MWC 300 Wolf, B., Stahl, O. 148, 412

Rotational velocities, spectral types, and forbidden lines of Herbig Ae/Be stars

Finkenzeller, U. 151, 340

Observation of $\lambda\lambda\,1600$ and 3040 features in the spectra of field horizontal branch stars

Jaschek, M., Baschek, B., Jaschek, C., Heck, A. 152, 439

Stars: collapsed

Black holes or compact stars?

Harpaz, A., Rosen, N. 143, L5

Equilibrium models of differentially rotating polytropes and the collapse of rotating stellar cores

Eriguchi, Y., Müller, E. 147, 161

The possibility of contracting collapsed stars Spyrou, N. 149, 283

Stars: colors of

The galactic reddening law: the evidence from $wby\beta$ photometry of R stars

Tobin, W. 142, 189

Effective temperature of Ap stars: a comparison between several photometric estimators

Lanz, T. 144, 191

UBVRI photoelectric photometry of nearby stars Rossello, G., Calafat, R., Figueras, F., Jordi, C., Nunez, J., Paredes, J.M., Sala, F., Torra, J. 145, 279; 59, 399 UBV photometry of stars whose positions are accurately known.

Oja, T. 145, 280; 59, 461

 $uvby\beta$ photoelectric photometric catalogue (magnetic tape) Hauck, B., Mermilliod, M. 145, 484; 60, 61

Geneva intrinsic colours of the supergiants of spectral types A and F

Meynet, G., Hauck, B. 150, 163

Photometric variations of the irregular variable V 348 Sgr Heck, A., Houziaux, L., Manfroid, J., Jones, D.H.P., Andrews, P.J. 150, 350; 61, 375

An empirical temperature calibration for F dwarfs Saxner, M., Hammarbäck, G. 151, 372

The flux distribution of Vega for 10 $\mu m \! \le \! \lambda \! \le \! 100~\mu m,$ and the calibration of IRAS at 12 μm and 25 μm

Leggett, S.K. 153, 273

Stars: coronae of

Comment on the IRAS infrared spectrum of Zeta Puppis (O4 If) Wolfire, M.G., Waldron, W.L., Cassinelli, J.P. 142, L25

Coronal heating and stellar flares Whitehouse, D.R. 145, 449

Coronal heating by resonant (A.C.) and nonresonant (D.C.) mechanisms

Ionson, J.A. 146, 199

Black hole accretion disks. Electrodynamic coupling of accretiondisk coronae and the partitioning of soft and hard X-ray emission

Kuperus, M., Ionson, J.A. 148, 309

Simultaneous ultraviolet and optical observations of FK Comae Bianchi, L., Grewing, M., Kappelmann, N. 149, 41

Stars: diameters of

Effective temperature of Ap stars: a comparison between several photometric estimators

Lanz, T. 144, 191

Absolute dimensions of eclipsing binaries. VII. V 1647 Sagittarii Andersen, J., Giménez, A. 145, 206

Observed and computed spectral flux distribution of non-supergiant O9-G8 stars. III. Determination of $T_{\rm eff}$ for the stars in the Breger Catalogue

Morossi, C., Malagnini, M.L. 147, 336; 60, 365

Long baseline Michelson stellar interferometry in the near infrared

Di Benedetto, G.P. 148, 169

Radial velocities of southern stars obtained with the photoelectric scanner Coravel. IV. Radial velocity variations of six cepheids in the Large Magellanic Cloud: HV 879, HV 899, HV 909, HV 2257, HV 2338, HV 2827

Imbert, M., Andersen, J., Ardeberg, A., Bardin, C., Benz, W., Lindgren, H., Martin, N., Maurice, E., Mayor, M., Nordström, B., Prévot, L. 149, 490; 61, 259

Absolute dimensions of eclipsing binaries. VIII. V760 Scorpii Andersen, J., Clausen, J.V., Nordström, B., Popper, D.M. 151, 329

Stellar diameter measurements with optical interferometer at CERGA. Recent developments and results (Text in French)

Koechlin, L., Rabbia, Y. 153, 91

Stars: dwarfs

Optically thick radial accretion onto main sequence stars and degenerate dwarfs

Tylenda, R. 147, 197

Equilibrium models of differentially rotating, completely catalyzed, zero-temperature configurations with central densities intermediate to white dwarf and neutron star densities

Müller, E., Eriguchi, Y. 152, 325

Stars: dynamics

A dynamical instability as a driving mechanism for stellar oscillations

Auvergne, M., Baglin, A. 142, 388

The role of initial binaries in cluster evolution: direct N-body calculations

Giannone, G., Molteni, D. 143, 321

Velocity ellipses in the galactic plane : regional variations and spectral distributions

Menge de Freitas, S. 145, 484; 60, 63

Collisionless mixing in 1-dimensional gravitational systems initially in a stationary waterbag configuration

Luwel, M., Severne, G. 152, 305

Stars: early-type

Comment on the IRAS infrared spectrum of Zeta Puppis (O4 If) Wolfire, M.G., Waldron, W.L., Cassinelli, J.P. 142, L25

The galactic reddening law: the evidence from $uvby\beta$ photometry of B stars

Tobin, W. 142, 189

A search for faint blue stars in high galactic latitudes. III. Twelve PSS fields at declinations -6° and -12° near the South Galactic Pole

Berger, J., Fringant, A.-M. 142, 216; 58, 565

Time-variable, excess radio emission from Cyg OB2 No. 5

Persi, P., Ferrari-Toniolo, M., Tapia, M., Roth, M., Rodríguez, L.F. 142, 263

The velocity-age relation for B and A stars

Palouš, J., Piskunov, A.E. 143, 102

 H_{α} observations of the enigmatic Of binary BD+40°4220=Cyg OB2 No. 5 = V 729 Cyg

Vreux, J.M. 143, 209

Early-type stars in OB associations in the infrared. II. A discussion of density and temperature distributions in stellar winds Bertout, C., Leitherer, C., Stahl, O., Wolf, B. 144, 87

The evolutionary status of OB stars with peculiar nitrogen spectra

Schild, H. 146, 113

The first IUE observations of LMC X-1 (star 32)

Bianchi, L., Pakuli, M. 146, 242

Erratum: Early-type stars in OB associations in the infrared. II. A discussion of density and temperature distributions in stellar winds

Bertout, C., Leitherer, C., Stahl, O., Wolf, B. 147, 186

Four-colour and H β photometry of blue stars selected from a balloon-ultraviolet survey and other sources

Tobin, W. 147, 337; 60, 459

Suggested new observational criteria and a new working hypothesis for the structural modeling of Be-star envelopes

Baade, D. 148, 59

The combined effect of mass loss and overshooting. V. Massive stars in the Magellanic Clouds

Pylyser, E., Doom, C., de Loore, C. 148, 379

An interpretation of the spectral variations of Theta Coronae Borealis

Underhill, A.B. 148, 431

Strömgren photometry of open clusters. I. NGC 6281, NGC 6405

Schneider, H. 148, 448; 61, 45

The ejection of shells in the stellar wind of the hypergiant P Cygni (B 1 Ia +)

Lamers, H.J.G.L.M., Korevaar, P., Cassatella, A. 149, 29

The Horseshoe nebula of the northern sky. The dark clouds of IC 1396

Heske, A., Wendker, H.J. 149, 199

An empirical investigation of mass-loss in OB stars Wilson, I.R.G., Dopita, M.A. 149, 295

An investigation of the micro-variations of highly luminous OBA type stars. I

van Genderen, A.M., Alphenaar, P., van der Bij, M.D.P., Deul, E.R., van Driel, W., van Heerde, G.M., de Lange, L., van Leeuwen, F., Meys, J.J.M., Oppe, J., Thé, P.S., Wiertz, M.J.J. 149, 490; 61, 213

Radial velocities for the hydrogen-deficient star HD 168476, several helium-strong and helium-weak stars

Walker, H.J., Hill, P.W. 149, 491; 61, 303

Speckle interferometry of the central object in the giant $H\,\textsc{ii}$ region NGC 3603

Baier, G., Ladebeck, R., Weigelt, G. 151, 61

An investigation of the micro-variations of highly luminous OBA type stars. II

van Genderen, A.M. 151, 349

Photometric variability of mid-B stars

Waelkens, C., Rufener, F. 152, 6

Two new multiperiodic β Cephei candidates in the Scorpius complex

Waelkens, C., Cuypers, J. 152, 15

The kinematical structure of the H II region Sh 2-156 Carsenty, U., Solf, J. 152, 254

The star exciting the H II region G 333.6-0.2

Natta, A., Oliva, E. 152, 300

An investigation of the micro variations of highly luminous OBA type stars. IV.

van Genderen, A.M., van den Boogart, A.K., Brand, J., de Bruyn, J.W., Burger, J.H., van der Bij, D.P.M., Deul, E.R., van Heerde, G.M., Hooimeyer, J.R.A., Kraakman, H., de Lange, L., Lemstra, G., Oppe, J., Wiertz, M.J.J. 152, 447; 62, 291

An atlas of theoretical P-Cygni-profiles in early stars Schönberg, K. 152, 448; 62, 339

An investigation of the micro-variations of highly luminous OBA type stars. III. The S Dor type star R 71 = HDE 269006 in the LMC

van Genderen, A.M., Steemers, W.J.G., Feldbrugge, P.T.M., Groot, M., Damen, E., van den Boogaart, A.K. 153, 163

Stars: emission-line

Variations in the variability of RR Tel Heck, A., Manfroid, J. 142, 341

FU Orionis star winds

Bastian, U., Mundt, R. 144, 57

CCD observations of bipolar nebulae. II. Lk H α 233 Aspin, C., McLean, I.S., McCaughrean, M.J. 144, 220

Multiplex imagery of the infrared core of Eta Carinae

Bensammar, S., Letourneur, N., Perrier, F., Friedjung, M.,

Viotti, R. 146, L1

Discovery of flare activity in G 119-62 Pettersen, B.R. 147, 328

The ultraviolet spectrum of the Be star HD 50138 Hutsemékers, D. 147, 336; 60, 373 Suggested new observational criteria and a new working hypothesis for the structural modeling of Be-star envelopes Baade, D. 148, 59

The shock-induced variability of emission profiles in S Car Gillet, D., Maurice, E., Bouchet, P., Ferlet, R. 148, 155

The absorption spectrum of the B[e] star MWC 300 Wolf, B., Stahl, O. 148, 412

Simultaneous ultraviolet and optical observations of FK Comae Bianchi, L., Grewing, M., Kappelmann, N. 149, 41

High resolution spectroscopic and photometric study of the possibility that HD 76534 and HD 163296 are Herbig Ae/Be-type stars

Thé, P.S., Felenbok, P., Cuypers, H., Tjin A Djie, H.R.E. 149, 429

Atlas of high-dispersion spectra of peculiar emission-line stars in the Magellanic Clouds

Stahl, O., Wolf, B., de Groot, M., Leitherer, C. 149, 490; 61, 237

Small nebulae and Herbig-Haro Objects. II. The Orion region Reipurth, Bo 149, 492; 61, 319

The shock-induced variability of the $H\alpha$ emission profile in Mira. II

Gillet, D., Ferlet, R., Maurice, E., Bouchet, P. 150, 89

HD 87643: a B [e] star with a cold wind

de Freitas Pacheco, J.A., Faria Lopes, D., Landaberry, S.C., Selvelli, P.L. 152, 101

The development of the new Be phase of 59 Cyg in the visual and in the far UV in 1978–1983

Doazan, V., Grady, C.A., Snow, T.P., Peters, G.J., Marlborough J.M., Barker, P.K., Bolton, C.T., Bourdonneau, B., Kuhi, L.V., Lyons, R.W., Polidan, P.S., Stalio, R., Thomas, R.N. 152, 182

Radial velocities along the light curve of the peculiar emissionline star GG Carinae

Gosset, E., Hutsemékers, D., Surdej, J., Swings, J.P. 153, 71 The massive wind of S Dor

Leitherer, C., Appenzeller, I., Klare, G., Lamers, H.J.G.L.M., Stahl, O., Waters, L.B.F.M., Wolf, B. 153, 168

Stars: evolution of

Carbon deflagrating supernovae and the chemical history of the solar neighbourhood

Matteucci, F., Tornambé, A. 142, 13

Stellar evolution with the Roxburgh criterion for convection Doom, C. 142, 143

The evolution of massive close binary systems with mass loss and overshooting. I. Mass transfer in systems with initial masses of $20+10~M_\odot$

Sybesma, C.H.B. 142, 171

SIT Vidicon and IDS spectra of central stars of planetary nebulae

Méndez, R.H., Kudritzki, R.P., Simon, K.P. 142, 289

Variations in the variability of RR Tel Heck, A., Manfroid, J. 142, 341

The initial parameters of the semidetached binary TV Cas De Grève, J.P., de Landtsheer, A.C., Packet, W. 142, 367

The dissipation factor in contact binaries Hazlehurst, J. 145, 25

The giant, asymptotic, and horizontal branches of globular clusters. II. Photographic photometry of the metal-poor clusters M15, M92, and NGC 5466

Buonanno, R., Corsi, C.E., Fusi Pecci, F. 145, 97

Evolution of massive stars with semiconvective diffusion Langer, N., El Eid, M.F., Fricke, K.J. 145, 179

Absolute dimensions of eclipsing binaries. VII. V 1647 Sagittarii Andersen, J., Giménez, A. 145, 206

Absolute-magnitude calibration of normal stars (V)

Grenier, S., Gómez, A.E., Jaschek, C., Jaschek, M., Heck, A. 145, 331

On the progenitors of white dwarfs

Drilling, J.S., Schönberner, D. 146, L23
Lithium depletion during the contraction phase

Lithium depletion during the contraction phase of the Sun Kızıloğlu, N., Eryurt-Ezer, D. 146, 384

Period changes in β CMa Stars Chapellier, E. 147, 135

Equilibrium models of differentially rotating polytropes and the collapse of rotating stellar cores

Eriguchi, Y., Müller, E. 147, 161

A study of visual double stars with early type primaries. IV. Astrophysical data

Lindroos, K.P. 147, 187; 60, 183

Magnetic structure in cool stars. VIII. The Mg $\scriptstyle\rm II$ h and k surface fluxes in relation to the Mt. Wilson photometric Ca $\scriptstyle\rm II$ H and K measurements

Oranje, B.J., Zwaan, C. 147, 265

Studies on the spectra of K-giants. III. Carbon, nitrogen, and oxygen abundances

Gratton, R.G. 148, 105

The evolution of some characteristics of Ap stars North, P. 148, 165

The combined effect of mass loss and overshooting. V. Massive stars in the Magellanic Clouds

Pylyser, E., Doom, C., de Loore, C. 148, 379

Recent spectra of FG Sge: iron-group weakens, while rare earths strengthen

Cowley, C.R., Jaschek, M., Acker, A. 149, 224

Stellar evolution with turbulent diffusion mixing. V. Lithium abundance on the lower main sequence

Baglin, A., Morel, P.J., Schatzman, E. 149, 309

Evolution of a merging pair of C + O white dwarfs to form a single neutron star

Saio, H., Nomoto, K. 150, L21

Convective overshooting in stellar internal models *Xiong*, *D.R.* **150**, 133

Age and process of star formation in very young LMC associations

Tarrab, I. 150, 151

NGC 6611-W 409: a remarkable Be star with a strong variable near-infrared excess

Thé, P.S., Cuypers, H., Tjin A Djie, H.R.E., Feinstein, A., Westerlund, B.E. 150, 345

The blue horizontal branch of the globular cluster M15: photographic photometry with the GALAXY machine

Battistini, P., Bregoli, G., Fusi Pecci, F., Lolli, M., Epps Bingham, E.A. 150, 351; 61, 487

The production of neutron-rich isotopes during He burning in massive stars

Busso, M., Gallino, R. 151, 205

Mass limit for e-capture supernovae and chemical evolution of galaxies

Tornambé, A., Matteucci, F. 151, 447

Photospheric convection zones and evolution of subluminous OB-stars

Groth, H.G., Kudritzki, R.P., Heber, U. 152, 107

The problem of the runaway stars and the distribution function of peculiar radial velocities in the Large Magellanic Cloud (Text in German)

Isserstedt, J., Hart, R. 152, 343

The structure and spectral characteristics of the low-excitation planetary nebula HD 316248

Hutsemékers, D., Surdej, J. 153, 245

Spectroscopic identification of white dwarfs in galactic clusters. III. IC 2391 and NGC 2451

Koester, D., Reimers, D. 153, 260

Stars: faint blue

A search for faint blue stars in high galactic latitudes. III. Twelve PSS fields at declinations -6° and -12° near the South Galactic Pole

Berger, J., Fringant, A.-M. 142, 216; 58, 565

On the progenitors of white dwarfs

Drilling, J.S., Schönberner, D. 146, L23

Four-colour and H β photometry of blue stars selected from a balloon-ultraviolet survey and other sources

Tobin, W. 147, 337; 60, 459

Studies of faint blue objects at high galactic latitudes. IV. Faint blue objects in the field of χ UMa

Barbieri, C., Barbon, R., de Bastiani, L., Romano, G., Pesch, P., Sanduleak, N. 148, 450; 61, 163

A search for faint blue stars in high galactic latitudes. IV. Star and quasar distribution as a function of the magnitude in the PHL and PB surveys near the South Galactic Pole

Berger, J., Fringant, A.-M. 149, 489; 61, 191

Stars: flare

Stochastic electron acceleration in stellar coronae

Bogdan, T.J., Schlickeiser, R. 143, 23

Photoelectric measurements of BY Draconis carried out at the Catania Astrophysical Observatory from 1967 to 1970 Cristaldi, S. 144, 254; 59, 187

Coronal heating and stellar flares Whitehouse, D.R. 145, 449

Discovery of flare activity in G 119–62

Pettersen, B.R. 147, 328

Discovery of flare activity on the low luminosity red dwarf system G9–38 AB

Pettersen, B.R. 148, 151

Series merging of hydrogen Balmer lines during a stellar flare Zarro, D.M., Zirin, H. 148, 240

Herbig's Ae and Be star LkHα 198, a flare star candidate Chavarria-K., C. 148, 317

Interpretation of unpolarized radio emission from RS CVn stars Kuijpers, J., van der Hulst, J.M. 149, 343

The K2 flaring giant V 654 Her

Tsvetkov, M.K., Pettersen, B.R. 150, 160

Stars: formation of

Star Formation and the galactic magnetic field. The B- ϱ relation, flux freezing, and magnetic braking

Mouschovias, T.C. 142, 41

Observations of selected sources in the 2 cm line of H₂CO Martin-Pintado, J., Wilson, T.L., Gardner, F.F., Henkel, C. 142, 131

A model of clumped molecular clouds. I. Hydrostatic structure of dense cores

Falgarone, E., Puget, J.L. 142, 157

Oscillations in star formation and contents of a molecular cloud complex

Bodifée, G., de Loore, C. 142, 297

HCO+ observations of the molecular cloud HH 24-27

Little, L.T., Davies, S.R., Vizard, D.R., Ellison, B.N., Riley, P.W., Matthews, N., Macdonald, G.H., Nyman, L.-A. 142, 378

The stellar content of the A 496 cD galaxy

Valentijn, E.A., Moorwood, A.F.M. 143, 46

Equilibrium structures of rotating isothermal gas clouds. I Hachisu, I., Eriguchi, Y. 143, 355

Herbig-Haro objects and FU Orionis eruptions. The case of HH 57

Reipurth, B. 143, 435

On the interpretation of hyperfine-structure intensity anomalies in the NH₃ (*J*, *K*)=(1,1) inversion transition Stutzki, *J.*, Winnewisser, G. 144, 13

Detection of high velocity emission in NH₃ (1,1) and (2,2) spectra towards NGC 2071

Takano, T., Stutzki, J., Winnewisser, G., Fukui, Y. 144, L20

IDS and CCD study of the LMC excited blobs Heydari-Malayeri, M., Testor, G. 144, 98

Separations of H II regions in galaxies

Braunsfurth, E., Feitzinger, J.V. 144, 215

An infrared study of the giant H_{II} region NGC 3603

Persi, P., Tapia, M., Roth, M., Ferrari-Toniolo, M. 144, 275

A search for H_2 emission in bipolar nebulae and regions of interstellar shock

Phillips, J.P., White, G.J., Harten, R. 145, 118

Rapid outbursts in the water maser Cepheus A

Mattila, K., Holsti, N., Toriseva, M., Anttila, R., Malkamäki, L. 145, 192

The circumstellar envelope of S 106-IRS 4

Felli, M., Simon, M., Fischer, J., Hamann, F. 145, 305

Star formation in early-type galaxies

Véron, P., Véron-Cetty, M.-P. 145, 433

Erratum: Some evolutionary consequences of shock-induced star formation

Nepveu, M., Robnik, M. 145, 482

OH observations of cloud complexes in Taurus Wouterloot, J.G.A., Habing, H.J. 145, 484; 60, 43

Cocoon stars in M17

Chini, R., Krügel, E. 146, 175

A general computational method for obtaining equilibria of selfgravitating and rotating gases

Eriguchi, Y., Müller, E. 146, 260

A plan view of the bipolar molecular outflow source G 35.2 N Dent, W.R.F., Little, L.T., Kaifu, N., Ohishi, M., Suzuki, S. 146, 375

Spectroscopic observations of the Horsehead Nebula Neckel, T., Sarcander, M. 147, L1

Equilibrium structures of rotating isothermal gas clouds. II. Dependence on the angular momentum distribution

Hachisu, I., Eriguchi, Y. 147, 13

Anomalous magnetic field diffusion during star formation Norman, C., Heyvaerts, J. 147, 247

Peculiar motions and star formation in the interacting galaxy complex Mk $171 = NGC\ 3690 + IC\ 694$

Augarde, R., Lequeux, J. 147, 273

Maclaurin hamburger sequence

Eriguchi, Y., Hachisu, I. 148, 289

The super star cluster in NGC 1705

Melnick, J., Moles, M., Terlevich, R. 149, L24

A refined particle method for astrophysical problems Monaghan, J.J., Lattanzio, J.C. 149, 135

H₂O sources near the galactic plane: a pilot systematic survey Matthews, H.E., Olnon, F.M., Winnberg, A., Baud, B. 149, 227

The Taurus-Auriga-Perseus complex of dark clouds. I. Density structure

Cernicharo, J., Bachiller, R., Duvert, G. 149, 273

Age and process of star formation in very young LMC associations

Tarrab, I. 150, 151

Supernova-induced collapse of magnetic interstellar clouds Oettl, R., Hillebrandt, W., Müller, E. 151, 33

A survey of the distribution of $\lambda 2.8$ cm radio continuum in nearby galaxies. VI. A small sample of interacting galaxies

Urbanik, M., Gräve, R., Klein, U. 152, 291

The problem of the runaway stars and the distribution function of peculiar radial velocities in the Large Magellanic Cloud (Text in German)

Isserstedt, J., Hart, R. 152, 343

¹³CO observations of cool giant molecular clouds Pérault, M., Falgarone, E., Puget, J.L. 152, 371

Erratum: Rapid outbursts in the water maser Cepheus A Mattila, K., Holsti, N., Toriseva, M., Anttila, R., Malkamäki, L. 152, 441

A global formula for star formation Brosche, P., Lentes, F.T. 153, 157

High resolution maps of the ${}^{2}\Pi_{1/2} J = 1/2$ OH lines in W3 (OH)

Guilloteau, S., Baudry, A., Walmsley, C.M. 153, 179

The 30 Doradus nebula. I. Spectral classification of 69 stars in the central cluster

Melnick, J. 153, 235

Stars: general

Radial velocities of southern stars obtained with the photoelectric scanner CORAVEL. III. 790 late-type bright stars

Andersen, J., Nordström, B., Ardeberg, A., Benz, W., Imbert, M., Lindgren, H., Martin, N., Maurice, E., Mayor, M., Prévot, L. 143, 245; 59, 15

Galactic structure photoelectric standards

Stobie, R.S., Gilmore, G., Reid, N. 147, 338; 60, 495

CCD stellar sequences in galactic structure fields

Stobie, R.S., Sagar, R., Gilmore, G. 147, 338; 60, 503
Radial velocities of bright southern stars. IV. 551 A- and F-type
HR and FK stars

Nordström, B., Andersen, J. 148, 448; 61, 53

Discovery of polarization structure in the optical spectrum of the peculiar symbiotic star R Aquarii

Aspin, C., Schwarz, H.E., McLean, I.S., Boyle, R.P. 149, L21 Evolution of intermediate mass stars: the role of convective overshooting and stellar wind

Bertelli, G., Bressan, A.G., Chiosi, C. 150, 33

Polarization structure and variability in the optical spectrum of VY Canis Majoris

Aspin, C., Schwarz, H.E., McLean, I.S. 151, 169

Optical region elemental abundance analyses of B and A stars. IV. Re-evaluation with new critically compiled FeII oscillator strengths and improved estimates of the damping constants Adelman, S.J., Fuhr, J.R. 152, 434

Radial velocities of bright southern stars. V. 146 Population II F stars and related stars

Andersen, J., Nordström, B. 152, 448; 62, 355

Stars: giant

A high dispersion analysis of a giant star in 47 Tucanae D'Odorico, S., Gratton, R.G., Ponz, D. 142, 232

Field giants: selection efficiency from photometry and metallicity gradient in the galactic bulge

Spaenhauer, A.M., Thevenin, F. 144, 327

Properties and spectra of extended static model photospheres of M giants

Scholz, M. 145, 251

Narrow band polarimetry of a sample of cool giants and supergiants

Schwarz, H.E. 147, 111

Molecular lines in IRC+10°210 and CIT 6

Henkel, C., Matthews, H.E., Morris, M., Terebey, S., Fich, M. 147, 143

CO band strengths for giants in galactic globular clusters. Are they related to the second parameter problem?

Caputo, F. 147, 317

Studies on the spectra of K-giants. III. Carbon, nitrogen, and oxygen abundances

Gratton, R.G. 148, 105

Long baseline Michelson stellar interferometry in the near infrared

Di Benedetto, G.P. 148, 169

The K2 flaring giant V 654 Her

Tsvetkov, M.K., Pettersen, B.R. 150, 160

A detailed analysis of five barium stars

Kovacs, N. 150, 232

Photometric and UV spectroscopic observations of 22 Vul at eclipse: observational evidence for an extended chromosphere of a "solar type" G supergiant

Schröder, K.-P., Che-Bohnenstengel, A. 151, L5

The effect of TiO absorption in late M giants on the Lockwood five-color narrow-band photometric system

Mennessier, M.O. 151, 201

Stars: helium

Abundance analysis from the UV spectrum of the He-w star HR 6000

Castelli, F., Cornachin, M., Hack, M., Morossi, C. 143, 245; 59, 1

Radial velocities for the hydrogen-deficient star HD 168476, several helium-strong and helium-weak stars

Walker, H.J., Hill, P.W. 149, 491; 61, 303

IRAS photometry of dust shells around hydrogen-deficient stars Walker, H.J. 152, 58

Photospheric convection zones and evolution of subluminous OB-stars

Groth, H.G., Kudritzki, R.P., Heber, U. 152, 107

Stars: Herzprung-Russell diagram

Stellar evolution with the Roxburgh criterion for convection Doom, C. 142, 143

Reddening, distance modulus and age of the globular cluster NGC 6121 (M 4) from the properties of RR Lyrae variables *Caputo*, F., *Castellani*, V., *Quarta*, M.L. 143, 8

The giant, asymptotic, and horizontal branches of globular clusters. II. Photographic photometry of the metal-poor clusters M15, M92, and NGC 5466

Buonanno, R., Corsi, C.E., Fusi Pecci, F. 145, 97

Evolution of massive stars with semiconvective diffusion Langer, N., El Eid, M.F., Fricke, K.J. 145, 179 M62: an RR Lyrae-rich, UV-bright galactic globular cluster Caloi, V., Castellani, V., Tarenghi, M. 145, 286

Absolute-magnitude calibration of normal stars (V)

Grenier, S., Gómez, A.E., Jaschek, C., Jaschek, M., Heck, A. 145, 331

Metallicities and distances of galactic clusters as determined from *UBV*-data. I. The effects of metallicity and reddening on the colors of main-sequence stars

Cameron, L.M. 146, 59

Metallicities and distances of galactic clusters as determined from UBV-data. II. The metallicities and distances of 38 open clusters Cameron, L.M. 147, 39

Metallicities and distances of galactic clusters as determined from UBV-data. III. Ages and abundance gradients of open clusters Cameron, L.M. 147, 47

Stellar populations in a faint star field in the Large Magellanic Cloud

Ardeberg, A., Linde, P., Lindgren, H., Lyngå, G. 148, 263

The combined effect of mass loss and overshooting. V. Massive stars in the Magellanic Clouds

Pylyser, E., Doom, C., de Loore, C. 148, 379

The distance modulus of the Large Magellanic Cloud: evidence from colour-magnitude diagrams of old clusters

Andersen, J., Blecha, A., Walker, M.F. 150, L12

The blue horizontal branch of the globular cluster M15: photographic photometry with the GALAXY machine

Battistini, P., Bregoli, G., Fusi Pecci, F., Lolli, M., Epps Bingham, E.A. 150, 351; 61, 487

Metallicities and distances of galactic clusters as determined from UBV-data. IV. The distance to the Hyades

Cameron, L.M. 152, 250

Stars: individual

AEPhe

A contribution on the problem of empirical masses for contact binaries

Van Hamme, W., Wilson, R.E. 152, 25

AG Vir

Photoelectric light curves and elements of AG Virginis Niarchos, P.G. 149, 491; 61, 313

BF Dra

Photoelectric radial velocities of eclipsing binaries. I. Orbital elements of BF Dra

Imbert, M. 144, 255; 59, 357

BW Vul

The outer layers of the β Cephei stars BW Vul and σ Sco Blomme, R., Hensberge, H. 148, 97

RX Mor

BX Mon as a long-period eclipsing binary system *Iijima*, T. **153**, 35

BY Dra

Photoelectric measurements of BY Draconis carried out at the Catania Astrophysical Observatory from 1967 to 1970 Cristaldi, S. 144, 254; 59, 187

E 1405-451

The 2-second optical variability in E1405-451: origin and coherency

Larsson, S. 145, L1

FG Sge

Recent spectra of FG Sge: iron-group weakens, while rare earths strengthen

Cowley, C.R., Jaschek, M., Acker, A. 149, 224

FK Com

Simultaneous ultraviolet and optical observations of FK Comae Bianchi, L., Grewing, M., Kappelmann, N. 149, 41

FU Ori

FU Orionis star winds Bastian, U., Mundt, R. 144, 57

G 9-38 AB

Discovery of flare activity on the low luminosity red dwarf system G9-38 AB

Pettersen, B.R. 148, 151

GD 358

Atmospheric parameters of the variable DB white dwarf GD 358

Koester, D., Vauclair, G., Dolez, N., Oke, J.B., Greenstein, J.L., Weidemann, V. 149, 423

GL Car

Four-colour photometry of eclipsing binaries. XXIIB. Light curves of GL Carinae

Giménez, A., Clausen, J.V., Helt, B.E., Vaz, L.P.R. 152, 445; 62, 179

GZ CMa

Four-colour photometry of eclipsing binaries. XXIII. Light curves of GZ Canis Maioris

Andersen, J., Clausen, J.V., Nordström, B. 144, 255; 59, 349

HD 25267

Photometric variations of HD 25267

Manfroid, J., Mathys, G., Heck, A. 144, 251

HD 37776

Spectrophotometry of peculiar B and A stars. XVIII. The helium rich variable stars HR 1890, Sigma Orionis E, and HD 37776

Adelman, S.J., Pyper, D.M. 152, 447; 62, 279

HD 50138

The ultraviolet spectrum of the Be star HD 50138 Hutsemékers, D. 147, 336; 60, 373

HD 61421

Effective temperature and bolometric correction for HD 61421, HD 87901, HD 159561, and HD 216956

Malagnini, M.L., Morossi, C., Rossi, L., Kurucz, R.L. 152, 117

HD 87901

Effective temperature and bolometric correction for HD 61421, HD 87901, HD 159561, and HD 216956

Malagnini, M.L., Morossi, C., Rossi, L., Kurucz, R.L. 152,

HD 92664

A search for rapid oscillations in HD 92664 Kurtz, D.W. 142, 89

HD 96548

UV and optical observations of variability in the WR+compact candidate HD 96548

Smith, L.J., Lloyd, C., Walker, E.N. 146, 307

HD 159561

Effective temperature and bolometric correction for HD 61421, HD 87901, HD 159561, and HD 216956

Malagnini, M.L., Morossi, C., Rossi, L., Kurucz, R.L. 152,

HD 168476

Radial velocities for the hydrogen-deficient star HD 168476, several helium-strong and helium-weak stars

Walker, H.J., Hill, P.W. 149, 491; 61, 303

HD 192163

HD 192163 variability revisited: A very short period WR binary or a pulsating star?

Vreux, J.M., Andrillat, Y., Gosset, E. 149, 337

HD 216956

Effective temperature and bolometric correction for HD 61421, HD 87901, HD 159561, and HD 216956

Malagnini, M.L., Morossi, C., Rossi, L., Kurucz, R.L. 152, 117

HD 224617

HD 224617 – a spectroscopic binary? Lee, W.B., Nelles, B., Nicklas, H. 149, 492; 61, 363

Her X-1

Erratum: A tentative interpretation of the cyclotron line energy variation in Her X-1

Prantzos, N., Durouchoux, P. 147, 335

HM Sge

HM Sagittae and V 1016 Cygni in 1982–83: unforeseen variations in the IR spectrum of 1016 Cyg

Ipatov, A.P., Taranova, O.G., Yudin, B.F. 142, 85
The ultraviolet spectrum of the symbiotic star HM Sge Mueller, B.E.A., Nussbaumer, H. 145, 144

HR 1099

Synchrotron model for a radio burst of HR 1099 Borghi, S., Chiuderi-Drago, F. 143, 226

HR 178

Spectrum analysis of the giant Am star HR 178 van 't Veer-Menneret, C., Coupry, M.F., Burkhart, C. 146, 139

HR 1890

Spectrophotometry of peculiar B and A stars. XVIII. The helium rich variable stars HR 1890, Sigma Orionis E, and HD 37776 Adelman, S.J., Pyper, D.M. 152, 447; 62, 279

HR 6000

Abundance analysis from the UV spectrum of the He-w star HR 6000

Castelli, F., Cornachin, M., Hack, M., Morossi, C. 143, 245; 59, 1

IM Aur

Two-colour photometry and analysis of the eclipsing binary IM Aurigae

Gülmen, Ö., Sezer, C., Güdür, N. 147, 336; 60, 389

JC 19

Absolute and relative motion of the visual double star JC 19 (IDS 22187S4157)

Torres, G. 152, 446; 62, 191

LkHa198

Herbig's Ae and Be star LkHα 198, a flare star candidate *Chavarria-K.*, C. **148**, 317

LMC X-3

The optical binary light curve of LMC X-3 van der Klis, M., Clausen, J.V., Jensen, K., Tjemkes, S., van Paradijs, J. 151, 322

Mira Ceti

The shock-induced variability of the $\mbox{H}\alpha$ emission profile in Mira. II

Gillet, D., Ferlet, R., Maurice, E., Bouchet, P. 150, 89

OY Car

The eclipsing dwarf nova OY Carinae. III. Photometry during the superoutburst of January 1980

Krzeminski, W., Vogt, N. 144, 124

in zerminister, ** :

P Cyg

The reddening (and distance?) of P Cygni Turner, D.G. 144, 241

The ejection of shells in the stellar wind of the hypergiant P Cygni (B 1 Ia^+)

Lamers, H.J.G.L.M., Korevaar, P., Cassatella, A. 149, 29

Procyon

A model atmosphere analysis of the F5 IV-V subgiant Procyon Steffen, M. 145, 279; 59, 403

R Aqr

The structure of the R Aquarii nebula Solf, J., Ulrich, H. 148, 274

RR Pic

The old nova RR Pictoris. An intermediate polar? Haefner, R., Schoembs, R. 150, 325

RS Pup

Infrared variability of the reflection nebulosity around RS Puppis

Mayes, A.J., Evans, A., Bode, M.F. 142, 48

RT Aur

Physical properties of the Cepheids RT Aurigae and SZ Tauri Gieren, W.P. 148, 138

RZ Com

Photoelectric observations and minima times for RZ Comae Berenices

Rovithis, P., Rovithis-Livaniou, E. 142, 217; 58, 679

S Car

The shock-induced variability of emission profiles in S Car Gillet, D., Maurice, E., Bouchet, P., Ferlet, R. 148, 155

Siring

The Be II λ3130 Å region in the spectra of Vega and Sirius Griffin, R. & R. 149, 437

SS 433

Theoretical interpretation of the nutational effects in SS 433 *Cogotti, R., Ruffini, R., Jong, S.D.* 142, 124 SS 433 revisited

Kundt, W. 150, 276

SU Cyg

Determination of radii of cepheids. III. Radial velocities, spectroscopic orbit and dimension of SU Cyg (Text in French)

Imbert, M. 142, 215; 58, 529

SZ Tau

Physical properties of the Cepheids RT Aurigae and SZ Tauri Gieren, W.P. 148, 138

TT Au

UBV photometric observations of TT Aurigae Wachmann, A.A. 147, 190; 60, 349

TW Ho

Temporal variations in UV spectra of the red giant C star, TW Hor

Querci, M., Querci, F. 147, 121

u Her

Interpretation of new narrow band light curves of the eclipsing binary u Her

van der Veen, W.E.C.J. 145, 380

Analysis of light curves of the eclipsing binary u Herculis Rovithis-Livaniou, H., Rovithis, P.E. 145, 484; 60, 71

V 1016 Cyg

HM Sagittae and V 1016 Cygni in 1982–83: unforeseen variations in the IR spectrum of 1016 Cyg

Ipatov, A.P., Taranova, O.G., Yudin, B.F. 142, 85

V 1647 Sgr

Absolute dimensions of eclipsing binaries. VII. V 1647 Sagittarii Andersen, J., Giménez, A. 145, 206

V 348 Sgr

Photometric variations of the irregular variable V 348 Sgr Heck, A., Houziaux, L., Manfroid, J., Jones, D.H.P., Andrews, P.J. 150, 350; 61, 375

V 453 Oph

Analysis of the light variations of the RV Tauri star V 453 Ophiuchi

Mantegazza, L. 151, 270

V 566 Oph

A contribution on the problem of empirical masses for contact binaries

Van Hamme, W., Wilson, R.E. 152, 25

V 603 Aql

The old nova V 603 Aql: An intermediate polar? Haefner, R., Metz, K. 145, 311

V 760 Sco

Four-colour photometry of eclipsing binaries. XX. Light curves of V 760 Scorpii

Andersen, J., Clausen, J.V., Helt, B.E., Jensen, K.S., Naqvi, S.I.H., Nordström, B. 149, 492; 61, 353

Vega

Dynamics of the dust material surrounding Vega Buitrago, J., Mediavilla, E. 148, L8

The Be II $\lambda 3130$ Å region in the spectra of Vega and Sirius Griffin, R. & R. 149, 437

Measurement of the absolute flux from Vega at 4.92 µm Mountain, C.M., Leggett, S.K., Selby, M.J., Blackwell, D.E., Petford, A.D. 151, 399

VY CMa

Infrared multiplex diameters of the inner part of VY CMa

Bensammar, S., Friedjung, M., Letourneur, N., Perrier, F. 149,
L1

V760 Sco

Absolute dimensions of eclipsing binaries. VIII. V760 Scorpii Andersen, J., Clausen, J.V., Nordström, B., Popper, D.M. 151, 320

W UMa

The Lyman alpha emission in W Ursae Majoris Rucinski, S.M., Vilhu, O., Whelan, J.A.J. 143, 153

YZ CMi

Series merging of hydrogen Balmer lines during a stellar flare Zarro, D.M., Zirin, H. 148, 240

αVir

Has α Vir ever stopped pulsating?
Chapellier, E., Valtier, J.C., Sareyan, J.P., Le Contel, J.M., Ducatel, D., Morel, P.J. 143, 466

y² Vel

The neon abundance of the Wolf-Rayet star in γ^2 Velorum van der Hucht, K.A., Olnon, F.M. 149, L17

ε Aur

High-dispersion spectroscopy of the eclipse of Epsilon Aurigae at visible and ultraviolet wavelengths

Ferluga, S., Hack, M. 144, 395

Z1 Sco

VBLUW photometry of the association Sco OB1 (containing the open cluster NGC 6231). A discussion on the evolutionary status of the hypergiant ζ^1 Sco (B1Ia⁺)

van Genderen, A.M., Bijleveld, W., van Groningen, E. 142, 215; 58, 537

η Car

Multiplex imagery of the infrared core of Eta Carinae Bensammar, S., Letourneur, N., Perrier, F., Friedjung, M., Viotti, R. 146, L1

θCrR

An interpretation of the spectral variations of Theta Coronae Borealis

Underhill, A.B. 148, 431

σ Ori E

Spectrophotometry of peculiar B and A stars. XVIII. The helium rich variable stars HR 1890, Sigma Orionis E, and HD 37776

Adelman, S.J., Pyper, D.M. 152, 447; 62, 279

σ Sco

wby photometry of Sigma Scorpii
 Sterken, C. 142, 217; 58, 657
 The outer layers of the β Cephei stars BW Vul and σ Sco Blomme, R., Hensberge, H. 148, 97

$\sigma^2 CrB$

Interpretation of unpolarized radio emission from RS CVn stars Kuijpers, J., van der Hulst, J.M. 149, 343

u Her

Optical region elemental abundance analyses of B and A stars. III. The mercury-manganese stars Upsilon Herculis and 38 Draconis

Adelman, S.J. 142, 216; 58, 585

μ Cephei

A possible eruptive event on M-supergiant μ Cephei Arsenijević, J. 145, 430

ω Cen

CCD based B and V lightcurves for the eclipsing binary NJL 5 in Omega Centauri Jensen, K.S., Jørgensen, H.E. 147, 187; 60, 229

20 CVn

Detailed analysis of the δ Del star HD 115604 = 20 CVn Hauck, B., Foy, R., Proust, D. 149, 167

28 And

Light variations of 28 Andromedae Garrido, R., Gonzalez, S.F., Rolland, A., Hobart, M.A., Lopez de Coca, P., Peña, J.H. 144, 211

38 Dra

Optical region elemental abundance analyses of B and A stars. III. The mercury-manganese stars Upsilon Herculis and 38 Draconis

Adelman, S.J. 142, 216; 58, 585

44 i Boo

Infrared light curves of the contact binary 44 i Bootis and evidence for a new period change

Lunel, M., Bergeat, J., Garnier, R. 148, 447; 61, 27

59 Cyg

The development of the new Be phase of 59 Cyg in the visual and in the far UV in 1978-1983

Doazan, V., Grady, C.A., Snow, T.P., Peters, G.J., Marlborough J.M., Barker, P.K., Bolton, C.T., Bourdonneau, B., Kuhi, L.V., Lyons, R.W., Polidan, P.S., Stalio, R., Thomas, R.N. 152, 182

Stars: interior; see Stars: structure of

Stars: late-type

Discovery of a cataclysmic variable type companion of the M 3 III giant 4 Dra with IUE

Reimers, D. 142, L16

Radial velocities of southern stars obtained with the photoelectric scanner CORAVEL. III. 790 late-type bright stars

Andersen, J., Nordström, B., Ardeberg, A., Benz, W., Imbert, M., Lindgren, H., Martin, N., Maurice, E., Mayor, M., Prévot, L. 143, 245; 59, 15

Membership and photometric abundances of red evolved stars in open clusters

Clarià, J.J. 144, 254; 59, 195

The RS CVn-type binary SV Camelopardalis: evidence of dark spots from UBV observations and IR fluxes

Cellino, A., Scaltriti, F., Busso, M. 144, 315

Analysis of three field halo stars and the chemical evolution of the Galaxy

Barbuy, B., Spite, F., Spite, M. 144, 343

A search for H₂ emission in bipolar nebulae and regions of interstellar shock

Phillips, J.P., White, G.J., Harten, R. 145, 118

Polarization measurements of late-type stars at H β and Ca II K Clarke, D., Schwarz, H.E., Stewart, B.G. 145, 232

Properties and spectra of extended static model photospheres of M giants

Scholz, M. 145, 251

Time variations and shell sizes of OH masers in late-type stars *Herman, J., Habing, H.J.* **145**, 282; **59**, 523

IUE observations of the RS CVn systems Z Her, TY Pyx and HD 155555

Fernandez-Figueroá, M.J., de Castro, E., Gimenéz, A. 145, 483; 60, 5

A study of ultraviolet spectra of ζ Aurigae/VV Cephei systems. VII. Chromospheric density distribution and wind acceleration region

Schröder, K.-P. 147, 103

Temporal variations in UV spectra of the red giant C star, TW Hor

Querci, M., Querci, F. 147, 121

Time variations of the SiO (v=0, J=2-1) emission from circumstellar shells

Nyman, L.-A., Olofsson, H. 147, 309

Differential rotation and activity cycles in RS CVn binaries. II. Model results for short and intermediate period members

Busso, M., Scaltriti, F., Cellino, A. 148, 29

Studies on the spectra of K-giants. III. Carbon, nitrogen, and oxygen abundances

Gratton, R.G. 148, 105

Long baseline Michelson stellar interferometry in the near infrared

Di Benedetto, G.P. 148, 169

The chromospheric He I D₃ line in main-sequence stars Danks, A.C., Lambert, D.L. 148, 293

Study of the Sobolev approximation in turbulent expanding envelopes

Schönberg, K. 148, 405

Photometry of southern stars. II. Further evidence of spots in the eclipsing binary BH Virginis

Scaltriti, F., Cellino, A., Busso, M. 149, 11

Statistical equilibrium of neutral calcium in the Sun and Procyon

Watanabe, T., Steenbock, W. 149, 21

Microwave observations of late-type stars with the Very Large Array

Pallavicini, R., Willson, R.F., Lang, K.R. 149, 95

A detailed analysis of five barium stars

Kovacs, N. 150, 232

The effect of TiO absorption in late M giants on the Lockwood five-color narrow-band photometric system

Mennessier, M.O. 151, 201

Polarimetric observations of solar-type stars

Huovelin, J., Linnaluoto, S., Piirola, V., Tuominen, I., Virtanen, H. 152, 357

Radial velocities of southern stars obtained with the photoelectric scanner CORAVEL. V. 404 F to M supergiant stars in the Large Magellanic Cloud

Prévot, L., Andersen, J., Ardeberg, A., Benz, W., Imbert, M., Lindgren, H., Martin, N., Maurice, E., Mayor, M., Nordström, B., Rebeirot E., Rousseau, J. 152, 442; 62, 23

Stars: long-period variables

First spectroscopic observations with the 14-m radio telescope at the Centro Astronomico de Yebes: SiO masers in evolved stars Barcia, A., Bujarrabal, V., Gómez-González, J., Martín-Pintado, J., Planesas, P. 142, L9

Variations in the variability of RR Tel Heck, A., Manfroid, J. 142, 341

VLA line observations of OH/IR stars

Herman, J., Baud, B., Habing, H.J., Winnberg, A. 143, 122 A classification of miras from their visual and near-infrared light curves: an attempt to correlate them with their evolution

Mennessier, M.O. 144, 463 VLA 6 cm continuum observations of OH/IR stars Herman, J., Baud, B., Habing, H.J. 144, 514

OH emission from Mira variables, infrared stars and molecular clouds

Slootmaker, A., Herman, J., Habing, H.J. 145, 281; 59, 465

Time variations and shell sizes of OH masers in late-type stars Herman, J., Habing, H.J. 145, 282; 59, 523

Molecular lines in IRC+10°210 and CIT 6

Henkel, C., Matthews, H.E., Morris, M., Terebey, S., Fich, M. 147, 143

The shock-induced variability of emission profiles in S Car Gillet, D., Maurice, E., Bouchet, P., Ferlet, R. 148, 155

The structure of the R Aquarii nebula Solf, J., Ulrich, H. 148, 274

The shock-induced variability of the $\mbox{H}\alpha$ emission profile in Mira. II

Gillet, D., Ferlet, R., Maurice, E., Bouchet, P. 150, 89

Stars in the bulge of our galaxy detected by IRAS

Habing, H.J., Olnon, F.M., Chester, T., Gillet, F., Rowan-Robinson, M., Neugebauer, G. 152, L1

Peculiar OH variation of R Leo

Le Squeren, A.M., Sivagnanam, P. 152, 85

Stars: luminosities of

Absolute-magnitude calibration of normal stars (V) Grenier, S., Gómez, A.E., Jaschek, C., Jaschek, M., Heck, A.

145, 331

The Malmquist correction

Jaschek, C., Gómez, A.E. 146, 387

Stars: magnetic field

The 2-second optical variability in E1405-451: origin and coherency

Larsson, S. 145, L1

Magnetic braking and the period gap of cataclysmic binaries Ritter, H. 145, 227

Anomalous magnetic field diffusion during star formation Norman, C., Heyvaerts, J. 147, 247

The evolution of some characteristics of Ap stars

North, P. 148, 165

Stationary hydrogen lines in white dwarf magnetic fields and the spectrum of the magnetic degenerate Grw+70°8247

Wunner, G., Rösner, W., Herold, H., Ruder, H. 149, 102
The periods of rotation of the magnetic peculiar stars in the Scorpio-Centaurus association: no evidence of braking on the main sequence

Borra, E.F., Beaulieu, A., Brousseau, D., Shelton, I. 149, 266 "Propeller" action by rotating neutron stars

Wang, Y.-M., Robertson, J.A. 151, 361

Magnetic stellar winds: a 2-D generalization of the Weber-Davis model

Sakurai, T. 152, 121

Stars: mass loss

Discovery of a cataclysmic variable type companion of the M 3 III giant 4 Dra with IUE

Reimers, D. 142, L16

Comment on the IRAS infrared spectrum of Zeta Puppis (O4 If) Wolfire, M.G., Waldron, W.L., Cassinelli, J.P. 142, L25

The evolution of massive close binary systems with mass loss and overshooting. I. Mass transfer in systems with initial masses of $20+10~M_{\odot}$

Sybesma, C.H.B. 142, 171

The initial parameters of the semidetached binary TV Cas De Grève, J.P., de Landtsheer, A.C., Packet, W. 142, 367 Numerical models of planetary nebulae evolution

Okorokov, V.A., Shustov, B.M., Tutukov, A.V., Yorke, H.W. 142, 441

Models for the planetary nebulae NGC 4361 and NGC 1535: Influence of the stellar wind on the nebular ionization

Adam, J., Köppen, J. 142, 461

Two-dimensional models of stellar wind bubbles. I. Numerical methods and their application to the investigation of outer shell instabilities

Różyczka, M. 143, 59

 H_z observations of the enigmatic Of binary BD+40°4220=Cyg OB2 No.5 = V 729 Cyg

Vreux, J.M. 143, 209

The hybrid spectrum of the LMC hypergiant R 126

Zickgraf, F.-J., Wolf, B., Stahl, O., Leitherer, C., Klare, G. 143, 421

FU Orionis star winds

Bastian, U., Mundt, R. 144, 57

Early-type stars in OB associations in the infrared. II. A discussion of density and temperature distributions in stellar winds Bertout, C., Leitherer, C., Stahl, O., Wolf, B. 144, 87 The circumstellar envelope of S 106-IRS 4

Felli, M., Simon, M., Fischer, J., Hamann, F. 145, 305

Computed He II spectra for Wolf-Rayet stars Hamann, W.-R. 145, 443

Multiplex imagery of the infrared core of Eta Carinae

Bensammar, S., Letourneur, N., Perrier, F., Friedjung, M., Viotti, R. 146, L1

UV and optical observations of variability in the WR+compact candidate HD 96548

Smith, L.J., Lloyd, C., Walker, E.N. 146, 307

A study of ultraviolet spectra of ζ Aurigae/VV Cephei systems. VII. Chromospheric density distribution and wind acceleration region

Schröder, K.-P. 147, 103

Antiprotons from thick cosmic-ray sources

Lagage, P.O., Cesarsky, C.J. 147, 127

Erratum: Early-type stars in OB associations in the infrared. II. A discussion of density and temperature distributions in stellar winds

Bertout, C., Leitherer, C., Stahl, O., Wolf, B. 147, 186

Vibrational instability of Wolf-Rayet stars

Maeder, A. 147, 300

The ultraviolet spectrum of the Be star HD 50138 Hutsemékers, D. 147, 336; 60, 373

A radiation driven stellar wind model atmosphere for the Wolf-Rayet binary V 444 Cygni

Pauldrach, A., Puls, J., Hummer, D.G., Kudritzki, R.P. 148, L1

Suggested new observational criteria and a new working hypothesis for the structural modeling of Be-star envelopes Baade, D. 148, 59

The outer layers of the β Cephei stars BW Vul and σ Sco Blomme, R., Hensberge, H. 148, 97

Dust formation in stellar winds. II. Carbon condensation in stationary, spherically expanding winds

Gail, H.-P., Sedlmayr, E. 148, 183 The structure of the R Aquarii nebula

Solf, J., Ulrich, H. 148, 274

Line formation in expanding atmospheres: Accurate solution using approximate lambda operators

Hamann, W.-R. 148, 364

Study of the Sobolev approximation in turbulent expanding envelopes

Schönberg, K. 148, 405

The neon abundance of the Wolf-Rayet star in γ^2 Velorum van der Hucht, K.A., Olnon, F.M. 149, L17

The ejection of shells in the stellar wind of the hypergiant P Cygni (B1 Ia⁺)

Lamers, H.J.G.L.M., Korevaar, P., Cassatella, A. 149, 29

The effects of episodic mass-loss enhancements on theoretical P Cygni profiles

Prinja, R.K., Howarth, I.D. 149, 73

The possibility of contracting collapsed stars Spyrou, N. 149, 283

An empirical investigation of mass-loss in OB stars Wilson, I.R.G., Dopita, M.A. 149, 295

High resolution spectroscopic and photometric study of the possibility that HD 76534 and HD 163296 are Herbig Ae/Be-type stars

Thé, P.S., Felenbok, P., Cuypers, H., Tjin A Djie, H.R.E. 149, 429

Atlas of high-dispersion spectra of peculiar emission-line stars in the Magellanic Clouds

Stahl, O., Wolf, B., de Groot, M., Leitherer, C. 149, 490; 61, 237

IRAS observations of AS 431: A superluminous WR star? Stickland, D.J., Lloyd, C., Willis, A.J. 150, L9

Observational aspects of the P Cygni ionized envelope Felli, M., Stanga, R., Oliva, E., Panagia, N. 151, 27

HD 87643: a B [e] star with a cold wind

de Freitas Pacheco, J.A., Faria Lopes, D., Landaberry, S.C., Selvelli, P.L. 152, 101

Magnetic stellar winds: a 2-D generalization of the Weber-Davis model

Sakurai, T. 152, 121

The nature of halos around planetary nebulae

Hippelein, H.H., Baessgen, M., Grewing, M. 152, 213

Analysis of P Cygni line profiles: generalization of the nth order moment W_n

Surdej, J. 152, 361

An atlas of theoretical P-Cygni-profiles in early stars Schönberg, K. 152, 448; 62, 339

Dynamical evolution of planetary nebulae Volk, K., Kwok, S. 153, 79

The massive wind of S Dor

Leitherer, C., Appenzeller, I., Klare, G., Lamers, H.J.G.L.M., Stahl, O., Waters, L.B.F.M., Wolf, B. 153, 168

Stars: mass of

Absolute dimensions of eclipsing binaries. VII. V 1647 Sagittarii Andersen, J., Giménez, A. 145, 206

Absolute dimensions of eclipsing binaries. VIII. V760 Scorpii Andersen, J., Clausen, J.V., Nordström, B., Popper, D.M. 151, 329

A contribution on the problem of empirical masses for contact

Van Hamme, W., Wilson, R.E. 152, 25

Stars: Mira; see Stars: long-period variables

Stars: neutron

2-dimensional low luminosity accretion onto neutron stars Kirk, J.G. 142, 430

The initial mass limit for neutron star and black hole formation Schild, H., Maeder, A. 143, L7

Pulsar space charging

Krause-Polstorff, J., Michel, F.C. 144, 72

Stability of mass transfer in a neutron star plus degenerate dwarf binary

Bonsema, P.F.J., van den Heuvel, E.P.J. 146, L3

X-ray burst sources: a model for chaotic behaviour *Livio*, M., Regev, O. 148, 133

Evolution of a merging pair of C+O white dwarfs to form a single neutron star

Saio, H., Nomoto, K. 150, L21

"Propeller" action by rotating neutron stars Wang, Y.-M., Robertson, J.A. 151, 361

Thermonuclear reactions in cool accreting neutron stars and burst phenomena

Miyaji, S., Nomoto, K. 152, 33

Equilibrium models of differentially rotating, completely catalyzed, zero-temperature configurations with central densities intermediate to white dwarf and neutron star densities

Müller, E., Eriguchi, Y. 152, 325

Super-Eddington fluxes in a quasi-hydrostatic, optically thick region of a neutron-star outer envelope

Stollman, G.M., van Paradijs, J. 153, 99

Stars: novae

Discovery of a cataclysmic variable type companion of the M 3 III giant 4 Dra with IUE

Reimers, D. 142, L16

Variations in the variability of RR Tel

Heck, A., Manfroid, J. 142, 341

The eclipsing dwarf nova OY Carinae. III. Photometry during the superoutburst of January 1980

Krzeminski, W., Vogt, N. 144, 124

Recurrence behaviour of dwarf novae: the Kukarkin-Parenago relation

van Paradijs, J. 144, 199

Irradiation-induced mass-overflow instability as a possible cause of superoutbursts in SU UMa stars

Osaki, Y. 144, 369

Magnetohydrostatics in the polar caps of accreting magnetized white dwarfs

Hameury, J.M., Lasota, J.P. 145, L10

Magnetic braking and the period gap of cataclysmic binaries Ritter, H. 145, 227

The old nova V 603 Aql: An intermediate polar? Haefner, R., Metz, K. 145, 311

Accretion disks heated by luminous central stars Friedjung, M. 146, 366

An X-ray study of AM Herculis. I. Discovery of a new mode of soft X-ray emission

Heise, J., Brinkman, A.C., Gronenschild, E., Watson, M., King, A.R., Stella, L., Kieboom, K. 148, L14

Spin-up of white dwarfs in cataclysmic binaries Ritter, H. 148, 207

PHL 227: the discovery of a new nova-like object Hunger, K., Heber, U., Koester, D. 149, L4

UV and optical observations of Nova Sagittarii 1982

Mazeh, T., Netzer, H., Shaviv, G., Drechsel, H., Rahe, J., War-

gau, W., Blades, J.C., Cacciari, C., Wamsteker, W. 149, 83
High speed photometry of GK Persei during the 1983 outburst

Mazeh, T., Tal, Y., Shaviv, G., Bruch, A., Budell, R. 149, 470 The old nova RR Pictoris. An intermediate polar? Haefner, R., Schoembs, R. 150, 325

Spectroscopy and spectrophotometry of the nova-like system V 3885 Sagittarii

Haug, K., Drechsel, H. 151, 157

A dust excess in Nova Cygni 1975? Bode, M.F., Evans, A. 151, 452

Stars: OH/IR

VLA line observations of OH/IR stars

Herman, J., Baud, B., Habing, H.J., Winnberg, A. 143, 122

VLA 6 cm continuum observations of OH/IR stars Herman, J., Baud, B., Habing, H.J. 144, 514

Time variations and shell sizes of OH masers in late-type stars

Herman, J., Habing, H.J. 145, 282; 59, 523 Stars in the bulge of our galaxy detected by IRAS

Habing, H.J., Olnon, F.M., Chester, T., Gillet, F., Rowan-Robinson, M., Neugebauer, G. 152, L1

Stars: oscillations of

A search for rapid oscillations in HD 92664 Kurtz, D.W. 142, 89 A dynamical instability as a driving mechanism for stellar oscillations

Auvergne, M., Baglin, A. 142, 388

Linear oscillations of differentially rotating selfgravitating cylinders

Veugelen, P. 143, 256

Classification of normal modes of rotating cylindrical systems Veugelen, P. 143, 458

Has α Vir ever stopped pulsating?

Chapellier, E., Valtier, J.C., Sareyan, J.P., Le Contel, J.M., Ducatel, D., Morel, P.J. 143, 466

Light variations of 28 Andromedae

Garrido, R., Gonzalez, S.F., Rolland, A., Hobart, M.A., Lopez de Coca, P., Peña, J.H. 144, 211

Erratum: Linear radial pulsations in stars in thermal imbalance Smeyers, P., Bruggen, P. 144, 516

A search for short periodic variations of the Ap Si star HD 92664

Mégessier, C., North, P., Burnet, M., Duquennoy, A. 145, 281; 59, 485

Study of the variability of the δ Scuti stars. VIII. HR 4684 and the resonance mechanism in dwarf pulsators

Antonello, E., Guerrero, G., Mantegazza, L., Scardia, M. 146,

Period changes in β CMa Stars Chapellier, E. 147, 135

Vibrational instability of Wolf-Rayet stars Maeder, A. 147, 300

Suggested new observational criteria and a new working hypothesis for the structural modeling of Be-star envelopes

*Baade, D. 148, 59**

Photometric variations and period determination of eight southern CP stars

Waelkens, C. 148, 449; 61, 127

HD 192163 variability revisited: A very short period WR binary or a pulsating star?

Vreux, J.M., Andrillat, Y., Gosset, E. 149, 337

The continuous spectrum of an axisymmetric self-gravitating and static equilibrium with a mixed poloidal and toroidal magnetic field

Poedts, S., Hermans, D., Goossens, M. 151, 16

Non-linear stellar oscillations. Non-radial mode interactions Däppen, W., Perdang, J. 151, 174

Analysis of the light variations of the RV Tauri star V 453 Ophiuchi

Mantegazza, L. 151, 270

The influence of surface inhomogeneities on the rapid light variations of Ap stars

Mathys, G. 151, 315

An investigation of the micro-variations of highly luminous OBA type stars. II

van Genderen, A.M. 151, 349

Observations of the light and colour variations of AI Velorum using an acousto-optic filter photometer *Bates, B., Halliwell, D.R.* 151, 403

Photometric variability of mid-B stars

Waelkens, C., Rufener, F. 152, 6

Two new multiperiodic β Cephei candidates in the Scorpius complex

Waelkens, C., Cuypers, J. 152, 15

Stars: peculiar A

Optical region elemental abundance analyses of B and A stars. III. The mercury-manganese stars Upsilon Herculis and 38 Draconis

Adelman, S.J. 142, 216; 58, 585

The rapidly oscillating Ap stars

Gabriel, M., Noels, A., Scuflaire, R., Mathys, G. 143, 206

Effective temperature of Ap stars: a comparison between several photometric estimators

Lanz, T. 144, 191

Photometric variations of HD 25267

Manfroid, J., Mathys, G., Heck, A. 144, 251

Approximate formulae for radiative acceleration in stars Alecian, G. 145, 275

Spectrophotometry of peculiar B and A stars. XVII. 63 Andromedae, HD 34452, Epsilon Ursae Majoris, CQ Ursae Majoris, CU Virginis, CS Virginis and Beta Coronae Borealis *Pyper, D.M., Adelman, S.J.* 145, 279; 59, 369

New period determinations for variable CP stars Manfroid, J., Mathys, G. 145, 280; 59, 429

A search for short periodic variations of the Ap Si star HD 92664

Mégessier, C., North, P., Burnet, M., Duquennoy, A. 145, 281; 59, 485

Absolute-magnitude calibration of normal stars (V)

Grenier, S., Gómez, A.E., Jaschek, C., Jaschek, M., Heck, A.

145, 331

On the shape of the *uvby* lightcurves of CP stars *Mathys*, G., *Manfroid*, J. **145**, 483; **60**, 17

Spectrum analysis of the giant Am star HR 178 van 't Veer-Menneret, C., Coupry, M.F., Burkhart, C. 146, 139

Frequency of Bp-Ap stars among spectroscopic binaries Gerbaldi, M., Floquet, M., Hauck, B. 146, 341

Erratum: Evidence of decay of the magnetic fields of Ap stars North, P., Cramer, N. 147, 190; 60, 353

The evolution of some characteristics of Ap stars North, P. 148, 165

Strömgren photometry of open clusters. I. NGC 6281, NGC 6405

Schneider, H. 148, 448; 61, 45

Axisymmetric force-free stellar magnetospheres Goossens, M., Hereygers, G. 149, 253

The periods of rotation of the magnetic peculiar stars in the Scorpio-Centaurus association: no evidence of braking on the main sequence

Borra, E.F., Beaulieu, A., Brousseau, D., Shelton, I. 149, 266 The influence of surface inhomogeneities on the rapid light variations of Ap stars

Mathys, G. 151, 315

Optical region elemental abundance analyses of B and A stars. IV. Re-evaluation with new critically compiled Fe $\scriptstyle\rm II$ oscillator strengths and improved estimates of the damping constants

Adelman, S.J., Fuhr, J.R. 152, 434

Photoelectric search for CP2-stars in open clusters. VI. NGC 5460, NGC 6087 and IC 4725

Maitzen, H.M. 152, 444; 62, 129

Stars: Population I

Evolution of massive stars with semiconvective diffusion Langer, N., El Eid, M.F., Fricke, K.J. 145, 179

Observed and computed spectral flux distribution of non-supergiant O9-G8 stars. III. Determination of $T_{\rm eff}$ for the stars in the Breger Catalogue

Morossi, C., Malagnini, M.L. 147, 336; 60, 365

Optical region elemental abundance analyses of B and A stars. IV. Re-evaluation with new critically compiled Fe II oscillator strengths and improved estimates of the damping constants *Adelman, S.J., Fuhr, J.R.* 152, 434

Stars: Population II

UV-bright stars in galactic globular clusters, their far-UV spectra and their contribution to the globular cluster luminosity de Boer. K.S. 142, 321

Reddening, distance modulus and age of the globular cluster NGC 6121 (M 4) from the properties of RR Lyrae variables Caputo, F., Castellani, V., Quarta, M.L. 143, 8

Photoelectric H β photometry for A and F stars brighter than $V=14^{m}$ in four areas in directions towards the South Galactic Pole Andersen, T.B., Jensen, K.S. 144, 256; 59, 361

Analysis of three field halo stars and the chemical evolution of the Galaxy

Barbuy, B., Spite, F., Spite, M. 144, 343

The giant, asymptotic, and horizontal branches of globular clusters. II. Photographic photometry of the metal-poor clusters M15, M92, and NGC 5466

Buonanno, R., Corsi, C.E., Fusi Pecci, F. 145, 97

Theoretical constraints on far UV radiation from old Population II stellar systems

Caloi, V., Castellani, V., Nesci, R., Rossi, L. 145, 281; 59, 505 M62: an RR Lyrae-rich, UV-bright galactic globular cluster Caloi, V., Castellani, V., Tarenghi, M. 145, 286

Spectroscopic analysis of extreme metal-poor "dwarfs". II. Improved model atmospheres and detailed abundances

Magain, P. 146, 95

The distance modulus of the Large Magellanic Cloud: evidence from colour-magnitude diagrams of old clusters

Andersen, J., Blecha, A., Walker, M.F. 150, L12

UV fluxes of Population II stars Cacciari, C. 150, 350; 61, 407

The blue horizontal branch of the globular cluster M15: photographic photometry with the GALAXY machine

Battistini, P., Bregoli, G., Fusi Pecci, F., Lolli, M., Epps Bingham, E.A. 150, 351; 61, 487

Magnesium isotopes in moderately metal-poor stars *Barbuy*, *B*. **151**, 189

Observation of $\lambda\lambda$ 1600 and 3040 features in the spectra of field horizontal branch stars

Jaschek, M., Baschek, B., Jaschek, C., Heck, A. 152, 439

Radial velocities of bright southern stars. V. 146 Population II F stars and related stars

Andersen, J., Nordström, B. 152, 448; 62, 355

Stars: Population III

Analysis of three field halo stars and the chemical evolution of the Galaxy

Barbuy, B., Spite, F., Spite, M. 144, 343

Stars: pre-main-sequence

The optical properties of dust in the mid-IR silicate bands Pégourié, B., Papoular, R. 142, 451

Herbig-Haro objects and FU Orionis eruptions. The case of HH 57

Reipurth, B. 143, 435

FU Orionis star winds

Bastian, U., Mundt, R. 144, 57

Erratum: Acoustic waves in early-type stars. I. An efficient method for the computation of thermodynamic quantities in time-dependent stellar atmosphere calculation

Wolf, B.E. 145, 278

New infrared absorption features due to solid phase molecules containing sulfur in W33A

Geballe, T.R., Baas, F., Greenberg, J.M., Schutte, W. 146, L6 Lithium depletion during the contraction phase of the Sun Kızıloğlu, N., Eryurt-Ezer, D. 146, 384

Herbig's Ae and Be star LkHα 198, a flare star candidate Chavarria-K., C. 148, 317

Infrared multiplex diameters of the inner part of VY CMa Bensammar, S., Friedjung, M., Letourneur, N., Perrier, F. 149, L1

CCD observations of bipolar nebulae. III. R Mon/NGC 2261 Aspin, C., McLean, I.S., Coyne, G.V. 149, 158

High resolution spectroscopic and photometric study of the possibility that HD 76534 and HD 163296 are Herbig Ae/Be-type stars

Thé, P.S., Felenbok, P., Cuypers, H., Tjin A Djie, H.R.E. 149, 429

Small nebulae and Herbig-Haro Objects. II. The Orion region Reipurth, Bo 149, 492; 61, 319

The shock region around the T Tauri star V 571 Orionis Reipurth, B., Sandell, G. 150, 307

NGC 6611-W 409: a remarkable Be star with a strong variable near-infrared excess

Thé, P.S., Cuypers, H., Tjin A Djie, H.R.E., Feinstein, A., Westerlund, B.E. 150, 345

Further photometry and spectroscopy in the young cluster region Tr 24/Sco OB 1

Heske, A., Wendker, H.J. 151, 309

Rotational velocities, spectral types, and forbidden lines of Herbig Ae/Be stars

Finkenzeller, U. 151, 340

The spectral energy distribution of stars above the ZAMS in the central part of the open cluster NGC 6383

Thé, P.S., Hageman, T., Westerlund, B.E., Tjin A Djie, H.R.E. 151, 391

Spectroscopic observations of 33 T Tau stars in the blue

Yi li Sun, Jaschek, M., Andrillat, Y., Jaschek C. 152, 447; 62, 309

Comparison of formaldehyde and hydroxyl parameters in the ϵ Chamaeleonis I dark cloud with the distribution of optical extinction and young stars

Toriseva, M., Mattila, K. 153, 207

Speckle interferometry of T Tauri stars and related objects

Baier, G., Bastian, U., Keller, E., Mundt, R., Weigelt, G. 153,
278

Stars: radio radiation of

Stochastic electron acceleration in stellar coronae Bogdan, T.J., Schlickeiser, R. 143, 23

VLA 6 cm continuum observations of OH/IR stars Herman, J., Baud, B., Habing, H.J. 144, 514

A deep Westerbork survey of areas with multicolor Mayall 4 m plates. III. Photometry and spectroscopy of faint source identifications

Kron, R.G., Koo, D.C., Windhorst, R.A. 146, 38

Interpretation of unpolarized radio emission from RS CVn stars Kuijpers, J., van der Hulst, J.M. 149, 343

Astrolabe observations of radiostars at Valinhos Clauzet, L.B.F., Atalla, R., Débarbat, S. 149, 489; 61, 211

Stars: rotation of

Synchronization in early-type close binaries

Giuricin, G., Mardirossian, F., Mezzetti, M. 143, 245; 59, 37 Linear oscillations of differentially rotating selfgravitating cylinders

Veugelen, P. 143, 256

Classification of normal modes of rotating cylindrical systems Veugelen, P. 143, 458

A general computational method for obtaining equilibria of selfgravitating and rotating gases

Eriguchi, Y., Müller, E. 146, 260

Equilibrium models of differentially rotating polytropes and the collapse of rotating stellar cores

Eriguchi, Y., Müller, E. 147, 161

Anomalous magnetic field diffusion during star formation Norman, C., Heyvaerts, J. 147, 247

Differential rotation and activity cycles in RS CVn binaries. II. Model results for short and intermediate period members

Busso, M., Scaltriti, F., Cellino, A. 148, 29 The evolution of some characteristics of Ap stars North, P. 148, 165

Spin-up of white dwarfs in cataclysmic binaries Ritter, H. 148, 207

Radial velocities of bright southern stars. IV. 551 A- and F-type HR and FK stars

Nordström, B., Andersen, J. 148, 448; 61, 53

Photometric variations and period determination of eight southern CP stars

Waelkens, C. 148, 449; 61, 127

The periods of rotation of the magnetic peculiar stars in the Scorpio-Centaurus association: no evidence of braking on the main sequence

Borra, E.F., Beaulieu, A., Brousseau, D., Shelton, I. 149, 266 The fate of rotating pair-unstable carbon-oxygen cores

Glatzel, W., El Eid, M.F., Fricke, K.J. 149, 413

The character of the normal mode equations for rotating perfect fluids

Balbinski, E. 149, 487

Rotational velocities, spectral types, and forbidden lines of Herbig Ae/Be stars

Finkenzeller, U. 151, 340

"Propeller" action by rotating neutron stars Wang, Y.-M., Robertson, J.A. 151, 361

Equilibrium models of differentially rotating, completely catalyzed, zero-temperature configurations with central densities intermediate to white dwarf and neutron star densities

Müller, E., Eriguchi, Y. 152, 325

Influence of rotational broadening on the width of emission reversals of Ca II and Mg II resonant lines

Bielicz, E., Glebocki, R., Sikorski, J. 153, 269

Stars: RR Lyr

Reddening, distance modulus and age of the globular cluster NGC 6121 (M 4) from the properties of RR Lyrae variables Caputo, F., Castellani, V., Quarta, M.L. 143, 8

Stars: runaway

The absorption spectrum of the B[e] star MWC 300 Wolf, B., Stahl, O. 148, 412

The problem of the runaway stars and the distribution function of peculiar radial velocities in the Large Magellanic Cloud (Text in German)

Isserstedt, J., Hart, R. 152, 343

Stars: structure of

Stellar evolution with the Roxburgh criterion for convection Doom, C. 142, 143

Evolution of massive stars with semiconvective diffusion Langer, N., El Eid, M.F., Fricke, K.J. 145, 179

Evolution of intermediate mass stars: the role of convective overshooting and stellar wind

Bertelli, G., Bressan, A.G., Chiosi, C. 150, 33

Convective overshooting in stellar internal models *Xiong*, *D.R.* **150**, 133

Remarks on the WUMa systems in NGC 188 Moss, D. 150, 343

Absolute dimensions of eclipsing binaries. VIII. V760 Scorpii Andersen, J., Clausen, J.V., Nordström, B., Popper, D.M. 151, 329

Stars: subdwarf

On the progenitors of white dwarfs

Drilling, J.S., Schönberner, D. 146, L23

Metallicities and distances of galactic clusters as determined from UBV-data. I. The effects of metallicity and reddening on the colors of main-sequence stars

Cameron, L.M. 146, 59

Spectroscopic analysis of extreme metal-poor "dwarfs". II. Improved model atmospheres and detailed abundances

Magain, P. 146, 95

Photospheric convection zones and evolution of subluminous OB-stars

Groth, H.G., Kudritzki, R.P., Heber, U. 152, 107

Stars: supergiant

VBLUW photometry of the association Sco OB1 (containing the open cluster NGC 6231). A discussion on the evolutionary status of the hypergiant ζ¹ Sco (B1Ia⁺)

van Genderen, A.M., Bijleveld, W., van Groningen, E. 142, 215; 58, 537

The optical properties of dust in the mid-IR silicate bands Pégourié, B., Papoular, R. 142, 451

A possible eruptive event on M-supergiant μ Cephei Arsenijević, J. 145, 430

A study of ultraviolet spectra of ζ Aurigae/VV Cephei systems. VII. Chromospheric density distribution and wind acceleration region

Schröder, K.-P. 147, 103

Narrow band polarimetry of a sample of cool giants and supergiants

Schwarz, H.E. 147, 111

The absorption spectrum of the B[e] star MWC 300 Wolf, B., Stahl, O. 148, 412

The ejection of shells in the stellar wind of the hypergiant P Cygni (B.1 Ia+)

Lamers, H.J.G.L.M., Korevaar, P., Cassatella, A. 149, 29
An investigation of the micro-variations of highly luminous OBA

type stars. I van Genderen, A.M., Alphenaar, P., van der Bij, M.D.P., Deul, E.R., van Driel, W., van Heerde, G.M., de Lange, L., van Leeuwen, F., Meys, J.J.M., Oppe, J., Thé, P.S., Wiertz, M.J.J.

149, 490; *61*, *213*

Atlas of high-dispersion spectra of peculiar emission-line stars in the Magellanic Clouds

Stahl, O., Wolf, B., de Groot, M., Leitherer, C. 149, 490; 61,

Geneva intrinsic colours of the supergiants of spectral types A and F

Meynet, G., Hauck, B. 150, 163

Analysis of the light variations of the RV Tauri star V 453 Ophiuchi

Mantegazza, L. 151, 270

An investigation of the micro-variations of highly luminous OBA type stars. II

van Genderen, A.M. 151, 349

The problem of the runaway stars and the distribution function of peculiar radial velocities in the Large Magellanic Cloud (Text in German)

Isserstedt, J., Hart, R. 152, 343

Radial velocities of southern stars obtained with the photoelectric scanner CORAVEL. V. 404 F to M supergiant stars in the Large

Prévot, L., Andersen, J., Ardeberg, A., Benz, W., Imbert, M., Lindgren, H., Martin, N., Maurice, E., Mayor, M., Nordström, B., Rebeirot E., Rousseau, J. 152, 442; 62, 23

An investigation of the micro variations of highly luminous OBA type stars. IV.

van Genderen, A.M., van den Boogart, A.K., Brand, J., de Bruyn, J.W., Burger, J.H., van der Bij, D.P.M., Deul, E.R., van Heerde, G.M., Hooimeyer, J.R.A., Kraakman, H., de Lange, L., Lemstra, G., Oppe, J., Wiertz, M.J.J. 152, 447; 62, 291

An investigation of the micro-variations of highly luminous OBA type stars. III. The S Dor type star R 71 = HDE 269006 in the LMC

van Genderen, A.M., Steemers, W.J.G., Feldbrugge, P.T.M., Groot, M., Damen, E., van den Boogaart, A.K. 153, 163

The massive wind of S Dor

Leitherer, C., Appenzeller, I., Klare, G., Lamers, H.J.G.L.M., Stahl, O., Waters, L.B.F.M., Wolf, B. 153, 168

Stars: supernovae; see Supernovae and supernova remnants

Stars: T Tau; see Stars: pre-main-sequence

Stars: temperatures of

Models for the planetary nebulae NGC 4361 and NGC 1535: Influence of the stellar wind on the nebular ionization

Adam, J., Köppen, J. 142, 461

A catalogue of [Fe/H] determinations, 1984 edition

Cayrel de Strobel, G., Bentolila, C., Hauck, B., Duquennoy, A. 143, 248; 59, 145

Effective temperature of Ap stars: a comparison between several photometric estimators

Lanz, T. 144, 191

Measurement of stellar integrated flux in the wavelength range 370 nm-950 nm

Petford, A.D., Leggett, S.K., Blackwell, D.E., Booth, A.J., Mountain, C.M., Selby, M.J. 146, 195

Observed and computed spectral flux distribution of non-supergiant O9-G8 stars. III. Determination of $T_{\rm eff}$ for the stars in the Breger Catalogue

Morossi, C., Malagnini, M.L. 147, 336; 60, 365

An empirical temperature calibration for F dwarfs Saxner, M., Hammarbäck, G. 151, 372

Effective temperature and bolometric correction for HD 61421, HD 87901, HD 159561, and HD 216956

Malagnini, M.L., Morossi, C., Rossi, L., Kurucz, R.L. 152,

Erratum: Measurement of stellar integrated flux in the wavelength range 370 nm-950 nm

Petford, A.D., Leggett, S.K., Blackwell, D.E., Booth, A.J., Mountain, C.M., Selby, M.J. 153, 284

Stars: variable

Discovery of a cataclysmic variable type companion of the M 3 III giant 4 Dra with IUE

Reimers, D. 142, L16 Search for variable stars in the young open cluster NGC 6871 Delgado, A.J., Alfaro, E.J., García-Pelayo, J.M., Garrido, R., Vidal, S. 142, 214; 58, 447

Variations in the variability of RR Tel Heck, A., Manfroid, J. 142, 341

The central star of NGC 2346: a dephasing light curve Acker, A., Jasniewicz, G. 143, L1

The rapidly oscillating Ap stars

Gabriel, M., Noels, A., Scuflaire, R., Mathys, G. 143, 206 On period determination methods

Heck, A., Manfroid, J., Mersch, G. 143, 246; 59, 63

Light variations of 28 Andromedae

Garrido, R., Gonzalez, S.F., Rolland, A., Hobart, M.A., Lopez de Coca, P., Peña, J.H. 144, 211

Photometric variations of HD 25267

Manfroid, J., Mathys, G., Heck, A. 144, 251

Photoelectric measurements of BY Draconis carried out at the Catania Astrophysical Observatory from 1967 to 1970

Cristaldi, S. 144, 254; 59, 187

Erratum: UBV photometry of the southern galactic cluster NGC $4755 = \kappa$ Crucis

Dachs, J., Kaiser, D. 144, 256; 59, 368

The RS CVn-type binary SV Camelopardalis: evidence of dark spots from UBV observations and IR fluxes

Cellino, A., Scaltriti, F., Busso, M. 144, 315

High-dispersion spectroscopy of the eclipse of Epsilon Aurigae at visible and ultraviolet wavelengths

Ferluga, S., Hack, M. 144, 395

The 2-second optical variability in E1405-451: origin and coherency

Larsson, S. 145, L1

New period determinations for variable CP stars Manfroid, J., Mathys, G. 145, 280; 59, 429

EW Scuti: a double-mode cepheid

Cuypers, J. 145, 283

Coronal heating and stellar flares Whitehouse, D.R. 145, 449

On the shape of the uvby lightcurves of CP stars Mathys, G., Manfroid, J. 145, 483; 60, 17

Temporal variations in UV spectra of the red giant C star, TW

Querci, M., Querci, F. 147, 121

Period changes in β CMa Stars

Chapellier, E. 147, 135

CCD based B and V lightcurves for the eclipsing binary NJL 5 in Omega Centauri

Jensen, K.S., Jørgensen, H.E. 147, 187; 60, 229

Discovery of flare activity in G 119-62

Pettersen, B.R. 147, 328

Differential rotation and activity cycles in RS CVn binaries. II. Model results for short and intermediate period members

Busso, M., Scaltriti, F., Cellino, A. 148, 29

Herbig's Ae and Be star LkHα 198, a flare star candidate Chavarria-K., C. 148, 317

Variable stars in the young open cluster IC 4996

Delgado, A.J., Alfaro, E.J., Garrido, R. 148, 449; 61, 89

Photometry of southern stars. II. Further evidence of spots in the eclipsing binary BH Virginis

Scaltriti, F., Cellino, A., Busso, M. 149, 11

Discovery of polarization structure in the optical spectrum of the peculiar symbiotic star R Aquarii

Aspin, C., Schwarz, H.E., McLean, I.S., Boyle, R.P. 149, L21
CCD observations of bipolar nebulae. III. R Mon/NGC 2261
Aspin, C., McLean, I.S., Coyne, G.V. 149, 158

Recent spectra of FG Sge: iron-group weakens, while rare earths strengthen

Cowley, C.R., Jaschek, M., Acker, A. 149, 224

The periods of rotation of the magnetic peculiar stars in the Scorpio-Centaurus association: no evidence of braking on the main sequence

Borra, E.F., Beaulieu, A., Brousseau, D., Shelton, I. 149, 266 HD 192163 variability revisited: A very short period WR binary or a pulsating star?

Vreux, J.M., Andrillat, Y., Gosset, E. 149, 337

Atmospheric parameters of the variable DB white dwarf GD 358

Koester, D., Vauclair, G., Dolez, N., Oke, J.B., Greenstein, J.L., Weidemann, V. 149, 423

An investigation of the micro-variations of highly luminous OBA type stars. I

van Genderen, A.M., Alphenaar, P., van der Bij, M.D.P., Deul, E.R., van Driel, W., van Heerde, G.M., de Lange, L., van Leeuwen, F., Meys, J.J.M., Oppe, J., Thé, P.S., Wiertz, M.J.J. 149, 490; 61, 213

Radial velocities for the hydrogen-deficient star HD 168476, several helium-strong and helium-weak stars

Walker, H.J., Hill, P.W. 149, 491; 61, 303

The peculiar SiO (v=2, J=2-1) maser in χ Cygni

Olofsson, H., Rydbeck, O.E.H., Nyman, L.-Å. 150, 169

Photometric variations of the irregular variable V 348 Sgr Heck, A., Houziaux, L., Manfroid, J., Jones, D.H.P., Andrews, P.J. 150, 350; 61, 375

Polarization structure and variability in the optical spectrum of VY Canis Majoris

Aspin, C., Schwarz, H.E., McLean, I.S. 151, 169

Non-linear stellar oscillations. Non-radial mode interactions Däppen, W., Perdang, J. 151, 174

Analysis of the light variations of the RV Tauri star V 453 Ophiuchi

Mantegazza, L. 151, 270

Further photometry and spectroscopy in the young cluster region Tr 24/Sco OB 1

Heske, A., Wendker, H.J. 151, 309

The influence of surface inhomogeneities on the rapid light variations of Ap stars

Mathys, G. 151, 315

An investigation of the micro-variations of highly luminous OBA type stars. II

van Genderen, A.M. 151, 349

Observations of the light and colour variations of AI Velorum using an acousto-optic filter photometer

Bates, B., Halliwell, D.R. 151, 403

Photometric variability of mid-B stars

Waelkens, C., Rufener, F. 152, 6

The development of the new Be phase of 59 Cyg in the visual and in the far UV in 1978-1983

Doazan, V., Grady, C.A., Snow, T.P., Peters, G.J., Marlborough J.M., Barker, P.K., Bolton, C.T., Bourdonneau, B., Kuhi, L.V., Lyons, R.W., Polidan, P.S., Stalio, R., Thomas, R.N. 152, 182

The importance of colour-colour loops in the determination of the physical parameters of pulsating variables

Onnembo, A., Buonaura, B., Caccin, B., Russo, G., Sollazzo, C. 152, 349

An investigation of the micro variations of highly luminous OBA type stars. IV.

van Genderen, A.M., van den Boogart, A.K., Brand, J., de Bruyn, J.W., Burger, J.H., van der Bij, D.P.M., Deul, E.R., van Heerde, G.M., Hooimeyer, J.R.A., Kraakman, H., de Lange, L., Lemstra, G., Oppe, J., Wiertz, M.J.J. 152, 447; 62, 291

Radial velocities along the light curve of the peculiar emissionline star GG Carinae

Gosset, E., Hutsemékers, D., Surdej, J., Swings, J.P. 153, 71 An investigation of the micro-variations of highly luminous OBA type stars. III. The S Dor type star R 71 = HDE 269006 in the LMC

van Genderen, A.M., Steemers, W.J.G., Feldbrugge, P.T.M., Groot, M., Damen, E., van den Boogaart, A.K. 153, 163

Stars: white dwarf

The explanation of the 1400 and 1600 Å features in DA white dwarfs

Koester, D., Weidemann, V., Zeidler-K.T., E.-M., Vauclair, G. 142, L5

Discovery of a cataclysmic variable type companion of the M 3 III giant 4 Dra with IUE

Reimers, D. 142, L16

A search for faint blue stars in high galactic latitudes. III. Twelve PSS fields at declinations -6° and -12° near the South Galactic Pole

Berger, J., Fringant, A.-M. 142, 216; 58, 565

The 2-second optical variability in E1405-451: origin and coherency

Larsson, S. 145, L1

Stability of mass transfer in a neutron star plus degenerate dwarf binary

Bonsema, P.F.J., van den Heuvel, E.P.J. 146, L3

On the progenitors of white dwarfs

Drilling, J.S., Schönberner, D. 146, L23

An X-ray study of AM Herculis. I. Discovery of a new mode of soft X-ray emission

Heise, J., Brinkman, A.C., Gronenschild, E., Watson, M., King, A.R., Stella, L., Kieboom, K. 148, L14

Spin-up of white dwarfs in cataclysmic binaries

Ritter, H. 148, 207

Stationary hydrogen lines in white dwarf magnetic fields and the spectrum of the magnetic degenerate $Grw+70^\circ8247$

Wunner, G., Rösner, W., Herold, H., Ruder, H. 149, 102

The triple alpha reaction at low temperatures in accreting white dwarfs and neutron stars

Nomoto, K., Thielemann, F.K., Miyaji, S. 149, 239

Atmospheric parameters of the variable DB white dwarf GD 358

Koester, D., Vauclair, G., Dolez, N., Oke, J.B., Greenstein, J.L., Weidemann, V. 149, 423

Evolution of a merging pair of C+O white dwarfs to form a single neutron star

Saio, H., Nomoto, K. 150, L21

Spectroscopic identification of white dwarfs in galactic clusters. III. IC 2391 and NGC 2451

Koester, D., Reimers, D. 153, 260

Stars: winds; see Stars: mass loss

Stars: Wolf-Rayet

Wolf-Rayet stars in "lazy" galaxies: a statistical approach Kunth, D., Joubert, M. 142, 411

 H_{α} observations of the enigmatic Of binary BD+40°4220=Cyg OB2 No.5 = V 729 Cyg

Vreux, J.M. 143, 209

Gas and star content and spatial distribution in the giant extragalactic $H{\scriptstyle \, II}$ region Tol 89

Durret, F., Bergeron, J., Boksenberg, A. 143, 347

IRAS observations of Sand.3 and M1-67: two new planetary nebulae with Wolf-Rayet nuclei

van der Hucht, K.A., Jurriens, T.A., Olnon, F.M., Thé, P.S., Wesselius, P.R., Williams, P.M. 145, L13

The ultraviolet spectrum of the symbiotic star HM Sge Mueller, B.E.A., Nussbaumer, H. 145, 144

Computed He II spectra for Wolf-Rayet stars Hamann, W.-R. 145, 443

The evolutionary status of OB stars with peculiar nitrogen spectra

Schild, H. 146, 113

UV and optical observations of variability in the WR+compact candidate HD 96548

Smith, L.J., Lloyd, C., Walker, E.N. 146, 307

Vibrational instability of Wolf-Rayet stars Maeder, A. 147, 300

A radiation driven stellar wind model atmosphere for the Wolf-Rayet binary V 444 Cygni

Pauldrach, A., Puls, J., Hummer, D.G., Kudritzki, R.P. 148, I.1

The neon abundance of the Wolf-Rayet star in γ² Velorum van der Hucht, K.A., Olnon, F.M. **149**, L17

The number of W-R stars in the Large Magellanic Cloud Azzopardi, M., Breysacher, J. 149, 213

HD 192163 variability revisited: A very short period WR binary or a pulsating star?

Vreux, J.M., Andrillat, Y., Gosset, E. 149, 337

Spectrophotometric catalogue of southern Wolf-Rayet stars Jeffers, S., Weller, W.G. 149, 489; 61, 173

IRAS observations of AS 431: A superluminous WR star? Stickland, D.J., Lloyd, C., Willis, A.J. 150, L9

Stars: B Cep

Search for variable stars in the young open cluster NGC 6871 Delgado, A.J., Alfaro, E.J., García-Pelayo, J.M., Garrido, R., Vidal, S. 142, 214; 58, 447

The outer layers of the β Cephei stars BW Vul and σ Sco Blomme, R., Hensberge, H. 148, 97

Variable stars in the young open cluster IC 4996 Delgado, A.J., Alfaro, E.J., Garrido, R. 148, 449; 61, 89 wby photometry of the β Cephei variable HR 5488

vander Linden, D., Sterken, C. 150, 76 Two new multiperiodic β Cephei candidates in the Scorpius complex

Waelkens, C., Cuypers, J. 152, 15

Stars: & Scu

Search for variable stars in the young open cluster NGC 6871 Delgado, A.J., Alfaro, E.J., Garcia-Pelayo, J.M., Garrido, R., Vidal, S. 142, 214; 58, 447

Light variations of 28 Andromedae

Garrido, R., Gonzalez, S.F., Rolland, A., Hobart, M.A., Lopez de Coca, P., Peña, J.H. 144, 211

Coronal heating and stellar flares Whitehouse, D.R. 145, 449

Study of the variability of the δ Scuti stars. VIII. HR 4684 and the resonance mechanism in dwarf pulsators

Antonello, E., Guerrero, G., Mantegazza, L., Scardia, M. 146,

Radial velocities and membership probabilities in the open star cluster NGC 6475 (M 7)

Gieseking, F. 148, 448; 61, 75

BD +28°1494: a multimode delta Scuti pulsator Broglia, P., Conconi, P. 149, 15

Detailed analysis of the δ Del star HD 115604=20 CVn Hauck, B., Foy, R., Proust, D. 149, 167

RY Leporis: a bright, high-amplitude δ Scuti star *Diethelm, R.* **149**, 465

Submillimetre radiation; see Infrared radiation

Sun (the): abundances

Radiative lifetimes for Nb II and the problem of the solar abundance of niobium

Hannaford, P., Lowe, R.M., Biémont, E., Grevesse, N. 143, 447

Lithium depletion during the contraction phase of the Sun Kızıloğlu, N., Eryurt-Ezer, D. 146, 384

An investigation of iron in the infrared solar spectrum based on FTS laboratory measurements

Biémont, E., Brault, J.W., Delbouille, L., Roland, G. 148, 449; 61, 107

Evidence for a small, high-Z, iron-like solar core *Rouse*, C.A. **149**, 65

Absolute transition probabilities in vanadium 1 and the solar abundance of vanadium

Whaling, W., Hannaford, P., Lowe, R.M., Biémont, E., Grevesse, N. 153, 109

Sun (the): activity of

Twisting motions in a disturbed solar filament

Schmieder, B., Raadu, M.A., Malherbe, J.M. 142, 249

A working model of the solar S-component radio emission Krüger, A., Hildebrandt, J., Fürstenberg, F. 143, 72

Asymmetry and shift of three FeI photospheric lines in solar active regions

Cavallini, F., Ceppatelli, G., Righini, A. 143, 116

Singularity of solar rotation and flare productivity

Soru-Escaut, I., Martres, M.-J., Mouradian, Z. 145, 19

The fate of sunward streaming protons associated with coronal mass ejections

Simnett, G.M. 145, 139

Solar cycle phase variations

Whitehouse, D.R. 145, 451

Models of solar magnetic fluxtubes: constraints imposed by Fe I and II lines

Solanki, S.K., Stenflo, J.O. 148, 123

A study of ultraviolet and X-ray emissions of selected solar re-

Schrijver, C.J., Zwaan, C., Maxson, C.W., Noyes, R.W. 149, 123

Interpretation of EUV spectra from loop structures in an active region at the limb

Doyle, J.G., Mason, H.E., Vernazza, J.E. 150, 69

The 1981 total solar eclipse corona. II. Global absolute photometric analysis

Lebecq, C., Koutchmy, S., Stellmacher, G. 152, 157

Overstable vertical velocity oscillations coupled with magnetic field torsional oscillations in active regions

Berton, R., Rayrole, J. 152, 219

Dynamics of solar filaments. IV. Structure and mass flow of an active region filament

Schmieder, B., Malherbe, J.M., Poland, A.I., Simon, G. 153, 64

Sun (the): atmosphere of

Review of solar observations of the n=2-2 transitions in fourth period elements

Lawson, K.D., Peacock, N.J. 142, 214; 58, 475

A working model of the solar S-component radio emission Krüger, A., Hildebrandt, J., Fürstenberg, F. 143, 72

Gas dynamics in the impulsive phase of solar flares. III. Energy transport in a flaring loop

Nagai, F., Jordan, C. 146, 25

An investigation of iron in the infrared solar spectrum based on FTS laboratory measurements

Biémont, E., Brault, J.W., Delbouille, L., Roland, G. 148, 449; 61, 107

Statistical equilibrium of neutral calcium in the Sun and Procyon

Watanabe, T., Steenbock, W. 149, 21

More on momentum deposition by electron beams in solar

Reale, F., Peres, G., Serio, S. 152, L5

Dynamics of solar filaments. IV. Structure and mass flow of an active region filament

Schmieder, B., Malherbe, J.M., Poland, A.I., Simon, G. 153, 64

Sun (the): bursts

Quasi-linear propagation of a spatially inhomogeneous electron stream

Levin, B.N. 143, 54

Storms of U-bursts and the stability of coronal loops Leblanc, Y., Hoyos, M. 143, 365

Polarization of solar noise storm continuum and plasma wave density in the corona

Benz, A.O., Zolliker, P. 144, 227

Fundamental and harmonic emission in interplanetary Type II radio bursts

Lengyel-Frey, D., Stone, R.G., Bougeret, J.L. 151, 215

The Type IV burst of 1980 June 29, 0233 UT: Harmonic plasma emission?

Gary, D.E., Dulk, G.A., House, L.L., Illing, R., Wagner, W.J., McLean, D.J. 152, 42

Measurements of distributed polarized radio sources from spinning spacecraft; effect of a tilted axial antenna. ISEE-3 application and results

Fainberg, J., Hoang, S., Manning, R. 153, 145

Sun (the): chromosphere of

High-resolution photography of the solar chromosphere. XX. True widths of $H\alpha$ active region loops

Brav. R.J., Loughhead, R.E. 142, 199

Effects of CO molecules on the outer solar atmosphere: a time-dependent approach

Muchmore, D., Ulmschneider, P. 142, 393

Oscillations in the chromosphere and transition region above sunspot umbrae. A photospheric or a chromospheric resonator?

Žugžda, Y.D., Locans, V., Staude, J. 143, 201

Oscillations of the Sun's chromosphere. II. $H\alpha$ line centre and wing filtergram time sequences

Kneer, F., von Uexküll, M. 144, 443

Propagation of nonlinear, radiatively damped longitudinal waves along magnetic flux tubes in the solar atmosphere

Herbold, G., Ulmschneider, P., Spruit, H.C., Rosner, R. 145, 157

The chromospheric brightness oscillation spectrum from filter observations in the $H\beta$ -line

Merkulenko, V.E., Mishina, M.N. 146, L9

Oscillations of the Sun's chromosphere. III. Simultaneous $H\alpha$ observations from two sites

von Uexküll, M., Kneer, F., Mattig, W., Nesis, A., Schmidt, W. 146, 192

The Evershed flow as a steady-state homogeneous phenomenon Dialetis, D., Mein, P., Alissandrakis, C.E. 147, 93

Acoustic waves in the solar atmosphere. VII. Non-grey, non-LTE H⁻ models

Schmitz, F., Ulmschneider, P., Kalkofen, W. 148, 217

A study of ultraviolet and X-ray emissions of selected solar regions

Schrijver, C.J., Zwaan, C., Maxson, C.W., Noyes, R.W. 149, 123

Interpretation of EUV spectra from loop structures in an active region at the limb

Doyle, J.G., Mason, H.E., Vernazza, J.E. 150, 69

Heating of solar magnetic elements by downflows

Hasan, S.S., Schüssler, M. 151, 69

SKYLAB observations of the solar O1 resonance triplet Roussel-Dupré, D. 153, 116

Sun (the): corona of

The fate of sunward streaming protons associated with coronal mass ejections

Simnett, G.M. 145, 139

Coronal heating by resonant (A.C.) and nonresonant (D.C.) mechanisms

Ionson, J.A. 146, 199

A study of ultraviolet and X-ray emissions of selected solar regions

Schrijver, C.J., Zwaan, C., Maxson, C.W., Noyes, R.W. 149, 123

Fast electron generation in quasiperpendicular shocks and type II solar radiobursts

Krasnosel'skikh, V.V., Kruchina, E.N., Thejappa, G., Volokitin, A.S. 149, 323

Interpretation of EUV spectra from loop structures in an active region at the limb

Doyle, J.G., Mason, H.E., Vernazza, J.E. 150, 69

Fe XIX transitions within the n=2 complex

Loulergue, M., Mason, H.E., Nussbaumer, H., Storey, P.J. 150, 246

The Type IV burst of 1980 June 29, 0233 UT: Harmonic plasma emission?

Gary, D.E., Dulk, G.A., House, L.L., Illing, R., Wagner, W.J., McLean, D.J. 152, 42

The 1981 total solar eclipse corona. II. Global absolute photometric analysis

Lebecg, C., Koutchmy, S., Stellmacher, G. 152, 157

Sun (the): cosmic rays

Ionic models of cosmic ray sources Arnaud, M., Cassé, M. 144, 64

Energy and angular distributions of energetic flare electrons and their X-radiation. I. Initially monoenergetic electrons

Haug, E., Elwert, G., Rausaria, R.R. 146, 159

Sun (the): faculae

Heating of solar magnetic elements by downflows Hasan, S.S., Schüssler, M. 151, 69

Sun (the): flares

Review of solar observations of the n=2-2 transitions in fourth period elements

Lawson, K.D., Peacock, N.J. 142, 214; 58, 475

Return currents in solar flares: collisionless effects

Rowland, H.L., Vlahos, L. 142, 219

Quasi-static evolution of sheared force-free fields and the solar flare problem

Aly, J.J. 143, 19

Stochastic electron acceleration in stellar coronae Bogdan, T.J., Schlickeiser, R. 143, 23

Singularity of solar rotation and flare productivity Soru-Escaut, I., Martres, M.-J., Mouradian, Z. 145, 19

Gas dynamics in the impulsive phase of solar flares. III. Energy transport in a flaring loop

Nagai, F., Jordan, C. 146, 25

Energy and angular distributions of energetic flare electrons and their X-radiation. I. Initially monoenergetic electrons

Haug, E., Elwert, G., Rausaria, R.R. 146, 159

The shortest time scales present in solar hard X-ray bursts Brown, J.C., Loran, J.M., MacKinnon, A.L. 147, L10

Effect of electron energy and angular dispersion on hard X-ray polarization during solar flares

Haug, E., Elwert, G., Rausaria, R.R. 148, 115

Fe XIX transitions within the n=2 complex

Loulergue, M., Mason, H.E., Nussbaumer, H., Storey, P.J. 150, 246

Hard X-ray imaging with a rotating wide field coded mask telescope: an inflight test

Badiali, M., Cardini, D., Emanuele, A., Ranieri, M., Soggiu, E. 151, 259

More on momentum deposition by electron beams in solar flares

Reale, F., Peres, G., Serio, S. 152, L5

Analysis of the optical spectra of solar flares. IV. The "blue" continuum of white light flares

Donati-Falchi, A., Falciani, R., Smaldone, L.A. 152, 165

Solar X-ray spectrum simulations for flaring loop models with emphasis on transient ionization effects during the impulsive phase

Mewe, R., Lemen, J.R., Peres, G., Schrijver, J., Serio, S. 152, 229

Dielectronic satellite spectra of Caxx resonance lines in solar flares

Blanchet, L., Cornille, M., Dubau, J., Faucher, P., Lion, J., Volonté, S. 152, 417

Sun (the): general

Rapid non-LTE calculations of Balmer lines and hydrogen ionization: the solar case

Dumont, S., Collin-Souffrin, S. 144, 245

Solar cycle phase variations

Whitehouse, D.R. 145, 451

Observations of the Sun at the CERGA astrolabe in 1983

Laclare, F., Journet, A., Leister, N.V. 149, 491; 61, 267

A monochromator for solar quantitative imagery: the instrument FPSS

Dollfus, A., Colson, F., Crussaire, D., Launay, F. 151, 235

Sun (the): granulation

Buoyant magnetic flux tubes. II. Three-dimensional behaviour in granules and supergranules

Schmidt, H.U., Simon, G.W., Weiss, N.O. 148, 191

Meridional and equatorial center-to-limb variation of the asymmetry and shift of three Fe I solar photospheric lines around 6300 Å

Cavallini, F., Ceppatelli, G., Righini, A. 150, 256

Sun (the): interior; see Sun (the): structure of

Sun (the): magnetic fields

High-resolution photography of the solar chromosphere. XX. True widths of $H\alpha$ active region loops

Bray, R.J., Loughhead, R.E. 142, 199

Twisting motions in a disturbed solar filament

Schmieder, B., Raadu, M.A., Malherbe, J.M. 142, 249

Quasi-static evolution of sheared force-free fields and the solar flare problem

Aly, J.J. 143, 19

Convective instability in a solar flux tube. II. Nonlinear calculations with horizontal radiative heat transport and finite viscosity *Hasan*, S.S. 143, 39

A working model of the solar S-component radio emission Krüger, A., Hildebrandt, J., Fürstenberg, F. 143, 72

Storms of U-bursts and the stability of coronal loops Leblanc, Y., Hoyos, M. 143, 365

Propagation of nonlinear, radiatively damped longitudinal waves along magnetic flux tubes in the solar atmosphere

Herbold, G., Ulmschneider, P., Spruit, H.C., Rosner, R. 145, 157

The Evershed flow as a steady-state homogeneous phenomenon Dialetis, D., Mein, P., Alissandrakis, C.E. 147, 93

Models of solar magnetic fluxtubes: constraints imposed by Fe1 and II lines

Solanki, S.K., Stenflo, J.O. 148, 123

Buoyant magnetic flux tubes. II. Three-dimensional behaviour in granules and supergranules

Schmidt, H.U., Simon, G.W., Weiss, N.O. 148, 191

Spatial and temporal variation of circular Zeeman Profiles in isolated solar Ca⁺K structures

Wiehr, E. 149, 217

Basic geometrical properties of the velocity and magnetic field in sunspots

Berton, R. 149, 291

Excitation of solar oscillation gravity modes by magnetic torque Dziembowski, W.A., Paterno, L., Ventura, R. 151, 47 Heating of solar magnetic elements by downflows Hasan, S.S., Schüssler, M. 151, 69

A monochromator for solar quantitative imagery: the instrument FPSS

Dollfus, A., Colson, F., Crussaire, D., Launay, F. 151, 235

Overstable vertical velocity oscillations coupled with magnetic field torsional oscillations in active regions

Berton, R., Rayrole, J. 152, 219

Sun (the): oscillations of

Narrowband spatial filtering in differential measurements of the line-of-sight velocity of the solar atmosphere Kobanov. N.I. 143, 99

Oscillations in the chromosphere and transition region above sunspot umbrae. A photospheric or a chromospheric resonator? Žugžda, Y.D., Locans, V., Staude, J. 143, 201

Oscillations of the Sun's chromosphere. II. $H\alpha$ line centre and wing filtergram time sequences

Kneer, F., von Uexküll, M. 144, 443

The chromospheric brightness oscillation spectrum from filter observations in the H β -line

Merkulenko, V.E., Mishina, M.N. 146, L9

Oscillations of the Sun's chromosphere. III. Simultaneous $H\alpha$ observations from two sites

von Uexküll, M., Kneer, F., Mattig, W., Nesis, A., Schmidt, W. 146, 192

Evidence for a small, high-Z, iron-like solar core *Rouse*, C.A. 149, 65

Excitation of solar oscillation gravity modes by magnetic torque Dziembowski, W.A., Paterno, L., Ventura, R. 151, 47

Non-linear stellar oscillations. Non-radial mode interactions Däppen, W., Perdang, J. 151, 174

A monochromator for solar quantitative imagery: the instrument

Dollfus, A., Colson, F., Crussaire, D., Launay, F. 151, 235

Sun (the): photosphere of

Asymmetry and shift of three Fe¹ photospheric lines in solar active regions

Cavallini, F., Ceppatelli, G., Righini, A. 143, 116

Oscillations in the chromosphere and transition region above sunspot umbrae. A photospheric or a chromospheric resonator? Žugžda, Y.D., Locāns, V., Staude, J. 143, 201

Radiative lifetimes for Nb $\scriptstyle\rm II$ and the problem of the solar abundance of niobium

Hannaford, P., Lowe, R.M., Biémont, E., Grevesse, N. 143, 447

The Evershed flow as a steady-state homogeneous phenomenon Dialetis, D., Mein, P., Alissandrakis, C.E. 147, 93

Identification of chromium lines in the infrared solar spectrum based on new interferometric measurements

Biémont, E., Brault, J.W., Delbouille, L., Roland, G. 149, 489; 61, 185

Meridional and equatorial center-to-limb variation of the asymmetry and shift of three Fe I solar photospheric lines around 6300 Å

Cavallini, F., Ceppatelli, G., Righini, A. 150, 256

A monochromator for solar quantitative imagery: the instrument FPSS

Dollfus, A., Colson, F., Crussaire, D., Launay, F. 151, 235

Absolute transition probabilities in vanadium I and the solar abundance of vanadium

Whaling, W., Hannaford, P., Lowe, R.M., Biémont, E., Grevesse, N. 153, 109

Sun (the): prominences

High-resolution photography of the solar chromosphere. XX. True widths of Hα active region loops Bray, R.J., Loughhead, R.E. 142, 199

Twisting motions in a disturbed solar filament Schmieder, B., Raadu, M.A., Malherbe, J.M. 142, 249 Singularity of solar rotation and flare productivity

Soru-Escaut, I., Martres, M.-J., Mouradian, Z. 145, 19

Sun (the): radio radiation of

A working model of the solar S-component radio emission Krüger, A., Hildebrandt, J., Fürstenberg, F. 143, 72
Storms of U-bursts and the stability of coronal loops

Leblanc, Y., Hoyos, M. 143, 365

Polarization of solar noise storm continuum and plasma wave density in the corona

Benz, A.O., Zolliker, P. 144, 227

Fast electron generation in quasiperpendicular shocks and type II solar radiobursts

Krasnosel'skikh, V.V., Kruchina, E.N., Thejappa, G., Volokitin, A.S. 149, 323

The visibility of type III radio bursts originating behind the Sun Dulk, G.A., Steinberg, J.L., Lecacheux, A., Hoang, S., MacDowall, R.J. 150, L28

Evidence of scattering effects on the sizes of interplanetary Type III radio bursts

Steinberg, J.L., Hoang, S., Dulk, G.A. 150, 205

Fundamental and harmonic emission in interplanetary Type II radio bursts

Lengyel-Frey, D., Stone, R.G., Bougeret, J.L. 151, 215

Measurements of distributed polarized radio sources from spinning spacecraft; effect of a tilted axial antenna. ISEE-3 application and results

Fainberg, J., Hoang, S., Manning, R. 153, 145

Sun (the): rotation of

Singularity of solar rotation and flare productivity Soru-Escaut, I., Martres, M.-J., Mouradian, Z. 145, 19

Sun (the): solar wind; see also Interplanetary medium

Measurements of the solar wind velocity with EISCAT Bourgois, G., Coles, W.A., Daigne, G., Silen, J., Turunen, T., Williams, P.J. 144, 452

Solar wind momentum flux density: Pioneer 10 and Pioneer 11 observations

Klemens, Y. 148, L5

Interplanetary scintillation and the structure of the solar wind transonic region

Lotova, N.A., Blums, D.F., Vladimirskii, K.V. 150, 266

Magnetic stellar winds: a 2-D generalization of the Weber-Davis model

Sakurai, T. 152, 121

Sun (the): solar-terrestrial relations; see also Interplanetary medium

Solar cycle phase variations Whitehouse, D.R. 145, 451

Some solar cycle phenomena related to the geomagnetic activity from 1868 to 1980. I. The shock events, or the interplanetary expansion of the toroidal field

Legrand, J.-P., Simon, P.A. 152, 199

Sun (the): structure of

Evidence for a small, high-Z, iron-like solar core Rouse, C.A. 149, 65

Excitation of solar oscillation gravity modes by magnetic torque Dziembowski, W.A., Paterno, L., Ventura, R. 151, 47

Sun (the): sunspots

Velocity and asymmetry mapping of sunspots Küveler, G., Wiehr, E. 142, 205

Oscillations in the chromosphere and transition region above sunspot umbrae. A photospheric or a chromospheric resonator? Žugžda, Y.D., Locāns, V., Staude, J. 143, 201

Solar cycle phase variations Whitehouse, D.R. 145, 451

The Evershed flow as a steady-state homogeneous phenomenon Dialetis, D., Mein, P., Alissandrakis, C.E. 147, 93

Basic geometrical properties of the velocity and magnetic field in sunspots

Berton, R. 149, 291

Overstable vertical velocity oscillations coupled with magnetic field torsional oscillations in active regions

Berton, R., Rayrole, J. 152, 219

Sun (the): X-rays

The fate of sunward streaming protons associated with coronal mass ejections

Simnett, G.M. 145, 139

Energy and angular distributions of energetic flare electrons and their X-radiation. I. Initially monoenergetic electrons

Haug, E., Elwert, G., Rausaria, R.R. 146, 159

The shortest time scales present in solar hard X-ray bursts Brown, J.C., Loran, J.M., MacKinnon, A.L. 147, L10

Effect of electron energy and angular dispersion on hard X-ray polarization during solar flares

Haug, E., Elwert, G., Rausaria, R.R. 148, 115

Hard X-ray imaging with a rotating wide field coded mask telescope: an inflight test

Badiali, M., Cardini, D., Emanuele, A., Ranieri, M., Soggiu, E. 151, 259

Solar X-ray spectrum simulations for flaring loop models with emphasis on transient ionization effects during the impulsive phase

Mewe, R., Lemen, J.R., Peres, G., Schrijver, J., Serio, S. 152, 229

Dielectronic satellite spectra of Caxx resonance lines in solar flares

Blanchet, L., Cornille, M., Dubau, J., Faucher, P., Lion, J., Volonté, S. 152, 417

Supernovae and supernova remnants: general

A revised supernova catalogue

Barbon, R., Cappellaro, E., Ciatti, F., Turatto, M., Kowal, C.T. 142, 218; 58, 735

The spectrum of a Type I supernova in NGC 7038 Schild, H. 142, 401

Thomas-Fermi study of the bubble phase in hot dense matter Suraud, E. 143, 108

Non-spherical supernova remnants. II. The interaction of remnants with molecular clouds

Tenorio-Tagle, G., Bodenheimer, P., Yorke, H.W. 145, 70

Antiprotons from thick cosmic-ray sources

Lagage, P.O., Cesarsky, C.J. 147, 127 Peculiar Type I supernovas

Uomoto, A., Kirshner, R.P. 149, L7

The triple alpha reaction at low temperatures in accreting white dwarfs and neutron stars

Nomoto, K., Thielemann, F.K., Miyaji, S. 149, 239

The fate of rotating pair-unstable carbon-oxygen cores Glatzel, W., El Eid, M.F., Fricke, K.J. 149, 413

SS 433 revisited

Kundt, W. 150, 276

Photoelectric UBV colours of supernovae

Younger, P.F., van den Bergh, S. 150, 350; 61, 365

Supernova-induced collapse of magnetic interstellar clouds Oettl, R., Hillebrandt, W., Müller, E. 151, 33

Interstellar and intracluster tunnels: acceleration of cosmic rays above $10^{15} \, \mathrm{eV}$

Ferrari, A., Masani, A. 152, 205

Equilibrium models of differentially rotating, completely catalyzed, zero-temperature configurations with central densities intermediate to white dwarf and neutron star densities

Müller, E., Eriguchi, Y. 152, 325

Supernovae and supernova remnants: individual

Crab Nebula

Optical observations of the jet of the Crab Nebula Véron-Cetty, M.P., Véron, P., Woltjer, L. 151, 101

CTB 80

Further observations of radio sources from the BG survey. III. CTB 80

Mantovani, F., Reich, W., Salter, C.J., Tomasi, P. 145, 50 CTB80: probable changes in the central nebulosity, 1953–1981 Strom, R.G., Blair, W.P. 149, 259

Cygnus loop

The Cygnus loop: A supernova breaking out of a molecular cloud?

Tenorio-Tagle, G., Rózyczka, M., Yorke, H.W. 148, 52

G 50.29

Evidence for two young galactic supernova remnants Reich, W., Fürst, E., Altenhoff, W.J., Reich, P., Junkes, N. 151, L10

G 71.23+47

Evidence for two young galactic supernova remnants Reich, W., Fürst, E., Altenhoff, W.J., Reich, P., Junkes, N. 151, L10

G78.2+2.1

The probable identification of two COS-B γ -ray sources with molecular clouds compressed by supernova remnants *Pollock*, *A.M.T.* **150**, 339

G 166.0+4.3

Optical and radio imaging of the supernova remnant VRO 42.05.01 (G 166.0+4.3)

Pineault, S., Pritchet, C.J., Landecker, T.L., Routledge, D., Vaneldik, J.F. 151, 52

G 357.7-0.1

The compact radio source near G357.7-0.1

Shaver, P.A., Pottasch, S.R., Salter, C.J., Patnaik, A.R., van Gorkom, J.H., Hunt, G.C. 147, L23

W 28

The probable identification of two COS-B γ -ray sources with molecular clouds compressed by supernova remnants

Pollock, A.M.T. 150, 339

Surveys

Radio source counts below 100 $\mu \rm Jy$ predicted from IRAS 60 μ counts

Biermann, P., Eckart, A., Witzel, A. 142, L23

Survey of the 21 cm line of neutral hydrogen in the Cas-Per region $120^{\circ} \le l \le 142^{\circ}$ and $-5^{\circ} \le b \le +5^{\circ}$ with the 100 m telescope at Effelsberg

Braunsfurth, E., Reif, K. 142, 215; 58, 503

Observational search for polarized emission from space vehicles/ communication relays near the galactic centre

Vallée, J.P., Simard-Normandin, M. 143, 274

New planetary nebulae of low surface brightness detected on UK-Schmidt plates

Hartl, H., Tritton, S.B. 145, 41

A search for faint blue stars in high galactic latitudes. IV. Star and quasar distribution as a function of the magnitude in the PHL and PB surveys near the South Galactic Pole

Berger, J., Fringant, A.-M. 149, 489; 61, 191

Small nebulae and Herbig-Haro Objects. II. The Orion region Reipurth, Bo 149, 492; 61, 319

A Westerbork survey of Einstein X-ray Observatory deep survey areas. I. The 0.6 and 1.4 GHz catalogues, sources counts and spectral index distributions

Katgert-Merkelijn, J.K., Robertson, J.G., Windhorst, R.A., Katgert, P. 150, 352; 61, 547

A 2.3 GHz radio continuum map of the southern sky Jonas, J.L., de Jager, G., Baart, E.E. 152, 444; 62, 105

Synchrotron radiation; see Radiation mechanisms

Transition probabilities: see Atomic and molecular data

Turbulence

Return currents in solar flares: collisionless effects Rowland, H.L., Vlahos, L. 142, 219

Line formation in the presence of turbulence

Magnan, C. 144, 186

Turbulence and angular momentum in extragalactic radio jets. I. Linear stability analysis

Londrillo, P. 145, 353

Chaotic behaviour of high Mach number flows Varvoglis, H., Ghosh, S. 148, 35

Turbulence in clusters of galaxies

Nepveu, M. 149, 459

Interstellar and intracluster tunnels: acceleration of cosmic rays above 1015 eV

Ferrari, A., Masani, A. 152, 205

UV radiation; see also under the different objects

Comparative performances of an objective grating concept in UV spectroscopic observations of solar system objects. I. Imaging capabilities

Bruston, P., Choucq-Bruston, M. 142, 59

The Milky Way in the ultraviolet spectral region

Winkler, C., Pfleiderer, J., Schmidt-Kaler, T. 142, 218; 58, 705

UV-bright stars in galactic globular clusters, their far-UV spectra and their contribution to the globular cluster luminosity de Boer, K.S. 142, 321

Properties of dust in the Orion nebula

Patriarchi, P., Perinotto, M. 143, 35

The Lyman alpha emission in W Ursae Majoris

Rucinski, S.M., Vilhu, O., Whelan, J.A.J. 143, 153

Abundance analysis from the UV spectrum of the He-w star HR 6000

Castelli, F., Cornachin, M., Hack, M., Morossi, C. 143, 245; 59, 1

The continuum variability of the puzzling X-ray three-period cataclysmic variable 2A0526-328 (TV Col)

Bonnet-Bidaud, J.M., Motch, C., Mouchet, M. 143, 313

IUE data analysis: radial velocities from line coincidence statistics

Bord, D.J., Davidson, J.P. 143, 461

The distribution of the local interstellar medium derived from MgII column densities towards seven cool stars

Vladilo, G., Beckman, J.E., Crivellari, L., Franco, M.L., Molaro, P. 144, 81

An analysis of scattered light in low dispersion IUE spectra Basri, G., Clarke, J.T., Haisch, B.M. 144, 161

High-dispersion spectroscopy of the eclipse of Epsilon Aurigae at visible and ultraviolet wavelengths

Ferluga, S., Hack, M. 144, 395

Theoretical constraints on far UV radiation from old Population II stellar systems

Caloi, V., Castellani, V., Nesci, R., Rossi, L. 145, 281; 59, 505 M62: an RR Lyrae-rich, UV-bright galactic globular cluster

Caloi, V., Castellani, V., Tarenghi, M. 145, 286

The ultraviolet spectra of normal elliptical galaxies: a population synthesis approach

Nesci, R., Perola, G.C. 145, 296

IUE observations of the RS CVn systems Z Her, TY Pyx and HD 155555

Fernandez-Figueroá, M.J., de Castro, E., Gimenéz, A. 145, 483; 60, 5

The abundance of oxygen in the interstellar medium Keenan, F.P., Hibbert, A., Dufton, P.L. 147, 89

Temporal variations in UV spectra of the red giant C star, TW Hor

Querci, M., Querci, F. 147, 121

Peculiar motions and star formation in the interacting galaxy complex Mk 171 = NGC 3690 + IC 694

Augarde, R., Lequeux, J. 147, 273

The ejection of shells in the stellar wind of the hypergiant P Cygni (B 1 Ia^+)

Lamers, H.J.G.L.M., Korevaar, P., Cassatella, A. 149, 29

UV and optical observations of Nova Sagittarii 1982

Mazeh, T., Netzer, H., Shaviv, G., Drechsel, H., Rahe, J., Wargau, W., Blades, J.C., Cacciari, C., Wamsteker, W. 149, 83

UV fluxes of Population II stars Cacciari, C. 150, 350; 61, 407

HD 87643: a B [e] star with a cold wind

de Freitas Pacheco, J.A., Faria Lopes, D., Landaberry, S.C., Selvelli, P.L. 152, 101

IUE observations of comet P/Crommelin (1983 n)
Festou, M.C., Carey, W.C., Evans, A., Wallis, M.K., Keller,
H.U. 152, 170

Observation of $\lambda\lambda$ 1600 and 3040 features in the spectra of field horizontal branch stars

Jaschek, M., Baschek, B., Jaschek, C., Heck, A. 152, 439

SKYLAB observations of the solar OI resonance triplet Roussel-Dupré, D. 153, 116

X-rays: binaries

Are galactic bulge X-ray burst sources leftovers of disrupted globular clusters?

van Paradijs, J., Lewin, W.H.G. 142, 361

2-dimensional low luminosity accretion onto neutron stars Kirk, J.G. 142, 430

The continuum variability of the puzzling X-ray three-period cataclysmic variable 2A0526-328 (TV Col)

Bonnet-Bidaud, J.M., Motch, C., Mouchet, M. 143, 313

The binary X-ray pulsar 1E 2259+59 – a descendant of an AM Her type system?

Lipunov, V.M., Postnov, K.A. 144, L13

Radiative transfer in the accretion column of X-ray pulsars: effects from the hot spot

Soffel, M., Herold, H., Ruder, H., Ventura, J. 144, 485 The ultraviolet spectrum of the symbiotic star HM Sge

Mueller, B.E.A., Nussbaumer, H. 145, 144

Stability of mass transfer in a neutron star plus degenerate dwarf binary

Bonsema, P.F.J., van den Heuvel, E.P.J. 146, L3

The first IUE observations of LMC X-1 (star 32)

Bianchi, L., Pakull, M. 146, 242

UV and optical observations of variability in the WR+compact candidate HD 96548

Smith, L.J., Lloyd, C., Walker, E.N. 146, 307

XB 1905+000: the most distant optically identified X-ray bur-

Chevalier, C., Ilovaisky, S.A., Charles, P.A. 147, L3

The compact radio source near G357.7-0.1

Shaver, P.A., Pottasch, S.R., Salter, C.J., Patnaik, A.R., van Gorkom, J.H., Hunt, G.C. 147, L23

Erratum: A tentative interpretation of the cyclotron line energy variation in Her X-1

Prantzos, N., Durouchoux, P. 147, 335

Black hole accretion disks. Electrodynamic coupling of accretiondisk coronae and the partitioning of soft and hard X-ray emission

Kuperus, M., Ionson, J.A. 148, 309

The interpretation of X-ray spectra from low-mass X-ray binaries

Lewin, W.H.G., van Paradijs, J. 149, L27

SS 433 revisited

Kundt, W. 150, 276

4U 0115+63: an energetic gamma ray binary pulsar Chadwick, P.M., Dowthwaite, J.C., Harrison, A.B., Kirkman,

I.W., McComb, T.J.L., Orford, K.J., Turver, K.E. 151, L1

The optical binary light curve of LMC X-3

van der Klis, M., Clausen, J.V., Jensen, K., Tjemkes, S., van Paradijs, J. 151, 322

"Propeller" action by rotating neutron stars Wang, Y.-M., Robertson, J.A. 151, 361

X-rays: bursts

Are galactic bulge X-ray burst sources leftovers of disrupted globular clusters?

van Paradijs, J., Lewin, W.H.G. 142, 361

XB 1905+000: the most distant optically identified X-ray burster?

Chevalier, C., Ilovaisky, S.A., Charles, P.A. 147, L3

The shortest time scales present in solar hard X-ray bursts Brown, J.C., Loran, J.M., MacKinnon, A.L. 147, L10

X-ray burst sources: a model for chaotic behaviour Livio, M., Regev, O. 148, 133

The triple alpha reaction at low temperatures in accreting white dwarfs and neutron stars

Nomoto, K., Thielemann, F.K., Miyaji, S. 149, 239

Thermonuclear reactions in cool accreting neutron stars and burst phenomena

Miyaji, S., Nomoto, K. 152, 33

Super-Eddington fluxes in a quasi-hydrostatic, optically thick region of a neutron-star outer envelope

Stollman, G.M., van Paradijs, J. 153, 99

Detection of a new X-ray burst source

Fleischman, J.R. 153, 106

X-rays: general

Comment on the IRAS infrared spectrum of Zeta Puppis (O4 If) Wolfire, M.G., Waldron, W.L., Cassinelli, J.P. 142, L25

New evidence for keV X-ray variability of QSO 0241+622 Mereghetti, S., Bignami, G.F., Caraveo, P.A. 142, 37

A comparative study of cosmological evolution in the radio, optical and X-ray bands

Danese, L., De Zotti, G., Franceschini, A. 143, 277

Comptonization of low-frequency radiation in accretion disks: angular distribution and polarization of hard radiation Sunyaev, R.A., Titarchuk, L.G. 143, 374

Limits on parallax and proper motion of an optical counterpart of Geminga

Sol, H., Tarenghi, M., Vanderriest, C., Vigroux, L., Lelièvre, G. 144, 109

Energy content of non-isothermal X-ray plasma in clusters of galaxies

Gerbal, D., Mathez, G., Monin, J.-L., Salvador-Sole, E. 146, 119

Inhomogeneous synchrotron-self-Compton models and the problem of relativistic beaming of BL Lac objects

Ghisellini, G., Maraschi, L., Treves, A. 146, 204

Non-thermal models of the X-ray emission in Seyfert galaxies: the case of NGC 4151

Piro, L., Perola, G.C., Massaro, E. 147, 22

NGC 6212: an elliptical galaxy with a highly active nucleus Biermann, P., Strom, R., Bartel, N. 147, L27

On cloud shadows in wide beam scans of the diffuse soft X-ray sky

Knude, J. 147, 155

An X-ray study of AM Herculis. I. Discovery of a new mode of soft X-ray emission

Heise, J., Brinkman, A.C., Gronenschild, E., Watson, M., King, A.R., Stella, L., Kieboom, K. 148, L14

Electron-positron bremsstrahlung in mildly relativistic thermal plasmas

Haug, E. 148, 386

Transient elastic photon diffusion

Schweizer, M.A. 151, 79

Hard X-ray imaging with a rotating wide field coded mask telescope: an inflight test

Badiali, M., Cardini, D., Emanuele, A., Ranieri, M., Soggiu, E. 151, 259

X-rays: spectroscopy

High energy X-ray observations of COS-B gamma-ray sources from OSO-8

Dolan, J.F., Caraveo, P.A., Crannell, C.J., Dennis, B.R., Frost, K.J., Orwig, L.E. 143, 1

Iron abundance in galaxy clusters

Rothenflug, R., Arnaud, M. 144, 431

Erratum: A tentative interpretation of the cyclotron line energy variation in Her X-1

Prantzos, N., Durouchoux, P. 147, 335

An X-ray study of AM Herculis. I. Discovery of a new mode of soft X-ray emission

Heise, J., Brinkman, A.C., Gronenschild, E., Watson, M., King, A.R., Stella, L., Kieboom, K. 148, L14

The interpretation of X-ray spectra from low-mass X-ray binaries

Lewin, W.H.G., van Paradijs, J. 149, L27

Solar X-ray spectrum simulations for flaring loop models with emphasis on transient ionization effects during the impulsive phase

Mewe, R., Lemen, J.R., Peres, G., Schrijver, J., Serio, S. 152, 229

Calculated X-radiation from optically thin plasmas. V. Improved atomic data for n=1-2 lines plus satellites from H- and He-like ions, 2l-nl' ($n \ge 2$) and 3l-nl' ($n \ge 3$) transitions from Fe and Ni

ions, and lines from Li to Ne isoelectronic sequences of elements C to Ca

Mewe, R., Gronenschild, E.H.B.M., van den Oord, G.H.J. 152, 446; 62, 197

Super-Eddington fluxes in a quasi-hydrostatic, optically thick region of a neutron-star outer envelope

Stollman, G.M., van Paradijs, J. 153, 99

Erratum

In the Annual Author and Subject Indexes of 1984 (Astron. Astrophys. Vol. 141, No. 2) the following name and title were accidentally omitted:

In the Author Index:

Renson, P. 139, 131

In the Subject Index:

"The magnetic-field variations of HD 32633"

Renson, P. 139, 131


under the subjects

"Stars: individual, HD 32633",

"Stars: magnetic field" and

"Stars: peculiar A".





ASTRONOMY AND ASTROPHYSICS

A European Journal

Volume 142 1985

Astronomy and Astrophysics A European Journal

Board of Directors

Chairman: G. Contopoulos (Greece)

Vice Chairman: B. Hauck (Switzerland)

H. Haupt (Austria)

A. G. Hearn (The Netherlands)

K. Hunger (Germany, Federal Republic) E. Jensen (Norway)

J. Lequeux (France)

W. Priester (Germany, Federal Republic)

A. Reiz (Denmark) E. Schatzman (France)

G. Setti (Italy)

P. Smeyers (Belgium)

L. Woltjer (ESO)

Editors-in-Chief

C. Cesarsky
Observatoire de Meudon
92 195 Meudon Principal Cedex
(France)
Tel. (33 1) 5 34 75 30 ext 3 68

Tel. (33-1) 5 34-75-30 ext 3 68 Telex (42) 270 912 obsastr meudon M. Grewing

Astronomy and Astrophysics Editorial Office Keplerstrasse 17 7400 Tübingen (Fed. Rep. of Germany)

Tel. (49-7071) 294982 Telex (41) 7262714 ait d

Letter-Editor

S. R. Pottasch Kapteyn Astronomical Institute P. O. Box 800 9700 AV Groningen (The Netherlands) Tel. (31-50) 11 66 43 Telex (44) 53 572 stars nl

Editing Secretaries

Miss B. Perche Mrs. M. Rougeot

Ms. G. Meissner

Ms. L. Flipse

The exclusive copyright c for all languages and countries, including the right for photomechanical and any other reproduction, also in microform, is vested in European Southern Observatory (ESO). The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer International
Printed in Germany
Printers: Brühlsche Universitätsdruckerei, Gießen

Volume 142 1985

Contents

	HI synthesis observations of the peculiar galaxy	
	Schwarz, U.J.	273
L1	Barbieri, C., Cristiani, S., Omizzolo, S.,	040
	Wolf-Rayet stars in "lazy" galaxies: a statistical ap-	316
L5		411
	Galactic structure and dynamics	
19	The galactic plane: A source of 1000 GeV gamma rays	
in	Dowthwaite, J.C., Harrison, A.B., Kirkman, I.W., Macrae, H.J., Orford, K.J., Turver, K.E., Walmsley, M.	55
LIS	Associations between neutral and ionized gas in Sgr A	
L16		237
140	Liszt, H.S., Burton, W.B., van der Hulst, J.M.	245
L19	Robe, H.	351
L23	the galactic center	
	Churchwell, E.	381
	spiral structure in galaxies	487
L29	rucis, b.	407
	Stellar clusters and associations	
	A high dispersion analysis of a giant star in 47 Tuca- nae	
1	D'Odorico, S., Gratton, R.G., Ponz, D.	232
21	UV-bright stars in galactic globular clusters, their far- UV spectra and their contribution to the globular	
	cluster luminosity de Boer, K.S.	321
37	Are galactic bulge X-ray burst sources leftovers of	
	disrupted globular clusters? van Paradijs, J., Lewin, W.H.G.	361
	Formation, structure and evolution of stars	
71	Carbon deflagrating supernovae and the chemical	
150	history of the solar neighbourhood Matteucci, F., Tornambé, A.	13
	L5 L9 L13 L16 L19 L23 L25 L29 1 21 37	NGC 3718 and its companion NGC 3729 Schwarz, U.J. The variable extragalactic object 3C 446 Barbieri, C., Cristiani, S., Omizzolo, S., Romano, G. Wolf-Rayet stars in "lazy" galaxies: a statistical approach Kunth, D., Joubert, M. Galactic structure and dynamics The galactic plane: A source of 1000 GeV gamma rays Dowthwaite, J.C., Harrison, A.B., Kirkman, I.W., Macrae, H.J., Orford, K.J., Turver, K.E., Walmsley, M. Associations between neutral and ionized gas in Sgr A Liszt, H.S., Burton, W.B., van der Hulst, J.M. A high resolution H1 absorption spectrum of Sgr A Liszt, H.S., Burton, W.B., van der Hulst, J.M. Periodic orbits in a triaxial galaxy Robe, H. Temperature determinations in molecular clouds of the galactic center Güsten, R., Walmsley, C.M., Ungerechts, H., Churchwell, E. Changes of entropy and entropy flux induced by spiral structure in galaxies Fuchs, B. Stellar clusters and associations A high dispersion analysis of a giant star in 47 Tucanae D'Odorico, S., Gratton, R.G., Ponz, D. UV-bright stars in galactic globular clusters, their far- UV spectra and their contribution to the globular cluster luminosity de Boer, K.S. Are galactic bulge X-ray burst sources leftovers of disrupted globular clusters? van Paradijs, J., Lewin, W.H.G.

Star Formation and the galactic magnetic field. The B- ϱ relation, flux freezing, and magnetic braking Mouschovias, T.C.	41	A model of clumped molecular clouds. I. Hydrostatic structure of dense cores Falgarone, E., Puget, J.L.	157
HM Sagittae and V 1016 Cygni in 1982–83: unfore- seen variations in the IR spectrum of 1016 Cyg Ipatov, A.P., Taranova, O.G., Yudin, B.F.	85	The galactic reddening law: the evidence from <i>uvbyβ</i> photometry of B stars <i>Tobin, W</i> .	189
A search for rapid oscillations in HD 92664 Kurtz, D.W.	89	Amorphous carbon grains: laboratory measurements in the 2000 $\mathring{A}-40~\mu\text{m}$ range	
Theoretical interpretation of the nutational effects in SS 433		Borghesi, A., Bussoletti, E., Colangeli, L. A potential extraterrestrial species: the SH ⁺ molecu-	225
Cogotti, R., Ruffini, R., Jong, S.D.	124	lar ion	246
Stellar evolution with the Roxburgh criterion for con- vection Doom. C.	143	Horani, M., Rostas, J., Roueff, E. CO (J=4-3) spectroscopy in M17SW and OMC1 Schulz, A., Gillespie, A.R., Krügel, E.	346
The evolution of massive close binary systems with mass loss and overshooting. I. Mass transfer in sys-		$\ensuremath{\text{HCO}^{+}}$ observations of the molecular cloud HH 24-27	
tems with initial masses of 20+10 M _☉ Sybesma, C.H.B.	171	Little, L.T., Davies, S.R., Vizard, D.R., Ellison, B.N., Riley, P.W., Matthews, N.,	070
Oscillations in star formation and contents of a mo- lecular cloud complex	207	Macdonald, G.H., Nyman, LA. Numerical models of planetary nebulae evolution	378
Bodifée, G., de Loore, C.	297	Okorokov, V.A., Shustov, B.M., Tutukov, A.V., Yorke, H.W.	441
Linear polarization of symbiotic stars Schulte-Ladbeck, R.	333	Models for the planetary nebulae NGC 4361 and	441
Variations in the variability of RR Tel	333	NGC 1535: Influence of the stellar wind on the ne-	
Heck, A., Manfroid, J.	341	bular ionization	
The initial parameters of the semidetached binary TV		Adam, J., Köppen, J.	461
Cas		Drag-like effects on heliospheric neutrals due to	
De Grève, J.P., de Landtsheer, A.C., Packet, W. A dynamical instability as a driving mechanism for	367	elastic collisions with solar wind ions Fahr, H.J., Nass, H.U., Rucinski, D.	476
stellar oscillations Auvergne, M., Baglin, A.	388		
Auvergne, IVI., Dayini, A.	300	The Sun	
		High-resolution photography of the solar chromo-	
Stellar atmospheres Molecular emission from expanding circumstellar		sphere. XX. True widths of Hα active region loops Bray, R.J., Loughhead, R.E.	199
envelopes: polarization and profile asymmetries Morris, M., Lucaš, R., Omont, A.	107	Velocity and asymmetry mapping of sunspots Küveler, G., Wiehr, E.	205
Redistribution functions for astrophysical problems Magnan, C.	117	Return currents in solar flares: collisionless effects Rowland, H.L., Vlahos, L.	219
Time-variable, excess radio emission from Cyg OB2 No.5		Twisting motions in a disturbed solar filament Schmieder, B., Raadu, M.A., Malherbe, J.M.	249
Persi, P., Ferrari-Toniolo, M., Tapia, M., Roth, M., Rodríguez, L.F.	263	Effects of CO molecules on the outer solar atmosphere: a time-dependent approach	000
SIT Vidicon and IDS spectra of central stars of plan- etary nebulae Méndez, R.H., Kudritzki, R.P., Simon, K.P.	289	Muchmore, D., Ulmschneider, P.	393
The spectrum of a Type I supernova in NGC 7038	200	The color system	
Schild, H.	401	The solar system	
2-dimensional low luminosity accretion onto neutron stars		Formation environment of cometary nuclei in the pri- mordial solar nebula Yamamoto, T.	31
Kirk, J.G.	430	Alfvén wave dissipation in the solar wind	
The optical properties of dust in the mid-IR silicate bands		Dobrowolny, M., Torricelli-Ciamponi, G.	404
Pégourié, B., Papoular, R.	451	The orbit of periodic comet Crommelin between the years 1000 and 2100 Festou, M.C., Morando, B., Rocher, P.	42
Diffuse matter in space (including Hill regions and planetary nebulae)		The interpretation of the radio continuum emission from comet IRAS-Araki-Alcock (1983d)	1
Infrared variability of the reflection nebulosity around RS Puppis	,	Walmsley, C.M.	43
Mayes, A.J., Evans, A., Bode, M.F.	48	Colostial machanias and astrometry	
Observations of selected sources in the 2 cm line of	f	Celestial mechanics and astrometry	
H ₂ CO Martín-Pintado, J., Wilson, T.L., Gardner, F.F., Henkel, C.	131	Observations and comparison with theory of Saturn's satellites, 1981–1982 (Text in French) Dourneau, G., Dulou, M.R., Le Campion, J.F.	9

Physical and chemical processes		The velocity field of NGC 1365. I. The measurements	
(RN) The number of critical points in polytropic accretion onto black holes Chang, K.M.	212	and data reduction techniques Jörsäter, S., Peterson, C.J., Lindblad, P.O., Boksenberg, A.	215
Fission sequences of self-gravitating and rotating fluid with internal motion		Determination of radii of cepheids. III. Radial velo- cities, spectroscopic orbit and dimension of SU Cyg (Text in French)	
Eriguchi, Y., Hachisu, I.	256	Imbert, M.	215
Measurement of neutron capture cross sections of s- only isotopes: ⁷⁰ Ge, ⁸⁶ Sr, and ⁸⁷ Sr <i>Walter, G., Beer, H.</i>	268	<i>VBLUW</i> photometry of the association Sco OB1 (containing the open cluster NGC 6231). A discussion on the evolutionary status of the hypergiant $ζ$ ¹ Sco (B1la ⁺)	
Magnetized viscous jets Nepveu, M.	375	van Genderen, A.M., Bijleveld, W., van Groningen, E.	215
		Radial velocities of galaxies: some considerations on the comparison between radio and optical data	
Instruments, data processing, and computational methods		Tanzella-Nitti, G. Magnitudes and colours for stars in the central part	216
A high accuracy algorithm for maximum entropy image restoration in the case of small data sets		of the globular cluster NGC 7099 (M30) Cordoni, JP., Aurière, M.	216
Wilczek, R., Drapatz, S.	9	A search for faint blue stars in high galactic latitudes. III. Twelve PSS fields at declinations -6° and -12°	
Comparative performances of an objective grating concept in UV spectroscepic observations of solar system objects. I. Imaging capabilities		near the South Galactic Pole Berger, J., Fringant, AM.	216
Bruston, P., Choucq-Bruston, M.	59	Optical region elemental abundance analyses of B and A stars. III. The mercury-manganese stars Upsi-	
Point and interval estimation of the true unbiased de- gree of linear polarization in the presence of low sig- nal-to-noise ratios		Ion Herculis and 38 Draconis Adelman, S.J.	216
Simmons, J.F.L., Stewart, B.G.	100	A study of the open cluster NGC 6475 (M 7) (and two other stellar clusterings)	
Calibration of the instrumental polarization of radio telescopes		Lodén, L.O. Spectroscopic binaries. 14th complementary cata-	216
Turlo, Z., Forkert, T., Sieber, W., Wilson, W. Photometric calibrations of an MCP space qualified	181	logue (Text in French) Pédoussaut, A., Ginestet, N., Carquillat, J.M.	217
photographic-camera Koutchmy, S., Verlhac, A.	355	uvby photometry of Sigma Scorpii Sterken, C.	217
Application of a new gasdynamics code to gas flow problems in disk galaxies van Albada, G.D.	491	Study of a complete sample of galaxies. I. UBV aper- ture photometry Véron-Cetty, M.P.	217
		Photoelectric observations and minima times for RZ	
Abstracts of articles which have been pub-		Comae Berenices Rovithis, P., Rovithis-Livaniou, E.	217
lished in A. & A. Suppl. Ser. , No. Search for variable stars in the young open cluster		JHK photometry of Be stars Bhatt, H.C., Ashok, N.M., Chandrasekhar, T.,	047
NGC 6871		Goraya, P.S. Einstein A-values for purely rotational transitions in	217
Delgado, A.J., Alfaro, E.J., García-Pelayo, J.M., Garrido, R., Vidal, S.	214	the HDO-molecule Chandra, S., Kegel, W.H., Warshalovich, D.A.	217
Visibility of the mutual phenomena of the Galilean Satellites of Jupiter in 1985 and 1986 Arlot, J.E., Rocher, P.	214	The spectra of late-type dwarfs and sub-dwarfs in the near ultraviolet. III. An atlas of Mg II h and k profiles	
Review of solar observations of the <i>n</i> =2-2 transitions in fourth period elements <i>Lawson, K.D., Peacock, N.J.</i>	214	Franco, M.L., Crivellari, L., Molaro, P., Vladilo, G., Ramella, M., Morossi, C., Allocchio, C., Beckman, J.E.	218
Results of astrolabe observations made at Merate observatory: time and latitude, 1983		The Milky Way in the ultraviolet spectral region Winkler, C., Pfleiderer, J., Schmidt-Kaler, T.	218
Buffoni, L., Carta, F., Chlistovsky, F., Manara, A., Mazzoleni, F.	214	Observations of binary stars by speckle interferometry at the Pic du Midi T2m (Text in French)	
Survey of the 21 cm line of neutral hydrogen in the Cas-Per region $120^{\circ} \le l \le 142^{\circ}$ and $-5^{\circ} \le b \le +5^{\circ}$		Bonneau, D., Carquillat, J.M., Vidal, J.L. A revised supernova catalogue	218
with the 100 m telescope at Effelsberg Braunsfurth, E., Reif, K.	215	Barbon, R., Cappellaro, E., Ciatti, F., Turatto, M., Kowal, C.T.	218